


VITALS

КЕРІВНИЦТВО З ЕКСПЛУАТАЦІЇ



WWW.VITALS.COM.UA



MODELS

EZT 124s

МОДЕЛ

EZT 124vs

МОДЕЛ

EZT 124vrs

ÓÐÀÍÑÜÄ

- 1.
- 2.
- 3.
4.
 - 4.1.
 - 4.2.
5.
 - 5.1.
 - 5.2.
- 6.
- 7.
- 8.
- 9.



«Vitals»

?

«Vitals».

«Vitals»

?

, 70, . 056-374-89-39.

»

2

Vitals Master EZT 124s, EZT 124vs EZT 124vrs

EN 786-2002;
IEC 61000-3-2: 2004;
CISPR 14-1: 2004;
CISPR 14-2: 2007.
61029-1:2006;



1

!

056-374-89-39

»

, 70,

www.vitals.com.ua

056-374-89-38,

«Vitals».


1

Vitals Master EZT 124s, EZT 124vs EZT 124vrs

EZT 124vrs:

Vitals Master EZT 124s, EZT 124vs EZT 124vrs

EZT 124s



EZT 124s:

EZT 124vs;

6

T

1

2

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.

-

-


2

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.
- 18.
- 19.

-

8

EZT 124vs




9

3

EZT 124s

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.



10

EZT 124vs

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.

11

1. () ,
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.
13.





УКРАЇНСЬКА

?	?	?	?	?	?	EZT 124s	EZT 124vs	EZT 124vrs
,						220		
,						50		
,						1200		
,	/					10000		
,						420		
,						255		
,						1,6		
,	/ ²					4,42	4,42	3,85
,						75	75	72
			-				+	+
			+				+	+
			+				+	+
			+				+	+
			+				+	+
			+				+	+
,			970 220 110			1850 230 110	1850 230 110	
/	,					5,8/7,0	5,9/7,2	5,6/7,1

4

4.1.

4.

5.

6.

7.

8.

9

-10-

1

12



1

4.2.

1.

2.

3.

16

,

9.

(

15

).

13.

,

,

,

,

,

,

,

,

,

14.

'

,

,

,

,

,

,

,

15.

—

,

,

,

,

,

,

,

16.

,

,

,

,

,

,

,

,

17.

,

,

,

,

,

,

,

,

18.

)

(

15

,

,

,

,

,

19.

,

,

,

,

,

,

,

,

20.

,

,

,

,

,

,

,

,



, , , , , !



, ! , , , ,

(EZT 124vrs)

1.
2.
3.
4.
5.
6.1.
2.
3.
4.

(EZT 124s)

1. 4

2.

3.

(EZT 124s)

EZT 124s)
1.
2.
3. $\pm 13,5^{\circ}$),



!

1.

2.

4

3.

1.
(2)(4)
(5)(1)
(6)2.
(3),
(4)(2)
(4)

(1)

3.
(7).
(8)
(5)

!

4.

(10),

(4)

(11)

19

(9),

(12)

5.

6.



(3)


(2)

(1).

!

4





!,
1,6
(9). 8
15-17

1. (4) (5) (1)
(2), (6)

2. (3), (2) (4) (1)

!

3. (4)
4. (4)
5. (3)
6. (2)

220 50,
(), 2-4,),

!
()

!
()



!

1.
1,2,3).

EZT 124vs

2.

3.

4.

(

EZT 124vrs).

4

(

EZT 124vs).



10-20



!

5.2.



!



!



!




1. ;
 2. ,
 4.),
 3. (15-17).


(. 1, 2, 3).




- 6)
 6



7




8



9)

20

9



9.

!

20

!

28

6




!





!

29

2



30



31

7.

(2)

(),

15-17

7



1

(. . . , 50)



!



!

! .



!

90%.

-15° +55°

90%.

-15° +5°

32

33

1. , ,
2. , , ,
3. , , ,
- 4.
5. , ,


0 ° ,

+5 ° +40 °



◦ ,
+5 ° +40 °

	,	,
	,	,
	,	,
"	"	
()	
		,
		,



EZT 124vs EZT 124vrs

1 (

Vitals Master EZT 124s,





()

()

()

()

()

()

()

()

()

()

()



, , , .

,

()

