

TP15K

Petrol generator set
15 kVA, 400 V / 230 V, 50 Hz

TECHNICAL DATA

• Prime power 400 V	15 kVA / 12 kW
• Prime power 230 V	8 kVA / 8 kW
• Voltage	400 / 230 V
• Frequency	50 Hz
• Fuel tank capacity	20 l
• Fuel consumption at 75% load	5,4 l/h
• Noise level, Lwa	97 dB
• Weight	138 kgs

ENGINE

• Manufacturer	Kohler
• Model	CH680
• Power at 3600 RPM	22 HP
• Rotation speed	3000 RPM
• Displacement	674 cm ³
• Number of cylinders	2
• Bore / Stroke	80 / 67 mm
• Compression	8,5 : 1
• Cooling	Air cooled
• Ignition system	Transistorized
• Engine oil capacity	1,9 l
• Protection from a low oil level	Yes

ALTERNATOR

• Manufacturer	NSM
• Number of poles	2
• Type	With brushes
• Voltage accuracy	+5%, -5%
• Power factor, Cos φ	0,8
• Voltage regulator	Compound
• Protection level	IP 23
• Insulation class	H





TP15K

Petrol generator set
15 kVA, 400 V / 230 V, 50 Hz

EQUIPMENT


Electric starter	<input checked="" type="checkbox"/>	Protection from a low oil pressure / level	<input checked="" type="checkbox"/>
Sockets: 1 CEE (32A 400V), 1 CEE (32A 230V)	<input checked="" type="checkbox"/>	Earthing rod	<input type="checkbox"/>
Thermal overload protection	<input checked="" type="checkbox"/>	Wheels and handles kit	<input type="checkbox"/>

- Standard equipment
- Optional equipment

OTHER INFORMATION

- Warranty **12 months**
- Electric power according to **ISO 8528**

DIMENSIONS



GENERGA
generating sets

UAB "Generga"
Naglio str. 4A
LT - 52367 Kaunas, Lithuania
Tel: +370 37 455456
Email: info@generga.com
www.generga.com



Distributed by

Version : 2016 10

ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:

storgom.ua

ГРАФИК РАБОТЫ:

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

КОНТАКТЫ:

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара:

<https://storgom.ua/product/benzinovyi-generator-generga-tp15k.html>

Другие товары: <https://storgom.ua/benzinovye-generatory.html>