

HECHT®

made for garden



2017

Spring



EXTENSION CORDS, CYLINDER LAWN MOWERS

120153



⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

130153



⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

121153



260 x 315 x 185 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

131153



260 x 220 x 320 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

420153



285 x 355 x 200 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm²

430153



280 x 230 x 360 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm²

HECHT 50437

Children mower with sound



WITH SOUND WHILE MOVING



6 PCS

⚖ weight 0,9 kg ↔ dimensions 50 x 27,5 x 52 cm

www.hecht.cz

HECHT 5030



530 x 380 x 270 mm

PUSHED

👤 manual pushed

📏 working width 30 cm

⚖ weight 7,8 kg

📏 height adjustment 10–36 mm

🔪 steel chassis

🗑 collecting box 15 l

HECHT 504



560 x 320 x 220 mm

PUSHED

👤 manual pushed

📏 working width 40 cm

⚖ weight 8,8 kg

📏 height adjustment 17–43 mm

🔪 steel chassis

🗑 collecting box 15 l

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 514 PROFI

Contactless cutting cylinder
Blade thickness 3 mm



650 x 580 x 275 mm

PUSHED

| | | | | |
|--|---------------|--|-------------------|-------------|
| | manual pushed | | height adjustment | 24–75 mm |
| | working width | | steel chassis | contactless |
| | weight | | collecting box | 50 l |

HECHT 1000

Powerful high torque
electric motor
“TURBO motor“



570 x 380 x 305 mm

CE PUSHED

| | | | | | |
|--|---------------|-------------|--|---------------------|----------|
| | electric | 230 V/50 Hz | | height adjustment | 25–55 mm |
| | power input | 1000 W | | plastic chassis | |
| | working width | 32 cm | | collecting box | 35 l |
| | weight | 8,8 kg | | wheels (front/rear) | 5/5" |

HECHT 1233

Powerful high torque
electric motor
“TURBO motor“



600 x 375 x 275 mm

CE PUSHED

| | | | | | |
|--|---------------|-------------|--|---------------------|----------|
| | electric | 230 V/50 Hz | | height adjustment | 20–60 mm |
| | power input | 1200 W | | plastic chassis | |
| | working width | 33 cm | | collecting box | 30 l |
| | weight | 7,1 kg | | wheels (front/rear) | 5,5/5,5" |

HECHT 1434

Powerful high torque
electric motor
“TURBO motor“



655 x 400 x 325 mm

CE PUSHED

| | | | | | |
|--|--------------------------------------|-------------|--|---------------------|----------|
| | electric | 230 V/50 Hz | | height adjustment | 25–65 mm |
| | power input | 1400 W | | plastic chassis | |
| | working width | 34 cm | | collecting box | 35 l |
| | weight | 12 kg | | wheels (front/rear) | 5,5/6" |
| | central adjustment of cutting height | | | | |

HECHT 1638 R

Powerful high torque
electric motor
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

| | | | | | |
|--|--------------------------------------|-------------|--|---------------------|----------|
| | electric | 230 V/50 Hz | | height adjustment | 25–65 mm |
| | power input | 1600 W | | plastic chassis | |
| | working width | 38 cm | | collecting box | 45 l |
| | weight | 13 kg | | wheels (front/rear) | 5,5/7" |
| | central adjustment of cutting height | | | | |

HECHT 1844

Powerful high torque
electric motor
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

| | | | | | |
|--|--------------------------------------|-------------|--|---------------------|----------|
| | electric | 230 V/50 Hz | | height adjustment | 25–85 mm |
| | power input | 1800 W | | plastic chassis | |
| | working width | 42 cm | | collecting box | 50 l |
| | weight | 15,5 kg | | wheels (front/rear) | 6/8" |
| | central adjustment of cutting height | | | | |

ELECTRIC LAWN MOWERS

HECHT 1640



660 x 510 x 330 mm

CE PUSHED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 25-75 mm |
| 🔌 | power input | 1600 W | 🔪 | steel chassis | |
| 📏 | working width | 40 cm | 🗑️ | collecting box | 45 l |
| 👤 | weight | 20 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 6/8" |

HECHT 1641

Mulching kit included

Powerful high torque electric motor "TURBO motor"



780 x 530 x 370 mm

CE PUSHED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 30-75 mm |
| 🔌 | power input | 1600 W | 🔪 | steel chassis | |
| 📏 | working width | 41 cm | 🗑️ | collecting box | 50 l |
| 👤 | weight | 21,3 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 7/8" |

HECHT 1845

Mulching kit included

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

CE PUSHED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 30-75 mm |
| 🔌 | power input | 1800 W | 🔪 | steel chassis | |
| 📏 | working width | 46 cm | 🗑️ | collecting box | 60 l |
| 👤 | weight | 23,8 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 1846

4 in 1



860 x 570 x 425 mm

alternative side ejection

CE PUSHED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 25-75 mm |
| 🔌 | power input | 1800 W | 🔪 | steel chassis | |
| 📏 | working width | 46 cm | 🗑️ | collecting box | 60 l |
| 👤 | weight | 28,5 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 1803 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 30-75 mm |
| 🔌 | power input | 1800 W | 🔪 | steel chassis | |
| 📏 | working width | 46 cm | 🗑️ | collecting box | 60 l |
| 👤 | weight | 26,4 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 1805 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 475 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|---|--------------------------------------|-------------|----|---------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 25-75 mm |
| 🔌 | power input | 1800 W | 🔪 | steel chassis | |
| 📏 | working width | 46 cm | 🗑️ | collecting box | 60 l |
| 👤 | weight | 31,2 kg | 🛞 | ball bearings | |
| 📏 | central adjustment of cutting height | | 🛞 | wheels (front/rear) | 8/11" |












ACCU AND PETROL LAWN MOWERS



Li-ion Powered **HECHT 5035**
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

735 x 405 x 370 mm CE PUSHED









| | | | | | |
|---|---------------------|---------|---|--------------------------------------|----------|
|  | accu Li-Ion | DC 40 V |  | height adjustment | 25-75 mm |
|  | Li-Ion | 2,5 Ah |  | plastic chassis | |
|  | working width | 35 cm |  | collecting box | 35 l |
|  | weight | 17,5 kg |  | central adjustment of cutting height | |
|  | wheels (front/rear) | 6/9" | | | |



Li-ion Powered **HECHT 5038**
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

790 x 455 x 370 mm CE PUSHED










| | | | | | |
|---|---------------------|---------|---|--------------------------------------|----------|
|  | accu Li-Ion | DC 40 V |  | height adjustment | 25-75 mm |
|  | Li-Ion | 4 Ah |  | plastic chassis | |
|  | working width | 38 cm |  | collecting box | 40 l |
|  | weight | 16,4 kg |  | central adjustment of cutting height | |
|  | wheels (front/rear) | 6/9" | | | |




Li-ion Powered **HECHT 3639**
Battery 003639A
Charging time 2 h

-  CZ
-  SK
-  PL
-  GB

800 x 450 x 370 mm CE PUSHED

| | | | | | |
|---|---------------------|---------|---|--------------------------------------|----------|
|  | accu Li-Ion | DC 36 V |  | height adjustment | 25-75 mm |
|  | Li-Ion | 4 Ah |  | plastic chassis | |
|  | working width | 37 cm |  | collecting box | 43 l |
|  | weight | 16,5 kg |  | central adjustment of cutting height | |
|  | wheels (front/rear) | 6/9,5" | | | |



Li-ion Powered **HECHT 5046**
Mulching kit included
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

845 x 570 x 430 mm CE SELF PROPELLED

PATENTED WHEELS DESIGN

alternative side ejection

| | | | | | |
|---|---------------------|---------|---|--------------------------------------|----------|
|  | accu Li-Ion | DC 40 V |  | height adjustment | 25-75 mm |
|  | Li-Ion | 4 Ah |  | steel chassis | |
|  | working width | 46 cm |  | collecting box | 60 l |
|  | weight | 26 kg |  | ball bearings | |
|  | wheels (front/rear) | 8/11" |  | central adjustment of cutting height | |



Li-ion Powered **HECHT 5051**
Mulching kit included
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

910 x 570 x 430 mm CE SELF PROPELLED

PATENTED WHEELS DESIGN

alternative side ejection

| | | | | | |
|---|---------------------|---------|---|--------------------------------------|----------|
|  | accu Li-Ion | DC 40 V |  | height adjustment | 25-75 mm |
|  | Li-Ion | 4 Ah |  | steel chassis | |
|  | working width | 51 cm |  | collecting box | 60 l |
|  | weight | 27,7 kg |  | ball bearings | |
|  | wheels (front/rear) | 8/11" |  | central adjustment of cutting height | |



HECHT 5406

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

710 x 460 x 380 mm CE PUSHED

| | | | | | |
|---|---------------------|--------------------|---|-------------------|----------|
|  | engine HECHT | OHV |  | height adjustment | 25-55 mm |
|  | displacement | 99 cm ³ |  | max.torque | 4,7 Nm |
|  | working width | 41 cm |  | steel chassis | |
|  | weight | 17,4 kg |  | collecting box | 45 l |
|  | wheels (front/rear) | 6/6" | | | |

PETROL LAWN MOWERS

HECHT 540

STEEL CHASSIS



710 x 460 x 380 mm

CE PUSHED

| | | | | | |
|--|---------------------|--------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-55 mm |
| | displacement | 99 cm ³ | | max.torque | 4,7 Nm |
| | working width | 41 cm | | steel chassis | |
| | weight | 23,5 kg | | collecting box | 45 l |
| | wheels (front/rear) | 7/7" | | | |

HECHT 540 B



670 x 520 410 mm

CE PUSHED

| | | | | | |
|--|---------------------|---------------------|--|-------------------|----------|
| | engine B&S | Series 450 E | | height adjustment | 25-55 mm |
| | displacement | 125 cm ³ | | max.torque | 5,6 Nm |
| | working width | 41 cm | | steel chassis | |
| | weight | 20,5 kg | | collecting box | 45 l |
| | wheels (front/rear) | 7/7" | | | |

HECHT 543

HECHT 546



765 x 515 x 460 mm

CE PUSHED

| | | | | | |
|--|--------------------------------------|--------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-60 mm |
| | displacement | 98 cm ³ | | max.torque | 4,7 Nm |
| | working width | 43 cm | | steel chassis | |
| | collecting box | 45 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 7/10" |



775 x 560 x 500 mm

CE PUSHED

| | | | | | |
|--|--------------------------------------|---------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-70 mm |
| | displacement | 139 cm ³ | | max.torque | 7,5 Nm |
| | working width | 46 cm | | steel chassis | |
| | collecting box | 65 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 7/10" |

HECHT 541 SW

Speed about 3,45 km/h



670 x 520 x 410 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|--------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-70 mm |
| | displacement | 99 cm ³ | | max.torque | 5,5 Nm |
| | working width | 41 cm | | steel chassis | |
| | weight | 24 kg | | collecting box | 45 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 7/8" | | | |

HECHT 541 BSW

Speed about 3,45 km/h



670 x 520 x 410 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine B&S | Series 450 E | | height adjustment | 25-70 mm |
| | displacement | 125 cm ³ | | max.torque | 6,1 Nm |
| | working width | 41 cm | | steel chassis | |
| | weight | 24 kg | | collecting box | 45 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 7/8" | | | |

PETROL LAWN MOWERS

HECHT 543 SX

Speed about 3 km/h



765 x 515 x 460 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|--------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-65 mm |
| | displacement | 98 cm ³ | | max.torque | 4,7 Nm |
| | working width | 43 cm | | steel chassis | |
| | collecting box | 45 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 7/10" |

HECHT 543 SW

5 in 1

Speed 3,6 km/h



810 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|----------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 98,5 cm ³ | | max.torque | 5,1 Nm |
| | working width | 43 cm | | steel chassis | 5 in 1 |
| | collecting box | 50 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 8/11" |

HECHT 543 SWE

5 in 1

Speed 3,6 km/h
Electric starter



880 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|----------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 98,5 cm ³ | | max.torque | 5,1 Nm |
| | working width | 43 cm | | steel chassis | 5 in 1 |
| | collecting box | 50 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 8/11" |

HECHT 546 SX

Speed about 3 km/h



MODEL 2016



785 x 570 x 500 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-65 mm |
| | displacement | 135 cm ³ | | max.torque | 6,8 Nm |
| | working width | 46 cm | | steel chassis | |
| | weight | 32 kg | | collecting box | 55 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 7/10" | | | |

HECHT 547 SXW

5 in 1

Mulching kit included
Speed about 3,6 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-70 mm |
| | displacement | 139 cm ³ | | max.torque | 7,5 Nm |
| | working width | 46 cm | | steel chassis | 5 in 1 |
| | weight | 32 kg | | collecting box | 65 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 7/10" | | | |

HECHT 546 BSW

5 in 1

Speed 3,35 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|---------------------|----------|
| | engine B&S | Series 500 E | | height adjustment | 25-70 mm |
| | displacement | 140 cm ³ | | max.torque | 6,8 Nm |
| | working width | 46 cm | | steel chassis | 5 in 1 |
| | collecting box | 65 l | | ball bearings | |
| | central adjustment of cutting height | | | wheels (front/rear) | 7/10" |

PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



860 x 570 x 510 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT | OHV | height adjustment | 25–75 mm |
| displacement | 135 cm ³ | max.torque | 7 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 35,6 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 548 SW 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



860 x 570 x 510 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT | OHV | height adjustment | 25–75 mm |
| displacement | 135 cm ³ | max.torque | 7 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 36,7 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 5484 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h

EASY
ELECTRIC START
- JUST TURN THE KEY -



860 x 570 x 510 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|---------------------|----------|
| engine HECHT | OHV | height adjustment | 25–75 mm |
| displacement | 135 cm ³ | max.torque | 7 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 39 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| battery 12 V DC, 4,5 Ah | | wheels (front/rear) | 8/11" |

HECHT 548 SWE 5 in 1

Mulching kit included
Speed 3,6 km/h
Electric starter



EASY
ELECTRIC START
- JUST TURN THE KEY -



860 x 570 x 510 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|---------------------|----------|
| engine HECHT | OHV | height adjustment | 25–75 mm |
| displacement | 135 cm ³ | max.torque | 7 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 36,7 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| battery 12 V DC, 4,5 Ah | | wheels (front/rear) | 8/11" |

HECHT 5484 SXE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter

www.hecht.cz



PATENTED WHEELS DESIGN



860 x 475 x 570 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S | Series 500 E | height adjustment | 25–75 mm |
| displacement | 140 cm ³ | max.torque | 6,8 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 31,2 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 549 SB 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



860 x 475 x 570 mm

alternative side ejection



| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S | Series 500E | height adjustment | 25–75 mm |
| displacement | 140 cm ³ | max.torque | 6,8 Nm |
| working width | 46 cm | steel chassis | 5 in 1 |
| weight | 31,2 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 5494 SB 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



830 x 570 x 460 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25–65 mm |
| | displacement | 173 cm ³ | | max.torque | 9,5 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 36,5 kg | | collecting box | 55 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 7,5/10,5" | | | |

HECHT 551 SX 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25–75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 38,1 kg | | collecting box | 60 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 8/11" | | | |

HECHT 553 SW 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25–75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 38,7 kg | | collecting box | 60 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5534 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



EASY ELECTRIC START
- JUST TURN THE KEY -



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|---------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25–75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 38,1 kg | | collecting box | 60 l |
| | central adjustment of cutting height | | | ball bearings | |
| | battery 12 V DC, 4,5 Ah | | | wheels (front/rear) | 8/11" |

HECHT 5534 SWE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine B&S | Series 625E | | height adjustment | 25–75 mm |
| | displacement | 150 cm ³ | | max.torque | 8,5 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 33,4 kg | | collecting box | 60 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 8/11" | | | |

HECHT 551 BS 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine B&S | Series 675iS | | height adjustment | 25–75 mm |
| | displacement | 163 cm ³ | | max.torque | 9 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | weight | 33,8 kg | | collecting box | 60 l |
| | central adjustment of cutting height | | | ball bearings | |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5534 INSTART 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



EASY ELECTRIC START
- JUST PRESS THE BUTTON -

PETROL LAWN MOWERS

HECHT 553 BSA 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



905 x 570 x 460 mm
alternative side ejection **CE** SELF PROPELLED

| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S | Series 675 EXi | height adjustment | 25-75 mm |
| displacement | 163 cm ³ | max.torque | 9,85 Nm |
| working width | 51 cm | aluminium chassis | 5 in 1 |
| weight | 37 kg | collecting box | 60 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 5564 5X 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 515 mm
alternative side ejection **CE** SELF PROPELLED

| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT | OHV | height adjustment | 25-75 mm |
| displacement | 173 cm ³ | max.torque | 10 Nm |
| working width | 56 cm | steel chassis | 5 in 1 |
| weight | 42,8 kg | collecting box | 70 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 5564 5XE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



960 x 650 x 515 mm
alternative side ejection **CE** SELF PROPELLED

| | | | |
|--------------------------------------|---------------------|---------------------|----------|
| engine HECHT | OHV | height adjustment | 25-75 mm |
| displacement | 173 cm ³ | max.torque | 10 Nm |
| working width | 56 cm | steel chassis | 5 in 1 |
| weight | 42,8 kg | collecting box | 70 l |
| central adjustment of cutting height | | ball bearings | |
| battery 12 V DC, 4,5 Ah | | wheels (front/rear) | 8/11" |

HECHT 556 B5 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm
alternative side ejection **CE** SELF PROPELLED

| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S | Series 675 | height adjustment | 25-75 mm |
| displacement | 190 cm ³ | max.torque | 8,8 Nm |
| working width | 56 cm | steel chassis | 5 in 1 |
| weight | 38,5 kg | collecting box | 70 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 5564 B5 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm
alternative side ejection **CE** SELF PROPELLED

| | | | |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S | Series 675 | height adjustment | 25-75 mm |
| displacement | 190 cm ³ | max.torque | 8,8 Nm |
| working width | 56 cm | steel chassis | 5 in 1 |
| weight | 38,5 kg | collecting box | 70 l |
| central adjustment of cutting height | | ball bearings | |
| wheels (front/rear) | 8/11" | | |

HECHT 587

Speed about 3 km/h



1050 x 540 x 600 mm **CE** SELF PROPELLED

| | | | |
|---------------|---------------------|-------------------|-----------|
| engine HECHT | OHV | height adjustment | 15-90 mm |
| displacement | 173 cm ³ | steel chassis | |
| working width | 87 cm | ball bearings | |
| weight | 57 kg | wheels | 13x3,5-6" |

PETROL LAWN MOWERS

HECHT 1863 S
5 in 1
Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 475 mm
alternative side ejection

SELF PROPELLED

| | | | | | |
|----|---------------------|-------------|----|-------------------|----------|
| ⚡ | electric | 230 V/50 Hz | 📏 | height adjustment | 25-75 mm |
| 🔌 | power input | 1800 W | 🌿 | steel chassis | |
| 🛠️ | working width | 46 cm | 🗑️ | collecting box | 60 l |
| 🏋️ | weight | 33 kg | ⚙️ | ball bearings | |
| 🛞 | wheels (front/rear) | 8/11" | | | |

HECHT 5433 SW
5 in 1
Mulching kit included



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

810 x 530 x 430 mm
alternative side ejection

SELF PROPELLED

| | | | | | |
|----|--------------------------------------|----------|----|---------------------|----------|
| 🔧 | engine HECHT | OHV | 📏 | height adjustment | 25-75 mm |
| 🗑️ | displacement | 98,5 cm³ | 🏋️ | max.torque | 5,1 Nm |
| 🛠️ | working width | 43 cm | 🌿 | steel chassis | 5 in 1 |
| 📏 | central adjustment of cutting height | | 🗑️ | collecting box | 50 l |
| ⚙️ | ball bearings | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 5483 SW
5 in 1
Mulching kit included
Speed 3,3 km/h



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm
alternative side ejection

SELF PROPELLED

| | | | | | |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧 | engine HECHT | OHV | 📏 | height adjustment | 25-75 mm |
| 🗑️ | displacement | 135 cm³ | 🏋️ | max.torque | 7 Nm |
| 🛠️ | working width | 46 cm | 🌿 | steel chassis | 5 in 1 |
| 📏 | central adjustment of cutting height | | 🗑️ | collecting box | 60 l |
| ⚙️ | ball bearings | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 5483 SWE
5 in 1
Mulching kit included
Speed 3,3 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

| | | | | | |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧 | engine HECHT | OHV | 📏 | height adjustment | 25-75 mm |
| 🗑️ | displacement | 135 cm³ | 🏋️ | max.torque | 7 Nm |
| 🛠️ | working width | 46 cm | 🌿 | steel chassis | 5 in 1 |
| 📏 | central adjustment of cutting height | | 🗑️ | collecting box | 60 l |
| ⚙️ | ball bearings | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 5483 SXE
5 in 1
Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

| | | | | | |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧 | engine HECHT | OHV | 📏 | height adjustment | 25-75 mm |
| 🗑️ | displacement | 135 cm³ | 🏋️ | max.torque | 7 Nm |
| 🛠️ | working width | 46 cm | 🌿 | steel chassis | 5 in 1 |
| 📏 | central adjustment of cutting height | | 🗑️ | collecting box | 60 l |
| ⚙️ | ball bearings | | 🛞 | wheels (front/rear) | 8/11" |

HECHT 5543 SXE
Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

| | | | | | |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧 | engine HECHT | OHV | 📏 | height adjustment | 25-75 mm |
| 🗑️ | displacement | 173 cm³ | 🏋️ | max.torque | 10 Nm |
| 🛠️ | working width | 51 cm | 🌿 | steel chassis | 5 in 1 |
| 📏 | central adjustment of cutting height | | 🗑️ | collecting box | 60 l |
| ⚙️ | ball bearings | | 🛞 | wheels (front/rear) | 8/11" |

PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



840 x 570 x 500 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | central adjustment of cutting height | | | collecting box | 60 l |
| | ball bearings | | | weight | 39,2 kg |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5533 SW 5 in 1

Mulching kit included
Speed 3,3 km/h



PATENTED WHEELS DESIGN



900 x 570 x 490 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 51 cm | | steel chassis | 5 in 1 |
| | central adjustment of cutting height | | | collecting box | 60 l |
| | ball bearings | | | weight | 43,3 kg |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5533 SWE 5 in 1

Mulching kit included
Speed 3,3 km/h
Electric starter



EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

www.hecht.cz



PATENTED WHEELS DESIGN



840 x 570 x 500 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 56 cm | | steel chassis | 5 in 1 |
| | central adjustment of cutting height | | | collecting box | 60 l |
| | ball bearings | | | weight | 43 kg |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5563 SX 5 in 1

Mulching kit included



PATENTED WHEELS DESIGN



900 x 570 x 490 mm

alternative side ejection

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|----------|
| | engine HECHT | OHV | | height adjustment | 25-75 mm |
| | displacement | 173 cm ³ | | max.torque | 10 Nm |
| | working width | 56 cm | | steel chassis | 5 in 1 |
| | central adjustment of cutting height | | | collecting box | 60 l |
| | ball bearings | | | weight | 46 kg |
| | wheels (front/rear) | 8/11" | | | |

HECHT 5563 SXE 5 in 1

Mulching kit included
Electric starter



EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

FOR BETTER COLLECTING OF WET GRASS

HECHT 500046

Special lawn mower „TURBO“ blade

FOR MODELS:

HECHT 548 SW, 5484 SX, 548 SWE, 5484 SXE

46 cm



FOR BETTER COLLECTING OF WET GRASS

HECHT 500051

Special lawn mower „TURBO“ blade

FOR MODELS:

HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

51 cm



HECHT 5060 EU speed 3 km/h



MADE IN CZECH REPUBLIC



1050 x 540 x 600 mm

CE SELF PROPELLED

| | | | | | |
|--|---------------|---------------------|--|---------------|-----------|
| | engine HECHT | OHV | | height | 35 mm |
| | displacement | 173 cm ³ | | steel chassis | |
| | working width | 60 cm | | ball bearings | |
| | weight | 50 kg | | wheels | 16x3,5-8" |



RIDERS, LAWN TRACTORS

HECHT 5161

Speed:
Forward
 1,5–4,6 km/h
Reverse
 2,3 km/h



1480x780x730 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|--------------------------|
| | engine | HECHT | | height adjustment | 35–75 mm |
| | displacement | 196 cm ³ | | recommended area | 1500–2000 m ² |
| | working width | 61 cm | | steel chassis | |
| | weight | 115 kg | | collecting box | 150 l |
| | central adjustment of cutting height | | | ball bearings | |

HECHT 5162

Speed:
Forward
 1,5–4,5 km/h
Reverse
 1,5 km/h



1550 x 780 x 1030 mm

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|---------------------|--|-------------------|--------------------------|
| | engine B&S | Series 850 | | height adjustment | 30–90 mm |
| | displacement | 190 cm ³ | | recommended area | 2000–2500 m ² |
| | working width | 62 cm | | steel chassis | |
| | weight | 125 kg | | collecting box | 130 l |
| | central adjustment of cutting height | | | ball bearings | |



steel structure

Side ejection only

HECHT 5114

Speed:
Forward
 max. 8,3 km/h
Reverse
 2,5 km/h

CE SELF PROPELLED

| | | | | | |
|--|--------------------------------------|-----------------------------------|--|-------------------|--------------------------|
| | engine HECHT | OHV | | height adjustment | 30–90 mm |
| | displacement | 452 cm ³ 1 cylinder | | recommended area | 3000–4000 m ² |
| | working width | 98 cm | | steel chassis | |
| | weight | 165 kg | | ball bearings | |
| | central adjustment of cutting height | | | | |



2590 x 1080 x 1080 mm
 (steel structure)

HECHT 5176

Speed:
Forward
 max. 8,8 km/h
Reverse
 3,8 km/h



CE HYDROSTATIC SELF PROPELLED

| | | | | | |
|--|--------------------------------------|-----------------------------------|--|-------------------|--------------------------|
| | engine B&S | INTEK OHV | | height adjustment | 30–90 mm |
| | displacement | 501 cm ³ 1 cylinder | | recommended area | 3000–4000 m ² |
| | working width | 102 cm | | steel chassis | |
| | weight | 220 kg | | collecting box | 270 l |
| | central adjustment of cutting height | | | ball bearings | |

ROLLER, SERVICE SET, ACCESSORIES

HECHT 5

Service sets for pumping out engine oil or petrol. Suitable for all types of lawn mower engines and lawn tractors.



167 x 155 x 210 mm

| | |
|--|-------------------|
| | manual |
| | tank volume 1,5 l |

HECHT 501



580 x 350 x 390 mm

| | | | | | |
|--|---------------|-------|--|---------------|-------------|
| | working width | 50 cm | | weight | 9 kg |
| | diameter | 32 cm | | filled weight | 50 kg ± 20% |

HECHT 4T

Recommended oil for 4-stroke engines
Min. order 6 pcs



HECHT 2T

Recommended oil for 2-stroke engines
Min. order 6 pcs



HECHT CHAINOIL 4L

Special oil for greasing bars
Min. order 3 pcs



GREASE GX

Plastic lubricant for angle drives
Min. order 48 pcs



HECHT 5W-40

Recommended oil for 4-stroke engines - suitable for all year use
Min. order 6 pcs



HECHT CHAINOIL

Special oil for greasing bars
Min. order 6 pcs



HECHT HC22

Special hydraulic oil 4 l
Min. order 3 pcs



PLASTIC CAN 5 l

No. K00050



| | | |
|--|-------------|-----|
| | tank volume | 5 l |
|--|-------------|-----|



PLASTIC CAN 20 l

No. K00200



| | | |
|--|-------------|------|
| | tank volume | 20 l |
|--|-------------|------|



PLASTIC CAN 10 l

No. K00100



| | | |
|--|-------------|------|
| | tank volume | 10 l |
|--|-------------|------|



PLASTIC CAN KOMBI

No. K00085




| | | |
|--|-------------|-------------|
| | tank volume | 6 l + 2,5 l |
|--|-------------|-------------|



ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1




525 x 425 x 308 mm



| | | | | | |
|--|---------------|-------------|--|-------------------------|------|
| | electric | 230 V/50 Hz | | collecting box | 40 l |
| | power input | 1500 W | | plastic chassis | |
| | working width | 32 cm | | roller with metal wires | |
| | weight | 8,5 | | 16 metal knives | |

HECHT 1521 2 in 1




560 x 415 x 325 mm



| | | | | | |
|--|-----------------|-------------|--|--------------------------------|---------------------|
| | electric | 230 V/50 Hz | | collecting box | 40 l |
| | power input | 1500 W | | recommended area | 1000 m ² |
| | working width | 32 cm | | plastic chassis | |
| | weight | 10 kg | | roller with metal wires | |
| | 16 metal knives | | | variable adjustment -9 to 3 mm | |

HECHT 1538 2 in 1




560 x 540 x 370 mm



| | | | | | |
|--|-----------------|-------------|--|---------------------------------|---------------------|
| | electric | 230 V/50 Hz | | collecting box | 50 l |
| | power input | 1500 W | | recommended area | 1100 m ² |
| | working width | 38 cm | | plastic chassis | |
| | weight | 15 | | roller with metal wires | |
| | 20 metal knives | | | variable adjustment -12 to 5 mm | |

HECHT 1738 2 in 1




560 x 540 x 370 mm



| | | | | | |
|--|-----------------|-------------|--|---------------------------------|---------------------|
| | electric | 230 V/50 Hz | | collecting box | 50 l |
| | power input | 1700 W | | recommended area | 1200 m ² |
| | working width | 38 cm | | plastic chassis | |
| | weight | 15 kg | | roller with metal wires | |
| | 20 metal knives | | | variable adjustment -12 to 5 mm | |

HECHT 1821 2 in 1

Available from 3/17



680 x 520 x 300 mm



| | | | | | |
|--|-----------------|-------------|--|----------------------------------|---------------------|
| | electric | 230 V/50 Hz | | collecting box | 50 l |
| | power input | 1800 W | | recommended area | 1200 m ² |
| | working width | 36 cm | | plastic chassis | |
| | weight | 13 | | roller with metal wires | |
| | 18 metal knives | | | variable adjustment -12 to 10 mm | |

HECHT 1384



660 x 480 x 340 mm



| | | | | | |
|--|-----------------------------|---------|--|-----------------|--------|
| | accu Li-ion | DC 40 V | | collecting box | 45 l |
| | working width | 38 cm | | working time | 48 min |
| | weight | 14,5 | | plastic chassis | |
| | without battery and charger | | | | |

ELECTRIC AND PETROL LAWN AERATORS

HECHT 1739




620 x 570 x 360 mm



| | | | | | |
|--|-----------------|-------------|--|---------------------|---------------------|
| | electric | 230 V/50 Hz | | collecting box | 50 l |
| | power input | 1700 W | | recommended area | 1200 m ² |
| | working width | 37 cm | | plastic chassis | |
| | weight | 22 | | variable adjustment | -8 to 12 mm |
| | 26 metal knives | | | | |

HECHT 5654



670 x 580 x 540 mm



| | | | | | |
|--|-----------------|--------------------|--|---------------------|---------------------|
| | engine | HECHT | | collecting box | 40 l |
| | displacement | 87 cm ³ | | recommended area | 1400 m ² |
| | working width | 38 cm | | steel chassis | |
| | weight | 26,5 kg | | variable adjustment | -12 to +10 mm |
| | 18 metal knives | | | | |

HECHT 5642



670 x 580 x 540 mm



| | | | | | |
|--|-----------------|---------------------|--|---------------------|---------------------|
| | engine | HECHT | | collecting box | 45 l |
| | displacement | 163 cm ³ | | recommended area | 1600 m ² |
| | working width | 42 cm | | steel chassis | |
| | weight | 44 kg | | variable adjustment | -12 to 0 mm |
| | 17 metal knives | | | | |

HECHT 5675



670 x 580 x 540 mm



| | | | | | |
|--|-----------------|---------------------|--|---------------------|---------------------|
| | engine | B&S 750 | | collecting box | 45 l |
| | displacement | 163 cm ³ | | recommended area | 1600 m ² |
| | working width | 42cm | | steel chassis | |
| | weight | 38 kg | | variable adjustment | -12 to 0 mm |
| | 17 metal knives | | | | |

HECHT S 390 H



Original engine
HONDA



630 x 860 x 630 mm



| | | | | | |
|--|-----------------|---------------------|--|---------------------|---------------------|
| | engine HONDA | GC 135 | | collecting box | 45 l |
| | displacement | 135 cm ³ | | recommended area | 1600 m ² |
| | working width | 38 cm | | steel chassis | |
| | weight | 30 kg | | variable adjustment | -10 to 0 mm |
| | 16 metal knives | | | max.torque | 10,3 Nm |

HECHT S 500 H



Original engine
HONDA



670 x 580 x 540 mm



| | | | | | |
|--|-----------------|---------------------|--|---------------------|----------------------|
| | engine HONDA | GP 160 | | collecting box | 110 l |
| | displacement | 160 cm ³ | | recommended area | 3 000 m ² |
| | working width | 49 cm | | steel chassis | |
| | weight | 49 kg | | variable adjustment | -15 to 0 mm |
| | 19 metal knives | | | | |

ELECTRIC AND PETROL TILLERS

HECHT 730



345 x 285 x 480 mm



| | | | | | |
|---|-------------|-------------|----|---------------|-------|
| ⚡ | electric | 230 V/50 Hz | 📏 | working width | 32 cm |
| 🔌 | power input | 750 W | ⚖️ | weight | 8 kg |
| | 4 knives | | | | |

HECHT 738



600 x 430 x 275 mm

| | | | | | |
|---|-------------|-------------|----|---------------|---------|
| ⚡ | electric | 230 V/50 Hz | 📏 | working width | 36,5 cm |
| 🔌 | power input | 1000 W | ⚖️ | weight | 7,7 kg |
| | 4 knives | | | | |

HECHT 739



382 x 288 x 502 mm



| | | | | | |
|---|-------------|-------------|----|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | 📏 | working width | 36 cm |
| 🔌 | power input | 1050 W | ⚖️ | weight | 9,8 kg |
| | 4 knives | | | | |

HECHT 745



412 x 365 x 560 mm



| | | | | | |
|---|-------------|-------------|----|---------------|---------|
| ⚡ | electric | 230 V/50 Hz | 📏 | working width | 40 cm |
| 🔌 | power input | 1500 W | ⚖️ | weight | 11,6 kg |
| | 6 knives | | | | |

HECHT 743



560 x 330 x 530 mm



| | | | | | |
|---|--------------|--------------------|----|---------------|---------|
| 🔧 | engine HECHT | 2-stroke | 📏 | working width | 23,5 cm |
| 📏 | displacement | 43 cm ³ | ⚖️ | weight | 21,4 kg |
| | 4 knives | | | | |

HECHT 761 R



705 x 670 x 390 mm



| | | | | | |
|---|------------------|---------------------|----|---------------|-------|
| 🔧 | engine HECHT | OHV, 4-stroke | 📏 | working width | 36 cm |
| 📏 | displacement | 139 cm ³ | ⚖️ | weight | 34 kg |
| | 4 knives Ø 26 cm | | | 1 speed | |

PETROL TILLERS, ACCESSORIES

HECHT 746 R

HECHT 747 SB



Available from 3/17



707 x 668 x 381 mm



| | | | | | |
|--|--------------------|---------------------|---------|---------------|----------|
| | engine HECHT | OHV, 4-stroke | | working width | 36/60 cm |
| | displacement | 139 cm ³ | | weight | 36 kg |
| | 4/6 knives Ø 26 cm | | 1 speed | | |



700 x 380 x 660 mm



| | | | | | |
|--|--------------------|---------------------|---------|---------------|----------|
| | engine B&S | Series 500 E | | working width | 36/60 cm |
| | displacement | 140 cm ³ | | weight | 36 kg |
| | 4/6 knives Ø 26 cm | | 1 speed | | |

ACCESSORIES FOR HECHT 750

HECHT 750

HECHT 000750

Iron wheel set
- 2 pcs.
- for use with
ridger



HECHT 000751

Ridger



1100 x 498 x 460 mm



| | | | | | |
|--|--------------|---------------------|---------|---------------|-------|
| | engine HECHT | OHV, 4-stroke | | working width | 50 cm |
| | displacement | 196 cm ³ | | weight | 68 kg |
| | Ø 34 cm | | 1 speed | | |



ACCESSORIES FOR HECHT 785, HECHT 790, HECHT 795, HECHT 790 BS

HECHT 8001001

Rear bracket
for mounting
accessories



HECHT 8001016

Single side
Ridge plough



HECHT 8001020

Potato digger



HECHT 8001015

Double side
Ridge plough



HECHT 8001017

Wheel 8 inch
- 2 pcs




HECHT 8001004

Iron wheel set - 2 pcs
- for use with
plough or digger



HECHT 8001021

Set of distance tubes
(2 pcs) for shaft extension
outer edge of wheels 65 - 85 cm



PETROL TILLERS, ACCESSORIES

HECHT 785

HECHT 790



580 x 405 x 740 mm



| | | | | | |
|--|----------------------|---------------------|---------|---------------|-------------|
| | engine HECHT | OHV, 4-stroke | | working width | 32/50/84 cm |
| | displacement | 196 cm ³ | | weight | 52 kg |
| | 2/4/6 knives Ø 38 cm | | 1 speed | | |




600 x 420 x 740 mm



| | | | | | |
|--|----------------------|---------------------|---------|---------------|-------------|
| | engine HECHT | OHV | | working width | 32/50/84 cm |
| | displacement | 196 cm ³ | | weight | 54 kg |
| | 2/4/6 knives Ø 38 cm | | 1 speed | | |

HECHT 795

HECHT 790 BS



740 x 660 x 400



| | | | | | |
|--|----------------------|---------------------|----------------------------|---------------|-------------|
| | engine HECHT | OHV | | working width | 32/50/84 cm |
| | displacement | 196 cm ³ | | weight | 56 kg |
| | 2/4/6 knives Ø 38 cm | | 2 speed forward, 1 reverse | | |



600 x 420 x 740 mm



| | | | | | |
|--|----------------------|---------------------|---------|---------------|------------|
| | engine B&S | CR 950 | | working width | 32/50/8 cm |
| | displacement | 196 cm ³ | | weight | 55 kg |
| | 2/4/6 knives Ø 38 cm | | 1 speed | | |

PETROL TILLER AND ACCESSORIES

**HECHT
000721**
Plough



**HECHT
000720**
Wheels 8"



HECHT 7970

Available
from 5/17



890 x 460 x 660 mm

| | | | | | |
|----------|--------------|---------------------|--------------------|---------------|--------|
| | engine HECHT | OHV | | working width | 110 cm |
| | displacement | 212 cm ³ | | weight | 78 kg |
| 8 knives | | | 2 speed, 1 reverse | | |

Trailer HECHT 57100
also available
(not included)



ACCESSORIES FOR HECHT 7100

**HECHT
007116**
Single side
plough



**HECHT
007115**
Adjustable
digger



**HECHT
007120**
Potato
digger



HECHT 007125
Double side plough 20-25 cm,
working depth cca 10 cm



HECHT 007112
Wheel 12 inch with slipping
pinion
- 2 pcs
- for use with trailer only
(not designed for digging
etc.)



HECHT 007131
Three line seeder
working width cca 47 cm,
capacity cca 10 kg



**HECHT
007104**
Iron wheel set
- 2 pcs
- for use with plough
or digger



**HECHT
007101**
Weights for wheels
- 2 pcs (2x 12 kg)



**HECHT
007128**
LED light (3x AAA)



Batteries not included

PETROL TILLER, ACCESSORIES

HECHT 7100



| Speed km/h | | Gears | | | |
|------------------|----------------------------------|--------|--------|--------|------------------|
| | | Gear 3 | Gear 2 | Gear 1 | Gear -1 backward |
| Gearbox Standard | Speed on axis (rpm) | 130 | 98.9 | 33.5 | 33.5 |
| | 4.0-8 Iron wheels (km/h) | 10.06 | 7.65 | 2.59 | 2.59 |
| | 5.0-12 Wwheels with tires (km/h) | 13.65 | 10.38 | 3.52 | 3.52 |



780 x 410 x 780 mm



| | | | | | |
|--|--------------|---------------------|--|----------------------------|-----------|
| | engine HECHT | OHV, 4-stroke | | working width | 81/104 cm |
| | displacement | 208 cm ³ | | weight | 72 kg |
| | 6 knives | | | 3 speed forward, 1 reverse | |

HECHT 57101

Drawbar



350 x 105 x 80 mm



1310 x 470 x 350 mm

HECHT 57100

Trailer for HECHT 7100



| | | | | | |
|--|------------|------------------|--|-----------|---|
| | dimensions | 134 x 92 x 34 cm | | wheels | 500 x 12" |
| | weight | 46,3 kg | | max. load | 300 kg net. / 500 kg including operator |

Slipping pinion on wheels for better turning



HECHT 7100 + 57100 + 57101 + 007112 + 007101

TRAILERS, FERTILIZER

HECHT 52145

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

TILTING



Possible to use as trailer for lawn tractor



950 x 520 x 220 mm

| | | | |
|-----------------|------------------------|-----------|-------------|
| body dimensions | 94 x 52 x 21 cm / 75 l | wheels | 10" x 350-4 |
| weight | 15,5 kg | max. load | 250 kg |

HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.



Suitable for lawn tractors



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

| | | |
|---------------|--------------|------|
| manual pushed | max capacity | 60 l |
|---------------|--------------|------|

HECHT 52184

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

215 L



Possible to use as trailer for lawn tractor



1050 x 550 x 180 mm

| | | | |
|-----------------|--------------------------|-----------|-------------|
| body dimensions | 101 x 52 x 41 cm / 215 l | wheels | 10" x 350-4 |
| weight | 27,6 kg | max. load | 300 kg |

HECHT 50005

FOLDING



660 x 235 x 860 mm

| | | | |
|------------------------|---------------------|--------------|---------|
| body dimensions open | 131 x 60 x 108,5 cm | weight | 13,5 kg |
| body dimensions folded | 22,5 x 60 x 80 cm | steel chasis | |

HECHT 53038

Suitable for:
HECHT 5114, HECHT 5116,
HECHT 5176, HECHT 5639,
HECHT 5938, HECHT 5922
and most garden tractors

Available from 4/17

Suitable for:
HECHT 5114, HECHT 5116,
HECHT 5176, HECHT 5639,
HECHT 5938, HECHT 5922
and most garden tractors

Available from 4/17



| | | | |
|-----------------|--------------------|-----------|--------|
| body dimensions | 123 x 77 x 62,5 cm | wheels | 3.50-8 |
| weight | 21,4 kg | max. load | 200 kg |



| | | | |
|-----------------|----------------------|-----------|-----------|
| body dimensions | 150 x 93,5 x 74,5 cm | wheels | 480/400-8 |
| weight | 37,3 kg | max. load | 300 kg |

ELECTRIC AND PETROL HEDGE TRIMMERS

HECHT 606



900 x 145 x 175 mm



| | | | | | |
|--|-----------------------|--------------|--|------------|--------|
| | electric | 230 V /50 Hz | | bar length | 50 cm |
| | power input | 520 W | | weight | 1,9 kg |
| | max. cutting diameter | 20 mm | | | |

HECHT 655



1000 x 205 x 180 mm



| | | | | | |
|--|-----------------------|--------------|--|------------|--------|
| | electric | 230 V /50 Hz | | bar length | 62 cm |
| | power input | 600 W | | weight | 2,7 kg |
| | max. cutting diameter | 20 mm | | | |



Rotary handle

HECHT 610



1120 x 200 x 180 mm



| | | | | | |
|--|-----------------------|--------------|--|------------|--------|
| | electric | 230 V /50 Hz | | bar length | 68 cm |
| | power input | 600 W | | weight | 3,1 kg |
| | max. cutting diameter | 24 mm | | | |



Rotary handle

HECHT 611

with collecting bar



Laser cut blade



1120 x 200 x 213 mm



| | | | | | |
|--|-----------------------|-------------|--|------------|-------|
| | electric | 230 V/50 Hz | | bar length | 68 cm |
| | power input | 750 W | | weight | 4 kg |
| | max. cutting diameter | 24 mm | | | |



Rotary handle

HECHT 9246



1110 x 260 x 240 mm



| | | | | | |
|--|-----------------------|----------------------|--|------------|--------|
| | engine volume | 24,5 cm ³ | | bar length | 70 cm |
| | power output | 1 HP | | weight | 5,8 kg |
| | max. cutting diameter | 22 mm | | | |



Rotary handle

HECHT 9275 PROFI

otočná rukojeť



1290 x 260 x 250 mm



| | | | | | |
|--|-----------------------|----------------------|--|------------|--------|
| | engine volume | 22,2 cm ³ | | bar length | 75 cm |
| | power output | 1 HP | | weight | 5,4 kg |
| | max. cutting diameter | 28 mm | | | |



72 cm bar

HECHT 9375 PROFI



1290 x 260 x 250 mm



| | | | | | |
|--|-----------------------|----------------------|--|------------|--------|
| | engine volume | 22,2 cm ³ | | bar length | 72 cm |
| | power output | 0,9 HP | | weight | 5,3 kg |
| | max. cutting diameter | 20 mm | | | |

HEDGE TRIMMERS

HECHT 640

HECHT 675



CE

1275 x 195 x 166 mm

CE

1150 x 165 x 205 mm

| | | | | | |
|--|-----------------------|-------------|--|------------|---------------|
| | electric | 230 V/50 Hz | | bar length | 40,5 cm |
| | power input | 450 W | | weight | 4,2 kg |
| | max. cutting diameter | 16 mm | | length | 2,16 - 2,87 m |


| | | | | | |
|--|-----------------------|-------------|--|------------|--------------|
| | electric | 230 V/50 Hz | | bar length | 51 cm |
| | power input | 750 W | | weight | 5 kg |
| | max. cutting diameter | 28 mm | | length | 2,35 - 2,8 m |

www.hecht.cz

HECHT 6504



HECHT 695



CE

1220 x 210 x 140 mm

CE

1067 x 187 x 105 mm

| | | | | | |
|--|-----------------------------|---------|--|------------|-------------|
| | Accu Li-ion | DC 40 V | | bar length | 50 cm |
| | max. cutting diameter | 20 mm | | weight | 4,5 kg |
| | without battery and charger | | | length | 1,9 - 2,4 m |

| | | | | | |
|--|-----------------------|-------------|--|------------|--------|
| | electric | 230 V/50 Hz | | bar length | 41 cm |
| | power input | 900 W | | weight | 4,9 kg |
| | max. cutting diameter | 20 mm | | length | 2,64 m |

PRUNNING SAWS

HECHT 9504



| | | | | | | |
|----|---|-----------------------------|---------|----|------------|-----------|
| CE | ⚡ | Accu Li-ion | DC 40 V | 📏 | bar length | 20 cm |
| | | | | 📏 | length | 2,3–2,8 m |
| | | | | ⚖️ | weight | 4,4 kg |
| | | without battery and charger | | | | |

HECHT 971 W



| | | | | | | |
|----|---|----------|-------------|----|------------|---------|
| CE | ⚡ | electric | 230 V/50 Hz | 📏 | bar length | 30 cm |
| | | | | 📏 | length | 2–2,8 m |
| | | | | ⚖️ | weight | 3,2 kg |
| | | | | | | |

HECHT 975 W



| | | | | | | |
|----|---|----------|-------------|----|------------|------------|
| CE | ⚡ | electric | 230 V/50 Hz | 📏 | bar length | 24 cm |
| | | | | 📏 | length | 1,9–2,85 m |
| | | | | ⚖️ | weight | 3,1 kg |
| | | | | | | |

HECHT 9260



| | | | | | | |
|----|----|---------------|--------------------|----|------------|-------------|
| CE | 🔧 | engine volume | 26 cm ³ | 📏 | bar length | 34 cm |
| | | | | 📏 | length | 2,96–4,27 m |
| | ⚙️ | power output | 1 HP | ⚖️ | weight | 8,5 kg |
| | | | | | | |

HECHT 976 W



| | | | | | | |
|----|---|----------|-------------|----|------------|-------------|
| CE | ⚡ | electric | 230 V/50 Hz | 📏 | bar length | 24 cm |
| | | | | 📏 | length | 1,83–2,69 m |
| | | | | ⚖️ | weight | 3,1 kg |
| | | | | | | |

HECHT 690 3in1



| | | | | | | |
|----|---|----------|-------------|----|-------------------------------|--------|
| CE | ⚡ | electric | 230 V/50 Hz | 📏 | bar length - saw | 23 cm |
| | | | | ⚖️ | weight | 2,5 kg |
| | | | | | bar length - hedge trimmer | 41 cm |
| | | | | | working width - grass trimmer | 36 cm |

PRUNNING SAW, ELECTRIC SAWS

HECHT 59000

Saw for children with sound, moving chain
- 3 batteries AA required (not included)



**REALISTIC SOUND
OF STARTING AND CUTTING**

HECHT 2035

PROFIL



sprocket
teeth detail



465 x 230 x 175 mm



| | | | | |
|----|-------------|-------------|------------|--------|
| CE | electric | 230 V/50 Hz | bar length | 35 cm |
| | power input | 2000 W | weight | 4,2 kg |

HECHT 2250

Soft start – starting capacitor for
reduction of starting current.

PROFIL



sprocket
teeth detail



550 x 210 x 250/85 mm



| | | | | |
|----|-------------|-------------|------------|--------|
| CE | electric | 230 V/50 Hz | bar length | 40 cm |
| | power input | 2400 W | weight | 5,6 kg |

HECHT 2416 QT

Soft start – starting capacitor for
reduction of starting current.

PROFIL



**Quick chain
tension system**

sprocket
teeth detail



480 x 270 x 270 mm



| | | | | |
|----|-------------|-------------|------------|--------|
| CE | electric | 230 V/50 Hz | bar length | 40 cm |
| | power input | 2400 W | weight | 4,7 kg |

HECHT 2439

With Softstart, overload protector,
tool free system & metal gear

PROFIL



**Quick chain
tension system**

sprocket
teeth detail



565 x 200 x 240 mm



| | | | | |
|----|-------------|-------------|------------|-------|
| CE | electric | 230 V/50 Hz | bar length | 40 cm |
| | power input | 2400 W | weight | 5 kg |

ACCU CHAINSAW AND PETROL CHAINSAWS



Battery 000936B

HECHT 936

BATTERY AND CHARGER INCLUDED

Charging time cca 100 min

ACCU SAMSUNG

Running Time: cca 25 minutes (100x 10 cm soft wood)

480 x 270 x 270 mm

| | | | | | |
|----|-----------------------|----------------|--|------------|---------|
| CE | Accu (Li-ion) Samsung | 36 V, 2600 mAh | | bar length | 30,5 cm |
| | charging time | 100 min | | weight | 5 kg |



HECHT 9940

ACCU program 5040

ACCU SAMSUNG

BATTERY AND CHARGER NOT INCLUDED

445 x 258 x 290 mm

| | | | | | |
|----|------------------|----------------|--|------------|--------|
| CE | accumulator | Li-ion Samsung | | bar length | 35 cm |
| | accu article (V) | DC 40 V, 4 Ah | | weight | 5,5 kg |



hanger for belt

HECHT 929

| | | | | | | |
|----|--------------|---------------|----------------------|--------|------------|-------|
| CE | | engine volume | 25,4 cm ³ | | bar length | 30 cm |
| | power output | 1,2 HP | | weight | 2,9 kg | |



HECHT 941

| | | | | | | |
|----|--------------|---------------|--------------------|--------|------------|-------|
| CE | | engine volume | 40 cm ³ | | bar length | 35 cm |
| | power output | 1,8 HP | | weight | 4,7 kg | |



HECHT 44

| | | | | | | |
|----|--------------|---------------|--------------------|--------|------------|-------|
| CE | | engine volume | 45 cm ³ | | bar length | 40 cm |
| | power output | 2,7 HP | | weight | 5,4 kg | |



HECHT 44 BOX

| | | | | | | |
|----|--------------|---------------|--------------------|--------|------------|-------|
| CE | | engine volume | 45 cm ³ | | bar length | 40 cm |
| | power output | 2,7 HP | | weight | 5,4 kg | |



PETROL CHAINSAWS, LOG CUTTING STANDS

HECHT 945

HECHT 950



Carburetor WALBRO
Bar + chain OREGON




440 x 250 x 290 mm 





| | | | |
|--|--------------------|--|-------|
|  engine volume | 45 cm ³ |  bar length | 39 cm |
|  power output | 2,7 HP |  weight | 5 kg |



Bar + chain OREGON



465 x 265 x 330 mm 

| | | | |
|---|----------------------|--|-------|
|  engine volume | 49,3 cm ³ |  bar length | 39 cm |
|  power output | 3 HP |  weight | 5 kg |

HECHT 956

HECHT 962




decompressor



Carburetor WALBRO
Bar + chain OREGON



450 x 275 x 315 mm 

| | | | |
|--|--------------------|--|--------|
|  engine volume | 56 cm ³ |  bar length | 39 cm |
|  power output | 3,2 HP |  weight | 5,1 kg |




decompressor







Carburetor WALBRO
Bar + chain OREGON

2017 model:
Bar 45 cm



570 x 295 x 340 mm 


| | | | |
|---|--------------------|--|--------|
|  engine volume | 62 cm ³ |  bar length | 50 cm |
|  power output | 4 HP |  weight | 6,3 kg |

HECHT 900

HECHT 901

Not intended for
UK, D, FR, IT, A, CH



 1015 x 280 x 40 mm

| | |
|--|------|
|  weight | 8 kg |
|--|------|



 1210 x 410 x 70 mm

| | | | |
|--------------|-----------|--|---------|
| Log Diameter | 25–230 mm |  weight | 10,7 kg |
|--------------|-----------|--|---------|



ACCESSORIES, CHAIN SHARPENERS

HECHT 000040


Chainsaw file 4 mm



3 pcs

HECHT 000048

Chainsaw file 4,8 mm



3 pcs

HECHT 900051

Chainsaw file 5,5 mm



3 pcs

HECHT 900050

Chainsaw file 5,5 mm



12 pcs

HECHT 9

| |
|-----------------------|
| Spare grinding wheels |
| H928 (3,2 x 100 x 10) |
| H928A (4,5x100x10) |



275 x 160 x 215 mm




| | | | |
|-------------|-------------|---------------|--------|
| electric | 230 V/50 Hz | weight | 1,4 kg |
| power input | 250 W | disc diameter | 100 mm |

The original chains HECHT for chainsaws

25Q100R ROLE

0,325 – 1,5 mm
1840 links, 30,5 m



33E100R ROLE

3/8 micro – 1,3 mm,
1640 links, 30,5 m

HECHT 903400

Chain saw sharpening kit
Files 4 mm

HECHT 903480

Chain saw sharpening kit
Files 4,8 mm

HECHT 004048

Chain saw sharpening kit
Files 4 mm,
4,8 mm, 5,5 mm

HECHT 900401

Timber wedge 5"

HECHT 900402

Timber wedge 8"

HECHT 900405

Timber wedge 10"




HECHT 9230

| |
|------------------------------|
| Spare grinding wheels |
| 9230A0007 (145 x 3,2 x 22,3) |
| 9230B0007 (145 x 4,7 x 22,3) |
| 9230C0007 (145 x 6 x 22,3) |

Positionable




370 x 255 x 280 mm



| | | | |
|-------------|-------------|---------------|--------|
| electric | 230 V/50 Hz | weight | 4,8 kg |
| power input | 230 W | disc diameter | 145 mm |

HECHT 900406

Carburetor adjuster set



HECHT 002850

Start rope Ø 2,8 mm, 50 m

HECHT 003450

Start rope Ø 3,4 mm, 50 m

HECHT 003850

Start rope Ø 3,8 mm, 50 m



HECHT 900404

Filing stump vise



LASH 228 x 100 mm



HECHT 000045

Grease gun for chainsaw chains



LASH 248 x 90 mm



ACCESSORIES

HECHT 900110

Protection shield



Blistered

HECHT 900102

Ear protection



200 x 245 x 80 mm / blistered


HECHT 900507

Safety shoes



STEEL TOE CAP

STEEL PLATE



34,5 x 25 x 13 cm

HECHT 900107

Protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.
20 m/s



100 x 77 mm + plastic bag

HECHT 900108

Winter protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.
20 m/s



100 x 77 mm + plastic bag

HECHT 900100

Safety helmet with face shield and ear protection.



310 x 255 x 167 mm



HECHT 900101

Face shield.



250 x 82 mm – plastic bag with header



HECHT 900105

Face shield with ear protection.



242 x 240 x 150 mm



HECHT 900106

Safety goggles



167 x 157 x 45 mm



HECHT 900106Y

Safety goggles




167 x 157 x 45 mm



HECHT 900109

Professional protective covers for shins and knees



HECHT 900120

Professional protective trousers for chainsaws.



Size: M, L, XL, XXL

(EN 381-5)
Class I.
20 m/s



405 x 290 x 95 mm

HECHT 900121

Professional protective trousers for chainsaws.



405 x 290 x 95 mm

HECHT 900122

Professional protective trousers for chainsaws, special lightweight material.



Size: M, L, XL, XXL

(EN 381-5)
Class I.
20 m/s



390 x 320 x 55 mm

HECHT 900130

Professional work jacket.



HECHT 900131

Professional work jacket.



Size: M, L, XL, XXL



400 x 295 x 35 mm

HECHT 900132

Professional work jacket, special lightweight material.



Size: M, L, XL, XXL

3 cm reflective bands



400 x 295 x 35 mm

330 x 330 x 49 mm



AXES, ACCESSORIES

HECHT 900600

Universal axe
Lenght 30 cm, Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

Universal axe
Lenght 38 cm, Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

Universal axe
Lenght 40 cm, Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

Splitting axe
Lenght 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

Universal axe
Lenght 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

Splitting axe
Lenght 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901590

Universal axe
Lenght 55 cm
Weight 1590 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

Splitting axe
Lenght 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902170

Splitting axe
Lenght 40 cm
Weight 2170 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902360


Splitting axe
Lenght 55 cm
Weight 2360 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570 **TEFLON COATED BLADE**


Universal axe
Lenght 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900901 **TEFLON COATED BLADE**

Universal axe
Lenght 44 cm
Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950 **TEFLON COATED BLADE**

Siekiera rozłupująca
Lenght 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901170 **TEFLON COATED BLADE**

Splitting axe
Lenght 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550 **TEFLON COATED BLADE**

Splitting axe
Lenght 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 902550 **TEFLON COATED BLADE**

Splitting axe
Lenght 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900403

Hook
for timber



HECHT 900613

Tree felling
lever
Lenght
120 cm



HECHT 908500

Splitting axe
Lenght 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

Splitting axe
Lenght 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909100

Lenght
91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900080

Tree felling
lever
Lenght
80 cm



LOG SAWS, LOG SPLITTERS

HECHT 8220

HECHT 830



| | | | | | |
|----|-------------|-------------|--|-------------------|--------------------------|
| CE | | | | | 996 x 845 x 300 / 130 mm |
| ⚡ | electric | 230 V/50 Hz | | max. log diameter | 135 mm |
| | power input | 2200 W | | weight | 35 kg |



| | | | | | |
|----|-------------|-------------|--|-------------------|--------------------------|
| CE | | | | | 960 x 750 x 580 / 274 mm |
| ⚡ | electric | 400 V/50 Hz | | max. log diameter | 170 mm |
| | power input | 3000 W | | weight | 76 kg |

HECHT 845

HECHT 890

Petrol log saw 4 stroke



| | | | | | |
|---|-------------|-------------|--|-------------------|--|
| | | | | | 1280 x 970 x 770 mm (steel structure fully assembled) |
| ⚡ | electric | 400 V/50 Hz | | max. log diameter | 230 mm |
| | power input | 4500 W | | weight | 110 kg |



| | | | | | |
|--|---------------|---------------------|--|-------------------|--|
| | | | | | 1260 x 970 x 760 mm (steel structure fully assembled) |
| | engine volume | 389 cm ³ | | max. log diameter | 230 mm |
| | power output | 13* HP | | weight | 133 kg |

Part no.:
HECHT 000656

HECHT 6370

HECHT 000651

HECHT 651

Stand for
HECHT 651

845 x 135 x 180 mm

Part no.:
HECHT
000656



| | | | | | |
|----|---------------|-------------|--|-------------------|--------------------|
| CE | | | | | 830 x 460 x 285 mm |
| ⚡ | electric | 230 V/50 Hz | | max. log length | 370 mm |
| | power input | 1500 W | | max. log diameter | 250 mm |
| | max. pressure | 4 t | | weight | 38 kg |



| | | | | | |
|----|---------------|-------------|--|-------------------|---------------------|
| CE | | | | | 1000 x 285 x 460 mm |
| ⚡ | electric | 230 V/50 Hz | | max. log length | 520 mm |
| | power input | 1500 W | | max. log diameter | 250 mm |
| | max. pressure | 5 t | | weight | 41 kg |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

LOG SPLITTERS

HECHT 000670

Stand for
HECHT 670

820 x 170 x 135 mm



HECHT 670



Part no.:
HECHT
000671



970 x 290 x 460 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|--------|
| | electric | 230 V/50 Hz | | max. log length | 520 mm |
| | power input | 2000 W | | max. log diameter | 250 mm |
| | max. pressure | 7 t | | weight | 46 kg |

HECHT 656



975 x 325 x 480 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|--------|
| | electric | 230 V/50 Hz | | max. log length | 520 mm |
| | power input | 2100 W | | max. log diameter | 250 mm |
| | max. pressure | 6 t | | weight | 51 kg |



Part no.:
HECHT 006061



1060 x 520 x 380 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|---------|
| | electric | 230 V/50 Hz | | max. log length | 1060 mm |
| | power input | 2200 W | | max. log diameter | 400 mm |
| | max. pressure | 6 t | | weight | 78 kg |



Part no.:
HECHT 006100 A



Part no.:
HECHT 006100 B



1060 x 560 x 440 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|---------|
| | electric | 230 V/50 Hz | | max. log length | 1060 mm |
| | power input | 3000 W | | max. log diameter | 400 mm |
| | max. pressure | 8 t | | weight | 98 kg |



model 2016



Part no.:
HECHT 006100 A



Part no.:
HECHT 006100 B



1100 x 555 x 450 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|---------|
| | electric | 400 V/50 Hz | | max. log length | 1070 mm |
| | power input | 3700 W | | max. log diameter | 400 mm |
| | max. pressure | 10 t | | weight | 128 kg |



Part no.:
006414 A
006414 B
006414 C



1040 x 690 x 520 mm



| | | | | | |
|--|---------------|-------------|--|-------------------|---------|
| | electric | 400 V/50 Hz | | max. log length | 1350 mm |
| | power input | 4300 W | | max. log diameter | 400 mm |
| | max. pressure | 14 t | | weight | 191 kg |

VACUUM CLEANERS / BLOWERS

HECHT 3000

HECHT 3030



Metal blade



815 x 190 x 235 mm



920 x 210 x 305 mm



| | | | |
|-------------|-------------|----------------|----------|
| electric | 230 V/50 Hz | air velocity | 275 km/h |
| power input | 3000 W | collecting bag | 45 l |

| | | | |
|-------------|-------------|---------------------------------------|--------------|
| electric | 230 V/50 Hz | collecting bag | 50 l |
| power input | 3000 W | air velocity | 200–300 km/h |
| weight | 4,8 kg | multistage adjustment of engine power | |

HECHT 9254



2 IN 1

metal blade



580 x 290 x 390 mm

2-stroke engine

| | | |
|----------------|------|--|
| collecting bag | 50 l | |
|----------------|------|--|

| | | | |
|---------------|----------------------|----------------------------|-----------------------|
| engine volume | 25,4 cm ³ | air velocity | 148 km/h |
| power output | 1 HP | air volume | 0,2 m ³ /s |
| weight | 5,8 kg | adjustment of engine power | |

HECHT 9265



2 IN 1

DOUBLE REINFORCEMENT OF SUCTION / BLOWER AUGER



metal blade



580 x 355 x 370 mm

2-stroke engine



| | | | |
|---------------|----------------------|----------------------------|----------|
| engine volume | 25,4 cm ³ | air velocity | 180 km/h |
| power output | 1 HP | collecting bag | 50 l |
| weight | 4,1 kg | adjustment of engine power | |

VACUUM CLEANERS / BLOWERS

HECHT 972 PROFI

GARDEN



Filter for dusty environments

Blower only



540 x 430 x 550 mm

2-stroke engine



| | | | | | |
|--|----------------------------|----------------------|--|--------------------------|-----------------------|
| | engine volume | 79,4 cm ³ | | weight without accessory | 11 kg |
| | power output | 4,6 HP | | air volume | 0,4 m ³ /s |
| | adjustment of engine power | | | | |

HECHT 979 PROFI



Filter for dusty environments

Blower only



530 x 410 x 580 mm

2-stroke engine



| | | | | | |
|--|---------------|----------------------|--|--------------------------|------------------------|
| | engine volume | 75,6 cm ³ | | weight without accessory | 11,5 kg |
| | power output | 4,2 HP | | air volume | 0,41 m ³ /s |

HECHT 9440

**BATTERY AND
CHARGER NOT
INCLUDED**



2 IN 1



440 x 390 x 222 mm



| | | | | | |
|--|-----------------------|---------------|----------------------------------|---------------------------|------------------------|
| | Li-ion | DC 40 V, 4 Ah | | air volume blower | 0,07 m ³ /s |
| | weight blower | 2,14 kg | | air volume vacuum cleaner | 0,1 m ³ /s |
| | weight vacuum cleaner | 2,88 kg | Battery and charger not included | | |

OPPAMA PET 304

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder,
4-stroke - 2 cylinder
Max. 20 000 rpm



OPPAMA PET 1000R

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder
4-stroke - 2 cylinder



OPPAMA PET 4000

Ignition checker



ACCU PROGRAM 5040

HECHT 5035

WITH BATTERY AND CHARGER



735 x 405 x 370 mm **CE** PUSHED

| | | | | | |
|---|---------------------|---------|----|--------------------------------------|----------|
| ⚡ | accu Li-Ion | DC 40 V | 📏 | height adjustment | 25-75 mm |
| 🔋 | Li-Ion | 2,5 Ah | 🌿 | plastic chassis | |
| 📏 | working width | 35 cm | 🗑️ | collecting box | 35 l |
| 👤 | weight | 17,5 kg | ⬆️ | central adjustment of cutting height | |
| 🛞 | wheels (front/rear) | 6/9" | | | |

HECHT 5038

WITH BATTERY AND CHARGER



790 x 455 x 370 mm **CE** PUSHED

| | | | | | |
|---|---------------------|---------|----|--------------------------------------|----------|
| ⚡ | accu Li-Ion | DC 40 V | 📏 | height adjustment | 25-75 mm |
| 🔋 | Li-Ion | 4 Ah | 🌿 | plastic chassis | |
| 📏 | working width | 38 cm | 🗑️ | collecting box | 40 l |
| 👤 | weight | 16,4 kg | ⬆️ | central adjustment of cutting height | |
| 🛞 | wheels (front/rear) | 6/9" | | | |

HECHT 6504

| | | |
|----|-----------------------|-------------|
| ⚡ | Accu Li-ion | DC 40 V |
| 📏 | max. cutting diameter | 20 mm |
| 🗑️ | bar length | 50 cm |
| 👤 | weight | 4,5 kg |
| 📏 | length | 1,9 - 2,4 m |



1220 x 210 x 140 mm

HECHT 1384

BATTERY AND CHARGER NOT INCLUDED

www.hecht.cz



660 x 480 x 340 mm **CE**

| | | | | | |
|-----------------------------|---------------|---------|----|-----------------|--------|
| ⚡ | accu Li-Ion | DC 40 V | 🗑️ | collecting box | 45 l |
| 📏 | working width | 38 cm | 🕒 | working time | 48 min |
| 👤 | weight | 14,5 | 🌿 | plastic chassis | |
| without battery and charger | | | | | |

Battery 005040B
DC 40 V, 4 Ah
Available from 1/17



Battery 005025B
DC 40 V, 2,6 Ah
Available from 1/17

HECHT 9040

BATTERY AND CHARGER NOT INCLUDED



570 x 555 x 460 mm

| | | | | | |
|---|---------------|---------|----------------------------------|---------------|---------|
| ⚡ | accu Li-Ion | DC 40 V | 🛞 | manual pushed | ✓ |
| 🔋 | Li-Ion | 4 Ah | 👤 | weight | 19,5 kg |
| 📏 | working width | 46 cm | Battery and charger not included | | |

HECHT 9440

BATTERY AND CHARGER NOT INCLUDED



440 x 390 x 222 mm **CE**

| | | | | | |
|---|-----------------------|---------------|----------------------------------|---------------------------|-----------|
| ⚡ | Li-Ion | DC 40 V, 4 Ah | 🌬️ | air volume blower | 0,07 m³/s |
| 👤 | weight blower | 2,14 kg | 🌬️ | air volume vacuum cleaner | 0,1 m³/s |
| 👤 | weight vacuum cleaner | 2,88 kg | Battery and charger not included | | |

2 IN 1

ACCU PROGRAM 5040

HECHT 5046

Mulching kit included

WITH BATTERY AND CHARGER



PATENTED WHEELS DESIGN



845 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|---------------------|---------|--|--------------------------------------|----------|
| | accu Li-Ion | DC 40 V | | height adjustment | 25-75 mm |
| | Li-Ion | 4 Ah | | steel chassis | |
| | working width | 46 cm | | collecting box | 60 l |
| | weight | 26 kg | | ball bearings | |
| | wheels (front/rear) | 8/11" | | central adjustment of cutting height | |



PATENTED WHEELS DESIGN



910 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

| | | | | | |
|--|---------------------|---------|--|--------------------------------------|----------|
| | accu Li-Ion | DC 40 V | | height adjustment | 25-75 mm |
| | Li-Ion | 4 Ah | | steel chassis | |
| | working width | 51 cm | | collecting box | 60 l |
| | weight | 27,7 kg | | ball bearings | |
| | wheels (front/rear) | 8/11" | | central adjustment of cutting height | |

HECHT 5051

Mulching kit included

WITH BATTERY AND CHARGER



GARDEN

Charger 005040CH

Available from 1/17



Battery cells



12 products with 1 battery and charger



BATTERY AND CHARGER NOT INCLUDED



HECHT 1440

Accu brushcutter

| | | | |
|--|---------------------------|---------------|----------------|
| | | accumulator | Li-ion Samsung |
| | accu article (V) | DC 40 V, 4 Ah | |
| | working width blade | 25,4 cm | |
| | working width string head | 30 | |
| | weight | 5,5 kg | |

965 x 280 x 170 mm

HECHT 9504

BATTERY AND CHARGER NOT INCLUDED



HECHT 9940

| | | | |
|--|------------------|----------------|--|
| | accumulator | Li-ion Samsung | |
| | accu article (V) | DC 40 V, 4 Ah | |
| | bar length | 35 cm | |
| | weight | 5,5 kg | |

BATTERY AND CHARGER NOT INCLUDED



HECHT 1040

BATTERY AND CHARGER NOT INCLUDED



| | | | | | |
|--|-------------|-----------|--|------------|--------|
| | Accu Li-Ion | DC 40 V | | bar length | 20 cm |
| | length | 2,3-2,8 m | | weight | 4,4 kg |

445 x 258 x 290 mm



| | | | | | |
|--|------------------|----------------|--|---------------|----------|
| | accumulator | Li-ion Samsung | | working width | 28-32 cm |
| | accu article (V) | DC 40 V, 4 Ah | | weight | 3,8 kg |

1232 x 258 x 118 mm



ORIGINAL ACCESSORIES

Adapters for grass trimmers HECHT

| HECHT made for you | order number dimensions | Hecht 1238 | Hecht 1299 | Hecht 1445 | Hecht 690 | HECHT 124 | Hecht 124 R | Hecht 130R | Hecht 129 BTS | Hecht 135 BTS | HECHT 1330 | Hecht 142 BTS | Hecht 145 | Hecht 151 | Hecht 152 BTS | Hecht 154 | Hecht 150, 163 |
|-----------------------|-------------------------------|------------|------------|------------|-----------|-----------|-------------|------------|---------------|---------------|------------|---------------|-----------|-----------|---------------|-----------|----------------|
| | | | | | | | | | | | | | | | | | |
| | HECHT 000109 EASY-load | | x | | | | | | x | x | x | x | x | x | x | x | |
| | HECHT 000130 EASY-load | | | | | | | | | | | | x | x | x | x | |
| | HECHT 000108 | | | x | x | x | x | x | x | x | x | x | x | x | x | x | |
| | 74201080 | | x | | | | | | | | | | | | | | |
| | 74203101 | | x | | | | | | | | | | | | | | |
| | H124-11 | | | | | x | | | | | | | | | | | |
| | 124R00004 | | | | | | x | x | | | | | | | | | |
| | 16300000H | | | | | | | | | | | | | | | | x |
| | 690002432 | | | | x | | | | | | | | | | | | |
| | 600050 ø 255x1,4mm | x | x | | | | | | x | x | x | x | x | x | x | x | x |
| | 600040 ø 255x1,4mm | x | x | | | | | | x | x | x | x | x | x | x | x | x |
| | 600250 ø 255x1,4mm | x | x | | | | | | x | x | x | x | x | x | x | x | x |
| | 600600 ø 250x3,0mm | | | | | | | | | | | x | x | x | x | x | x |
| | 600610 ø 300x3,0mm | | | | | | | | | | | x | x | x | x | x | x |
| | 600590 ø 255x1,4mm | | | | | | | | | | | | | x | x | x | x |
| | 600640 ø 255x1,8mm | | | | | | | | | | | | | x | x | x | x |

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 1,65 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 1,65 x 750 m (10075016)
- Ø 2,0 x 520 m (10052020)
- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 3,3 x 210 m (10021033)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- Ø 3,3 x 232 m (10123233)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)
- ★ Ø 3,3 x 232 m (10223233)



DUAL POWER

Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 1,65 x 750 m (10375016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2 x 520 m (10352020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 3,3 x 210 m (10321033)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)
- Ø 3,3 x 232 m (10423233)



www.hecht.cz



EASY-load

Easy load system - really quick string change without using any tools.

HECHT GREASE GX

Plastic lubricant for angle drives
Min. order 48 pcs



Plastic tube



HECHT 000101

Shoulder strap



Plastic bag with hang tag

HECHT 000102

Shoulder strap

Plastic bag with hang tag



HECHT 000103

Shoulder strap

Plastic bag with tag



Separable handle



SAMSUNG

HECHT 5036 SET 2in1



740 x 130 x 125 mm

| | | | | |
|---|--------------|----------------|---------------|---------|
| ⚡ | accumulator | Li-ion Samsung | working width | 8/11 cm |
| ⚡ | accu article | DC 3,6 V | weight | 1 kg |

ACCU PROGRAM 6020

You can buy grass trimmer HECHT 5020 with a battery and charger included to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

3 in 1

(3 products with 1 battery and charger)

ACCU program 6020

Battery 000620B
DC 20 V, 2 Ah



Charger 000620CH



HECHT 5020



BATTERY AND CHARGER INCLUDED



895 x 250 x 155 mm

CE

| | | | | | |
|--|---------------------------|---------------|--|---------------|---------|
| | accumulator | Lithium-ion | | working width | 25 cm |
| | accu article (V) | DC 20 V. 2 Ah | | weight | 2 kg |
| | working time without load | cca 20 min | | charging time | cca 2 h |

Li-ion
Powered

HECHT 6020



BATTERY AND CHARGER NOT INCLUDED



945 x 220 x 170 mm

CE

| | | | | | |
|--|-----------------------|---------------|----------------------------------|------------|---------|
| | accumulator | Lithium-ion | | bar length | 61 cm |
| | accu article (V) | DC 20 V. 2 Ah | | weight | 1,85 kg |
| | max. cutting diameter | 15 mm | Battery and charger not included | | |

HECHT 9020



BATTERY AND CHARGER NOT INCLUDED



500 x 170 x 210 mm

CE

| | | | | | |
|----------------------------------|------------------|---------------|--|--------------|----------|
| | accumulator | Lithium-ion | | air velocity | 198 km/h |
| | accu article (V) | DC 20 V. 2 Ah | | weight | 1,3 kg |
| Battery and charger not included | | | | | |

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ELECTRIC AND PETROL GRASS TRIMMERS AND BRUSH CUTTERS

HECHT 300




CE

400 x 195 x 120 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | working width | 22 cm |
| ⚡ | power input | 300 W | weight | 1,4 kg |

HECHT 530



CE

980 x 245 x 130 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | working width | 30 cm |
| ⚡ | power input | 550 W | weight | 2,6 kg |

HECHT 630



CE

890 x 250 x 155 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | working width | 30 cm |
| ⚡ | power input | 600 W | weight | 2,8 kg |

HECHT 1299

Separable shaft



CE

310 x 825 x 140 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | working width | 38 cm |
| ⚡ | power input | 1200 W | weight | 4,4 kg |

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

977 x 294 x 130 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric | 230 V/50 Hz | working width | 38 cm |
| ⚡ | power input | 1200 W | weight | 4,4 kg |

HECHT 1445

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

990 x 230 x 110 mm

CZ SK GB PL HU

| | | | | |
|---|-------------|-------------|---------------|-------|
| ⚡ | electric | 230 V/50 Hz | working width | 42 cm |
| ⚡ | power input | 1400 W | weight | 5 kg |

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

986 x 257 x 233 mm

CZ SK GB PL HU

| | | | | |
|---|---------------|--------------------|---------------|--------|
| ⚡ | engine volume | 25 cm ³ | working width | 43 cm |
| ⚡ | power output | 1 HP | weight | 4,6 kg |

PETROL BRUSH CUTTERS

Separable shaft



HECHT 130 R

Separable shaft



HECHT 129 BTs

Basic accessories of the machine are: string head and shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke
autochoke

2-stroke

ULTRA LIGHT



1020 x 260 x 260 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|-------|
| | engine volume | 30 cm ³ | | working width | 43 cm |
| | power output | 1,2 HP | | weight | 5 kg |



1100 x 270 x 260 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 26 cm ³ | | working width | 43 cm |
| | power output | 1,1 HP | | weight | 5,9 kg |

Separable shaft



HECHT 135 BTs

Separable shaft



HECHT 142 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke

ULTRA LIGHT

ULTRA LIGHT



1130 x 270 x 256 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 33 cm ³ | | working width | 43 cm |
| | power output | 1,5HP | | weight | 6,1 kg |



1100 x 300 x 300 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 43 cm ³ | | working width | 43 cm |
| | power output | 2 HP | | weight | 6,8 kg |

HECHT 145

Separable shaft



HECHT 152 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke



1840 x 252 x 302 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 43 cm ³ | | working width | 42 cm |
| | power output | 2 HP | | weight | 8,5 kg |



1100 x 300 x 300 mm



| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 52 cm ³ | | working width | 43 cm |
| | power output | 2,2 HP | | weight | 7,9 kg |

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL BRUSH CUTTERS

HECHT 151



Basic accessories of the machine are: string head and metal blade, shoulder belt



1850 x 280 x 285 mm

| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 51 cm ³ | | working width | 44 cm |
| | power output | 2,4 HP | | weight | 8,9 kg |

HECHT 150



Basic accessories of the machine are: string head and metal blade, shoulder belt



1860 x 310 x 306 mm

| | | | | | |
|--|---------------|----------------------|--|---------------|-------|
| | engine volume | 51,7 cm ³ | | working width | 43 cm |
| | power output | 2,2 HP | | weight | 10 kg |

HECHT 154

Basic accessories of the machine are: string head, shoulder belt and metal blade, carburetor WALBRO



2-stroke
easy start
autochoke



1880 x 315 x 300 mm

| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 52 cm ³ | | working width | 43 cm |
| | power output | 2,6 HP | | weight | 8,7 kg |

A robust cleaning brush cutter for demanding applications

HECHT 163

Basic accessories of the machine are: string head, shoulder belt and metal blade,



3,1 HP



1871 x 313 x 318 mm

| | | | | | |
|--|---------------|----------------------|--|---------------|---------|
| | engine volume | 63,3 cm ³ | | working width | 43 cm |
| | power output | 3,1 HP | | weight | 10,8 kg |

HECHT 133 R

Basic accessories of the machine are: string head, shoulder belt and metal blade



4-stroke



1840 x 264 x 270 mm

| | | | | | |
|--|---------------|----------------------|--|---------------|--------|
| | engine volume | 33,5 cm ³ | | working width | 43 cm |
| | power output | 1,1 HP | | weight | 7,5 kg |

HECHT 1330

Multifunctional tool

5in 1



2-stroke

Lawn cutter - optional accessory for HECHT 0001330



1080 x 260 x 270 mm

| | | | | | |
|--|---------------|--------------------|--|---------------|--------|
| | engine volume | 26 cm ³ | | working width | 43 cm |
| | power output | 1 HP | | weight | 7,5 kg |

PETROL SWEEPERS, GARDEN GLOVES

GARDEN

HECHT 8616

3 in 1 13" Chains 009551

cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

CE

| | | | | | |
|--|---------------|---------------------|--|--------------------------------|-------|
| | displacement | 196 cm ³ | | weight | 70 kg |
| | working width | 55/62/85 cm | | 4 gear forward, 2 gear reverse | |

HECHT 8616 SE

With 230 V electric starter and adjustable light

3 in 1 13" Chains 009551

cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

CE

| | | | | | |
|--|---------------|---------------------|--|--------------------------------|-------|
| | displacement | 196 cm ³ | | weight | 72 kg |
| | working width | 55/62/85 cm | | 4 gear forward, 2 gear reverse | |

HECHT 8101

Variable brush speed

cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

CE

| | | | | | |
|--|---------------|---------------------|--|--------------------------------|---------------|
| | displacement | 173 cm ³ | | weight | 79 kg |
| | power input | 6,5 HP* | | 3 gear forward, 1 gear reverse | |
| | working width | 100 cm | | brush speed | 180 - 350 rpm |

Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare 000861 A

61 cm

Collecting box 000861 B

Snow thrower 000861 C

55 cm

Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A

Collecting box 008101 B

13" Chains 009551

HECHT 8101 S

Variable brush speed

cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

CE

Equipped with battery starter

| | | | | | |
|--|---------------|---------------------|--|--------------------------------|---------------|
| | displacement | 173 cm ³ | | weight | 82 kg |
| | power input | 6,5 HP* | | 3 gear forward, 1 gear reverse | |
| | working width | 100 cm | | brush speed | 180 - 350 rpm |

HECHT 8101 BS

Variable brush speed

cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke engine B&S 750 EX

CE

POWERED BY BRIGGS & STRATTON

| | | | | | |
|--|---------------|---------------------|--|--------------------------------|---------------|
| | displacement | 161 cm ³ | | weight | 76 kg |
| | power input | 6,5 HP* | | 3 gear forward, 1 gear reverse | |
| | working width | 100 cm | | brush speed | 180 - 350 rpm |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

GARDEN TOOLS

420 CC



421



498 D2



435 HB 2L



493 A



494 ADN



176 GT



434DLA08
Ratchet shears



527A



023 - 2W



041 C



018KB



020 AKB



036 WLG



telescopic


0185GHJ2



020A5GHJ2



018 LGG




telescopic

020 ALGG




telescopic

0182036L




telescopic

050GAH9L



telescopic

050TAH9L



telescopic

060AH9L



telescopic

2002



2003



2004



602FHN



JZN200 - universal garden pruning shears 200 cm



JZN356 - universal garden pruning shears 200-356 cm



R4

M4 T2A - aluminium - telescopic

130-243 cm

SPADES, RAKES

HECHT 600801

Working part made of carbon steel.

thickness 1,8 mm
blade length 295 mm
neck length 300 mm
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600805

Working part made of carbon steel.

thickness 2 mm
blade length 295 mm
neck length 300 mm
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600808

Working part made of carbon steel.

thickness 1,8 mm
blade length 295 mm
neck length 300 mm
handle length 850 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600821

Working part made of carbon steel.

thickness 2 mm
blade length 295 mm
neck length 300 mm
handle length 1200 mm

Handle made of durable ash wood.



Box: 3 pcs

HECHT 600818

Working part made of carbon steel.

length 1220 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 2213

Working part made of carbon steel.

length 1145 mm



GARDEN

5in1

(5 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.


HECHT 600101

oval aluminum handle with plastic sleeve, soft grip and end hook

QUICK ASSEMBLY



Box: 6 pcs



161 cm

HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm



Box: 6 pcs

HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm



Box: 6 pcs

HECHT 600112

Nylon rake blade 12 teeth
size 410 mm



Box: 6 pcs

HECHT 600118

Nylon rake blade 18 teeth
size 580 mm



Box: 6 pcs

HECHT 600113

PET rake blade 13 teeth
size 240 x 200 mm



Box: 6 pcs

GARDEN TOOLS, BOW SAWS, COMPOSTERS

600631

47 cm



M4B1

pruning shears for trimming branches and tall trees



900442



folding

F2AD



folding

HECHT 600605

length 53,4 cm

Bow saw for wood cutting



HECHT 600620

length 61 cm

Bow saw for wood cutting



M9GLC
tool holder



5 PCS SET



www.hecht.cz

HECHT 36

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



235 x 845 x 725 mm



| | | |
|---|--------------|-----------------|
|  | max capacity | 360 l |
| | dimensions | 78 x 78 x 84 cm |

HECHT 4600

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



770 x 240 X 1090 mm



| | | |
|---|--------------|------------------|
|  | max capacity | 600 l |
| | dimensions | 80 x 80 x 108 cm |

GARDEN CARTS, FERTILIZERS

HECHT GARDEN CART

order no.:
HCG401



PLASTIC WITH WHEELS



| | | |
|--|--------------|-------|
| | max weight | 30 kg |
| | max capacity | 60 l |

HECHT PROFI CART

order no.:
HCP402



PLASTIC WITH WHEELS



| | | |
|--|--------------|--------|
| | max weight | 150 kg |
| | max capacity | 110 l |

HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



plastic bag

| | | | | |
|--|--------|--------|--------------|----------------------------|
| | manual | | max capacity | cca 3 l |
| | weight | 0,5 kg | | max. width of sprading 2 m |

HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



245 x 210 x 575 mm

| | | | | |
|--|---------------|------|--------------|------------------------------|
| | manual pushed | | max capacity | 12 l |
| | weight | 2 kg | | max. width of sprading 45 cm |

HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



595 x 295 x 210 mm

| | | | | |
|--|---------------|--------|--------------|------------------------------|
| | manual pushed | | max capacity | 20 l |
| | weight | 2,9 kg | | max. width of sprading 48 cm |

HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



500 x 280 x 390 mm

| | | | | |
|--|---------------|--------|--------------|----------------------------|
| | manual pushed | | max capacity | 27 l |
| | weight | 4,4 kg | | max. width of sprading 3 m |

FERTILIZERS, GARDEN SHREDDERS

HECHT 229



Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



620 x 420 x 320 mm

| | | |
|---------------|--------------|----------------------------|
| manual pushed | max capacity | 29 l |
| weight | 11 kg | max. width of sprading 3 m |

HECHT 256



Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



780 x 550 x 450 mm

| | | |
|---------------|--------------|------------------------------|
| manual pushed | max capacity | 60 l |
| weight | 17,3 kg | max. width of sprading 3,5 m |

Suitable for lawn tractors

HECHT 260



Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



www.hecht.cz



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

| | | |
|---------------|--------------|----------------------------|
| manual pushed | max capacity | 60 l |
| weight | 12,6 kg | max. width of sprading 4 m |

HECHT 624



shredded branches



680 x 275 x 360 mm

| | | | | |
|--|-------------|-------------|--------------------|------------------------------|
| | electric | 230 V/50 Hz | cut branches up to | 4,5 cm |
| | power input | 2400 W | | electric overload protection |

HECHT 6224



shredded branches



650 x 370 x 475 mm

| | | | | |
|--|-------------|-------------|--------------------|------------------------------|
| | electric | 230 V/50 Hz | cut branches up to | 4 cm |
| | power input | 2400 W | | electric overload protection |

HECHT 624 BOX



shredded branches



485 x 385 x 555 mm

| | | | | |
|--|------------------------------|-------------|--------------------|----------|
| | electric | 230 V/50 Hz | cut branches up to | 4 cm |
| | power input | 2500 W | collecting box | cca 50 l |
| | electric overload protection | | | |

GARDEN SHREDDERS

HECHT 6284 XL

box
cca 60 l



shredded
branches



575 x 420 x 505 mm



| | | | | | |
|--|------------------------------|-------------|--|--------------------|----------|
| | electric | 230 V/50 Hz | | cut branches up to | 4,5 cm |
| | power input | 2800 W | | collecting box | cca 60 l |
| | electric overload protection | | | | |

HECHT 626 Silent

Including
cca 50 l bag



shredded
branches



620 x 515 x 255 mm



| | | | | | |
|--|--|-------------|--|--------------------------|------|
| | electric | 230 V/50 Hz | | cut branches up to | 4 cm |
| | power input | 2600 W | | automatic branch pulling | |
| | electric overload protection | | | engine brake | |
| | shredding by crushing roller (very silent) | | | | |

HECHT 6285 XL



shredded
branches



570 x 380 x 520 mm



| | | | | | |
|--|------------------------------|-------------|--|--------------------|----------|
| | electric | 230 V/50 Hz | | cut branches up to | 4,4 cm |
| | power input | 2800 W | | collecting box | cca 60 l |
| | electric overload protection | | | | |

HECHT 6280 XL



shredded
branches



box
cca 60 l



600 x 387 x 445 mm



| | | | | | |
|--|--|-------------|--|--------------------------|----------|
| | electric | 230 V/50 Hz | | cut branches up to | 4,5 cm |
| | power input | 2800 W | | automatic branch pulling | |
| | electric overload protection | | | engine brake | |
| | shredding by crushing roller (very silent) | | | collecting box | cca 60 l |

HECHT 6173

Including
box for
shredded
branches



shredded
branches



790 x 420 x 790 mm



| | | | | | |
|--|--------------|---------------------|--|----------------|----------|
| | engine HECHT | OHV | | collecting box | cca 30 l |
| | displacement | 173 cm ³ | | weight | 45 kg |

HECHT 6420



Shredding knives

Towing rod

Including
bag for
shredded
branches



1125 x 780 x 460 mm



| | | | | | |
|--|--------------|---------------------|--|--------------------------|------|
| | engine HECHT | OHV | | cut branches up to | 5 cm |
| | displacement | 389 cm ³ | | automatic branch pulling | |
| | weight | 110 kg | | | |

HAND AND KNAPSACK SPRAYERS


HECHT 401



Plastic bag

| | | | | | |
|--|--------|---------|--|-------------|-------|
| | manual | | | tank volume | 0,9 l |
| | weight | 0,15 kg | | | |

Adjustable spraying jet



- CZ
- SK
- PL
- GB
- DE
- HU

plastic bag

| | | | | | |
|--|---------------|-------|--|--------|--------|
| | manual | | | weight | 0,5 kg |
| | max. pressure | 2 bar | | piston | |
| | tank volume | 1,5 l | | | |


HECHT 415 V



Relief valve



Adjustable spraying jet



HECHT 405



pressure relief valve




- CZ
- SK
- PL
- GB
- DE
- HU

160 x 185 x 420 mm

| | | | | | |
|--|---------------|-------|--|--------|--------|
| | manual | | | weight | 1,3 kg |
| | max. pressure | 3 bar | | piston | |
| | tank volume | 5 l | | | |

Adjustable spraying jet



HECHT 408



pressure relief valve



- CZ
- SK
- PL
- GB
- DE
- HU

182 x 182 x 555 mm

| | | | | | |
|--|---------------|-------|--|--------|--------|
| | manual | | | weight | 1,4 kg |
| | max. pressure | 3 bar | | piston | |
| | tank volume | 8 l | | | |

ACCESSORIES

| | | |
|----|----------------|---|
| 1. | 003016 | 30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500 |
| 2. | 000408 | The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500 |
| 3. | 004500 | telescopic rod max 150 cm for HECHT 405, 408, 4500 |
| 4. | 000416 | telescopic rod max 150 cm for HECHT 425, 4120 |
| 5. | 000400 | gloss applicator for HECHT 405, 408, 4500 |
| 6. | 004112 | set of nozzles for HECHT 4112, 4116 |
| 7. | 000415A | nozzle „F-type“ for HECHT 415 ACCU |



Adjustable spraying jet



pressure relief valve

HECHT 4500



Manometer



- CZ
- SK
- PL
- GB
- DE
- HU

181 x 439 x 181 mm

| | | | | | |
|--|---------------|-------|--|--------|--------|
| | manual | | | weight | 1,4 kg |
| | max. pressure | 3 bar | | piston | |
| | tank volume | 5 l | | | |

SPRAYERS AND MIST DUSTERS

HECHT 41 12



425 x 165 x 559 mm



| | | | | |
|--|---------------|--|-------------|------|
| | manual | | tank volume | 12 l |
| | max. pressure | | piston | |

HECHT 41 16



440 x 185 x 570 mm



| | | | | |
|--|---------------|--|-------------|------|
| | manual | | tank volume | 16 l |
| | max. pressure | | piston | |

HECHT 451

Including applicator for granules

without auxiliary pump



510 x 400 x 690 mm



| | | | | | |
|--|---------------|----------------------|--|-------------|-------|
| | engine HECHT | 2 stroke | | weight | 11 kg |
| | engine volume | 51,7 cm ³ | | tank volume | 14 l |
| | power output | 2 HP | | range | ≤12 m |



HECHT 459

Including applicator for granules

with auxiliary pump



500 x 440 x 680 mm



| | | | | | |
|--|---------------|----------------------|--|-------------|---------|
| | engine HECHT | 2 stroke | | weight | 10,5 kg |
| | engine volume | 59,2 cm ³ | | tank volume | 14 l |
| | power output | 3,6 HP | | range | ≤16 m |



HECHT 415 ACCU

Li-ion battery included

Available from 4/17



370 x 240 x 550 mm



| | | | | | |
|--|---------------|------------|--|-------------|--------|
| | accu | 12 V, 7 Ah | | tank volume | 15 l |
| | max. pressure | 2,75 bar | | weight | 4,4 kg |



HECHT 433

Available from 5/17



425 x 350 x 535 mm



| | | | | | |
|--|---------------|----------------------|--|---------------|--------|
| | engine HECHT | 2 stroke | | weight | 9,2 kg |
| | engine volume | 25,4 cm ³ | | tank volume | 15 l |
| | power output | 1 HP | | max. pressure | 25 bar |



SUBMERSIBLE, SURFACE AND GARDEN PUMPS

HECHT 3018

Second extension



POND PUMP

Interchangeable attachments



POND PUMP




200 x 200 x 100 mm



200 x 205 x 160 mm



HECHT 3350



220 x 370 x 160 mm

plastic chassis

| | | | | | |
|---|---------------|---------------|----|-------------------------|---------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 1,4 m |
| ⚡ | power input | 18 W | → | max. delivery volume | 900 l/h |
| ⚡ | pipe diameter | 1,4" | → | 10 m rubber power cable | |

| | | | | | |
|---|---------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 2,3 m |
| ⚡ | power input | 50 W | → | max. delivery volume | 1750 l/h |
| ⚡ | pipe diameter | 1,2" | → | 10 m rubber power cable | |

| | | | | | |
|---|-------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 10 m |
| ⚡ | power input | 350 W | → | 10 m rubber power cable | |
| ⚡ | clear water | | → | max. delivery volume | 3000 l/h |

HECHT 3400



228 x 168 x 325 mm



plastic chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 5 m |
| ⚡ | power input | 400 W | → | 10 m rubber power cable | |
| ⚡ | dirty water | | → | max. delivery volume | 8000 l/h |

HECHT 3752



228 x 168 x 340 mm



plastic chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|-----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 8 m |
| ⚡ | power input | 750 W | → | 10 m rubber power cable | |
| ⚡ | dirty water | | → | max. delivery volume | 12500 l/h |

HECHT 3011



228 x 168 x 360 mm



inox chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|-----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 10 m |
| ⚡ | power input | 1100 W | → | 10 m rubber power cable | |
| ⚡ | dirty water | | → | max. delivery volume | 16000 l/h |

HECHT 3301



150 x 100 x 280 mm



steel chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 55 m |
| ⚡ | power input | 300 W | → | 10 m rubber power cable | |
| ⚡ | | | → | max. delivery volume | 1400 l/h |

HECHT 3602



170 x 120 x 280 mm



steel chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 70 m |
| ⚡ | power input | 600 W | → | 10 m rubber power cable | |
| ⚡ | | | → | max. delivery volume | 1700 l/h |

HECHT 3520



225 x 175 x 635 mm



steel chassis

| | | | | | |
|---|-------------|---------------|----|-------------------------|----------|
| ⚡ | electric | 230 V / 50 Hz | ↑↑ | max. delivery height | 55 m |
| ⚡ | power input | 1000 W | → | 10 m rubber power cable | |
| ⚡ | | | → | max. delivery volume | 5200 l/h |

GARDEN PUMPS, GREENHOUSE ACCESSORIES

HECHT 3080



370 x 210 x 260 mm



| | | | | | |
|--|---------------|-----------------|--|----------------------|----------|
| | electric | 230 V/ 50 Hz | | max.delivery height | 38 m |
| | power input | 800 W | | max. delivery volume | 3200 l/h |
| | max. pressure | 3,8 bar | | | |

HECHT 3800



465 x 280 x 570 mm



| | | | | | |
|--|----------------------|-----------------|--|----------------------|----------|
| | electric | 230 V/ 50 Hz | | max.suction lift | 8 m |
| | power input | 800 W | | max. delivery volume | 3200 l/h |
| | max. delivery height | 38 m | | tank volume | 20 l |

HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.



carton header

HECHT 3101 INOX



465 x 280 x 510 mm



| | | | | | |
|--|---------------|-----------------|--|----------------------|----------|
| | electric | 230 V/ 50 Hz | | max.delivery height | 44 m |
| | power input | 1000 W | | max. delivery volume | 3500 l/h |
| | max. pressure | 1,5-3 bar | | | |

HECHT 343



400 x 300 x 400 mm



| | | | | | |
|--|----------------------|--------------------|--|----------------------|------------|
| | engine HECHT | 2-stroke | | max.suction lift | 8 m |
| | engine volume | 43 cm ³ | | weight | 9,5 kg |
| | max. delivery height | 35 m | | max. delivery volume | 15 000 l/h |

HECHT 3635



485 x 383 x 400 mm



| | | | | | |
|--|----------------------|---------------|--|----------------------|-----------|
| | engine HECHT | OHV, 4-stroke | | max.suction lift | 7 m |
| | power output | 6,5 HP* | | max. delivery volume | 30000 l/h |
| | max. delivery height | 27 m | | | |

HECHT 3680



Suction strainer included



FOR DIRTY WATER



570 x 445 x 435 mm



| | | | | | |
|--|----------------------|---------------|--|----------------------|-----------|
| | engine HECHT | OHV, 4-stroke | | max.suction lift | 7 m |
| | power output | 6,5 HP* | | weight | 37 kg |
| | max. delivery height | 25 m | | max. delivery volume | 45000 l/h |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION



08010C 1/2"

CONNECTION



08011C 1/2"

TAP EXTENSION



08028C 1"

SPRAYING GUN

02095



HECHT 02096



CONNECTION



08029C 3/4"



08030C 3/4"

IRRIGATION NOZZLE



08024C 1/2" & 3/4"

THREE-WAY CONNECTION




08015E

ALUMINIUM

CONNECTION

HECHT 08010


1/2" hoses



1/2"-5/8"

HECHT 08011

1/2" hoses



1/2"-5/8"

HECHT 08111

3/4" - 5/8" - 1/2" hoses



1/2"-5/8"-3/4"

CONNECTION

HECHT 08029

3/4" hoses



3/4"

HECHT 08030

3/4" hoses



3/4"

CORRECTION CONNECTION

HECHT 08013

3/4" - 5/8" - 1/2" hoses



Universal



1/2"-5/8"-3/4"

TAP EXTENSION

HECHT 08018

3/4" hoses



3/4"

HECHT 08023

3/4" & 1" hoses



3/4"



1"

HECHT 08024

1/2" & 3/4" hoses



1/2"



3/4"

TWO-WAY CONNECTION

HECHT 08016



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set watering selection digital LCD time display only 2 AA batteries required (not included) adaptor 3/4 and 1" hose



MECHANICAL TIMER

HECHT 08901

setting 0/120 min no batteries needed adaptor 3/4 and 1"



TWO-WAY TAP EXTENSION

HECHT 08104



IMPLUSE SPRINKLER

HECHT 01023



2bar

3bar

Max

8L

0-30C

0-30m

450m

HECHT 08103



HECHT 06043



2bar

3bar

Max

8L

0-30C

0-30m

450m

HECHT 02677



www.hecht.cz

HOSE CONNECTIONS, EXTENTIONS AND GUNS

SHOWER



HECHT 08230

65 cm

10 patterns

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060



500 x 120 x 165 mm

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLER

HECHT 08601

max. 4 bar,
12,4 m diameter



OSCILLATING SPRINKLER


HECHT 08702

17 holes



SPRAYING GUNS

HECHT 02002




HECHT 02063



HECHT 02036



HECHT 02064



HECHT 02037



HOSES

HECHT 05915

332 x 235 mm



HECHT 05120 1/2"

Working pressure 5 bar
Bursting pressure 17 bar
20 m



HOSE HANGER

HECHT 00632



HOSE REEL

HECHT 08666

20 m of 1/2" hose



HECHT 00627

335 x 150 x 370 mm

max 50 m of 1/2" hose

HOSE CART

HECHT 00628

530 x 160 x 395 mm

max 50 m of 1/2" hose



HECHT 08623

570 x 160 x 370 mm

max 50 m of 1/2" hose



HECHT 00638

470 x 190 x 575 mm

max 100 m of 1/2" hose

GREENHOUSES

MINI



BOX: 1020 x 100 x 100 mm



100 x 60 x 60 cm

metal frame, PE cover

TOMATO BASIC



BOX: 570 x 140 x 85 mm



100 x 50 x 150 cm

metal frame, PE cover

ELONGATED



BOX: 900 x 140 x 115 mm



180 x 90 x 92 cm

metal frame, PE cover

BALCONY B



BOX: 500 x 90 x 920 mm



90 x 49 x 150 cm

metal frame, PE cover

BALCONY



BOX: 460 x 67 x 690 mm



68 x 49 x 125 cm

metal frame, PE cover

TILT



BOX: 1020 x 280 x 130 mm



143 x 73 x 195 cm

metal frame, PE cover

TUNNEL

STEEL FRAME



BOX: 1070 x 400 x 170 mm



300 x 200 x 200 cm

metal frame, PE cover

HECHT CANOPY



BOX: 3030 x 650 x 200 mm



435 x 206/258 x 303 cm

metal frame

HECHT WORKBENCH

GALVANIZED STEEL CONSTRUCTION



1 BOX: 1130 x 620 x 90 mm



112 x 61 x 109 cm

galvanized steel construction

HECHT 000608

AUTO VENT OPENER



NOT FOR THE MODEL HECHT GREENHOUSE

GREENHOUSES

HECHT PLANTER I. HECHT SEEDBED I.

ALU FRAME 1 mm
+ POLYCARBONATE

ALU FRAME 1 mm
+ POLYCARBONATE



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm 0,6 m²

alu frame, 4 mm pc board



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm 0,6 m²

alu frame, 4 mm twinwall polycarbonate



1 BOX: 620 x 560 x 110 mm

180 x 51 x 51 cm 0,9 m² alu frame, 4 mm pc board

HECHT SEEDBED II.

ALU FRAME 1 mm
+ POLYCARBONATE



HECHT GREENHOUSE I.

ALU FRAME 1 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1230 x 130 x 620, 2540 x 200 x 160 mm

250 x 190 x 195 cm 4,93 m² 1 mm alu frame, 4 mm twinwall polycarbonate

HECHT RANCHER II.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1380 x 640 x 140, 3170 x 200 x 190 mm

315 x 190 x 195 cm 5,98 m² 1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,2 mm
+ POLYCARBONATE

HECHT GARDENER I.

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1360 x 680 x 160, 1700 x 260 x 200 mm

310 x 250 x 190 cm 7,75 m² 1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,5 mm
+ POLYCARBONATE

HECHT GREENGROECER

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1420 x 730 x 140, 368 x 240 x 140 mm

365 x 244 x 250 cm 8,9 m² 1,5 mm alu frame, 4 mm twinwall polycarbonate

HIGH PRESSURE WASHERS

HECHT 317

Equipment:
variojet, bottle for cleaner with foam jet, power cable 3 meter, 3 meter pressure hose with gun



260 x 250 x 470 mm



| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 105 bar |
| | power input | 1600 W | | delivery volume | 360 l/h |

HECHT 320


Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun, accessories holder



325 x 295 x 600 mm

| | | |
|--|------------------|---------|
| | max. pressure | 180 bar |
| | max. temperature | 60° C |

BRUSH - 000320B FOR HECHT 320 AND 323



170 x 70 x 118 mm



| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 165 bar |
| | power input | 2000 W | | delivery volume | 390 l/h |

HECHT 323

Equipment:
variojet, bottle for cleaner with foam jet, power cable, 5 meter pressure hose with gun, accessories holder



PRESSURE HOSE - 000320D FOR HECHT 320 AND 323

270 x 90 x 270 mm



ROTARY BRUSH - 000320E FOR HECHT 320 AND 323


170 x 120 x 370 mm



350 x 325 x 735 mm



| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 165 bar |
| | power input | 2200 W | | delivery volume | 480 l/h |



Pump with strengthening of the output pressure



350 x 890 x 290 mm

| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 135 bar |
| | power input | 1900 W | | delivery volume | 480 l/h |

HECHT 321

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 7 meter pressure hose with gun



Self-priming
- no need of pressure water supply, also works with pressure water



HECHT 324

Equipment:
bottle for cleaner with foam jet, power cable, 8 meter pressure hose with gun, power cable 5 meter



520 x 410 x 640 mm



| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 150 bar |
| | power input | 2300 W | | delivery volume | 420 l/h |

HECHT 326

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun



860 x 380 x 360 mm



| | | | | | |
|--|-------------|-------------|--|-----------------|---------|
| | electric | 230 V/50 Hz | | max. pressure | 200 bar |
| | power input | 2600 W | | delivery volume | 420 l/h |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

PETROL GENERATOR

HECHT 3227

Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

Folding handle



575 x 525 x 580 mm



| | | | | | |
|---|---------------|---------------------|-----|-----------------|---------|
| ⚡ | engine HECHT | 4-stroke | max | max. pressure | 186 bar |
| 🔧 | engine volume | 196 cm ³ | → | delivery volume | 474 l/h |

HECHT 3230

Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool



620 x 490 x 555 mm



| | | | | | |
|---|---------------|---------------------|-----|-----------------|---------|
| ⚡ | engine HECHT | 4-stroke | max | max. pressure | 207 bar |
| 🔧 | engine volume | 196 cm ³ | → | delivery volume | 681 l/h |

WASHER ACCESSORIES

HECHT 000317



15 m

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220 use the reduction H318326).

230 x 100 x 230



Rotating brush (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000318



Reduction Part no.: H318326



Rotating brush for the terrace cleaning (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000326

HECHT GG 950 DC

Machine panel equipped with:
1 socket 230 V
+ 1 socket 12 V, fuse, power syst. grounding,



375 x 330 x 320 mm

2-stroke engine



| | | | | | |
|---|--------------------------|--------------------|----|-------------|-------------|
| 🔧 | displacement | 63 cm ³ | ⚡ | voltage | ~230 V/12 V |
| 🏠 | power output | 2 HP* | 🔊 | noise level | 95 dB |
| ⚡ | steady electrical output | 650 W | 🛢️ | tank | 4,2 l |
| ⚡ | max. electrical output | 720 W | 👤 | weight | 16,5 kg |

Machine panel equipped with:
1 socket 230 V
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

HECHT GG 1300



460 x 360 x 410 mm

4-stroke engine



| | | | | | |
|---|--------------------------|--------------------|----|-------------|-------------|
| 🔧 | displacement | 87 cm ³ | ⚡ | voltage | ~230 V/12 V |
| 🏠 | power output | 2,4 HP* | 🔊 | noise level | 93 dB |
| ⚡ | steady electrical output | 900 W | 🛢️ | tank | 5,2 l |
| ⚡ | max. electrical output | 1000 W | 👤 | weight | 27 kg |

Machine panel equipped with:
2 socket 230 V
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

HECHT GG 3300



600 x 450 x 515 mm

4-stroke engine



| | | | | | |
|---|--------------------------|---------------------|----|-------------|-------------|
| 🔧 | displacement | 208 cm ³ | ⚡ | voltage | ~230 V/12 V |
| 🏠 | power output | 7 HP* | 🔊 | noise level | 96 dB |
| ⚡ | steady electrical output | 2600 W | 🛢️ | tank | 15 l |
| ⚡ | max. electrical output | 3000 W | 👤 | weight | 46,5 kg |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

PETROL GENERATORS, SEPARATOR

Machine panel equipped with:
3 socket 230 V
+ 1 socket 12 V

e-start

1x industrial socket 32 A



725 x 555 x 590 mm



4-stroke engine



| | | | | | |
|--|--------------------------|---------------------|--|---------|-------------|
| | displacement | 389 cm ³ | | voltage | ~230 V/12 V |
| | power output | 13 HP* | | weight | 84 kg |
| | steady electrical output | 5000 W | | tank | 25 l |
| | max. electrical output | 5500 W | | | |

Machine panel equipped with:
2x socket 230 V,
1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



| | | | | | |
|--|--------------------------|---------------------|--|-------------|----------------------|
| | displacement | 420 cm ³ | | voltage | ~230 V / 400 V =12 V |
| | power output | 14 HP* | | noise level | 98 dB |
| | steady electrical output | 6500 W | | tank | 25 l |
| | max. electrical output | 7000 W | | weight | 88 kg |

Machine panel equipped with:
2x socket 230 V,
1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



| | | | | | |
|--|--------------------------|---------------------|--|---------|----------------------|
| | displacement | 459 cm ³ | | voltage | ~230 V / 400 V =12 V |
| | power output | 16 HP* | | tank | 25 l |
| | steady electrical output | 7500 W | | weight | 102 kg |
| | max. electrical output | 8500 W | | | |

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



430 x 370 x 290 mm



4-stroke engine



| | | | | | |
|--|--------------------------|----------------------|--|-------------|-------------|
| | displacement | 53,5 cm ³ | | voltage | ~230 V/12 V |
| | power output | 1,7 HP* | | noise level | 95 dB |
| | steady electrical output | 900 W | | tank | 2,7 l |
| | max. electrical output | 1000 W | | weight | 14 kg |

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



550 x 480 x 320 mm



4-stroke engine



| | | | | | |
|--|--------------------------|-----------------------|--|-------------|-------------|
| | displacement | 105,7 cm ³ | | voltage | ~230 V/12 V |
| | power output | 3 HP* | | noise level | 92 dB |
| | steady electrical output | 1600 W | | tank | 3,5 l |
| | max. electrical output | 2000 W | | weight | 22 kg |



610 x 355 x 355 mm



| | | | | | |
|--|-------------|-------------|--|-------------|------|
| | electric | 230 V/50 Hz | | tank volume | 18 l |
| | power input | 1000 W | | | |

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

VACUUM CLEANERS, PLATE COMPACTORS

HECHT 008314

5 m hose for HECHT 8212, 8314, 8314 Z



Foam filter for HECHT 8212, nr. EKF 1005



CZ
SK
PL
GB
HU

445 x 321 x 323 mm

| | | | | | |
|--|-------------|-------------|--|-------------|------|
| | electric | 230 V/50 Hz | | tank volume | 20 l |
| | power input | 1250 W | | | |

HECHT 8212 HECHT 8314

WET & DRY CLEANING



HEPA filter for HECHT 8314, 8314 Z, nr. EKF 1009



CZ
SK
PL
GB
HU

610 x 355 x 355 mm

| | | | | | |
|--|-------------|-------------|--|-------------|------|
| | tank volume | 230 V/50 Hz | | tank volume | 30 l |
| | power input | 1400 W | | | |



WET & DRY CLEANING

WET & DRY CLEANING



Bag filter for HECHT 8212, 8314, 8314 Z
3 szt,
nr. EKF 1001



CZ
SK
PL
GB
HU

610 x 355 x 355 mm

| | | | | | |
|--|-------------|-------------|--|-------------|------|
| | tank volume | 230 V/50 Hz | | tank volume | 30 l |
| | power input | 1400 W | | | |

HECHT 8314 Z HECHT 1111



With socket 230 V / 50 Hz
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).



CZ
SK
PL
GB
HU

700 x 398 x 480 mm

| | | | | |
|--|---------------------|---------------------|---------------------|--------------|
| | engine HECHT | OHV | Compaction pressure | 11000 N |
| | displacement | 163 cm ³ | Compaction depth | 25 cm |
| | Dimensions of plate | 530 x 370 mm | | weight 63 kg |



FOLDING WHEELS AND DAMPING PAD INCLUDED

steel chasis



HECHT 1113



FOLDING WHEELS AND DAMPING PAD INCLUDED



CZ
SK
PL
GB
HU

700 x 442 x 485 mm

| | | | | |
|--|---------------------|---------------------|---------------------|--------------|
| | engine HECHT | OHV | Compaction pressure | 13000 N |
| | displacement | 196 cm ³ | Compaction depth | 30 cm |
| | Dimensions of plate | 540 x 420 mm | | weight 83 kg |

steel chasis



HECHT 1114



FOLDING WHEELS AND DAMPING PAD INCLUDED

Available from 4/17



CZ
SK
PL
GB
HU

700 x 442 x 485 mm

| | | | | |
|--|---------------------|---------------------|---------------------|--------------|
| | engine HECHT | OHV | Compaction pressure | 20000 N |
| | displacement | 196 cm ³ | Compaction depth | 35 cm |
| | Dimensions of plate | 580 x 500 mm | | weight 92 kg |

steel chasis



MIXERS, EARTH AUGER

HECHT 2116

HECHT 2140



770 x 690 x 440 mm



| | | | | | |
|--|-------------|-------------|--|-------------|---------|
| | electric | 230 V/50 Hz | | weight | 43,5 kg |
| | power input | 500 W | | drum volume | 120 l |



| | | | | | |
|--|-------------|-------------|--|-------------|-------|
| | electric | 230 V/50 Hz | | weight | 47 kg |
| | power input | 550 W | | drum volume | 140 l |

HECHT 2180

HECHT 2220

www.hecht.cz



770 x 680 x 520 mm



| | | | | | |
|--|-------------|-------------|--|-------------|-------|
| | electric | 230 V/50 Hz | | weight | 71 kg |
| | power input | 800 W | | drum volume | 180 l |



| | | | | | |
|--|-------------|-------------|--|-------------|-------|
| | electric | 230 V/50 Hz | | weight | 95 kg |
| | power input | 1050 W | | drum volume | 220 l |

HECHT 1137

HECHT 001135

Suitable for mixing coarse mixtures

HECHT 001136D

Suitable for mixing fine mixtures



Suitable for mixing coarse mixtures, mixing fine mixtures needs a change of mixing tool

245 x 370 x 320 mm



| | | | | | |
|--|---------------|-----------------|--|---------------|--------|
| | electric | 230 V/50 Hz | | tool diameter | 120 mm |
| | power input | 1400 W | | tool height | 590 mm |
| | no load speed | 0-570/0-760 rpm | | weight | 3,5 kg |

with mixing tool (connection M14)

HECHT 52

Drilling auger bit
150 mm included

Drilling auger bits

| Diameter | Part no. |
|------------------|----------|
| 100 mm | 0043100 |
| 150 mm | 0043150 |
| 200 mm | 0043200 |
| 346 mm extension | 0043346 |



| | | | | | |
|--|--------------|-----------------|--|----------------|--------------------|
| | engine type | 2-stroke engine | | engine volume | 52 cm ³ |
| | power output | 1,8 kW* | | rotation speed | 160 / min. |
| | weight | 13 kg | | drilling depth | 730 mm |



760 x 480 x 410 mm



TRANSPORTERS, CHARGERS

HECHT 2630



1650 x 720 x 1150 mm

steel chassis



| | | | |
|----------------|-----------------------------|----------------|--|
| engine HECHT | OHV | max load | 300 kg |
| displacement | 196 cm ³ | weight | 178 kg |
| Self propelled | 3 gears forward, 1 backward | box dimensions | 907 x 600 x 210 mm / 1004 x 860 x 210 mm |



WORKSHOP / TOOLS

HECHT 2950



002950
Snow Blade



1650 x 720 x 1100 mm

hydraulic lifting

steel chassis



| | | | |
|----------------|-----------------------------|----------------|---------------------|
| engine HECHT | OHV | max load | 500 kg |
| displacement | 270 cm ³ | weight | 270 kg |
| Self propelled | 3 gears forward, 1 backward | box dimensions | 1004 x 700 x 450 mm |



HECHT 2012 smart battery charger

Available
from 3/17

5 steps charging

Input cable length: 1,5 m
Output cable length: 1,5 m



blister



| | | | |
|-------------|-------------|---------------|-----------------------|
| electric | 230 V/50 Hz | for batteries | 4-120 Ah |
| power input | 62 W | output | 6V - 0,55A / 12V - 1A |

BOOSTER
JUST 5 MIN. CHARGING
6 CHARGING STEPS, UP TO 15 A
SHORT-CIRCUIT AND
POLARITY PROTECTION



12-VOLT
SOCKET FOR
CONNECTING
ACCESSORIES



230 x 155 x 230 mm

| | | | |
|--------------|----------------------|---------------|----------|
| power output | 12V / 2-15 A | for batteries | 4-300 Ah |
| power input | 230 V/50 Hz 220 W | weight | 1,53 kg |

HECHT 2013 smart battery charger



COMPRESSORS

FUNCTIONS:
COMPRESSOR
LIGHT
WARNING FLASH LIGHT

HECHT 2001

Dimensions:
46 x 13 x 33 cm

HECHT 2883



CAN BE PLUGGED IN THE CAR LIGHTER SOCKET

CE

| | | | | | |
|---|----------|------|--------|----------------------|--------|
| ⚡ | electric | 12 V | 📏 | weight | 1 kg |
| ⚡ | current | 10 A | ⬇️⬇️⬇️ | max. output pressure | 17 bar |

470 x 125 x 335 mm

CE

| | | | | | |
|---|-------------|---------------|--------|----------------------|------------|
| ⚡ | electric | 230 V / 50 Hz | 📏 | Max suction power | 180 l/min. |
| 🔌 | power input | 1100 W | ⬇️⬇️⬇️ | max. output pressure | 8 bar |

470 x 125 x 335 mm

HECHT 2026

HECHT 2052



CE

| | | | | | |
|---|-------------------|---------------|--------|----------------------|-------|
| ⚡ | electric | 230 V / 50 Hz | 📏 | air tank volume | 24 l |
| 🔌 | power input | 1,5 kW / 2 HP | ⬇️⬇️⬇️ | max. output pressure | 8 bar |
| 📏 | Max suction power | 184 l/min. | 📏 | weight | 25 kg |

650 x 280 x 630 mm

CE

| | | | | | |
|---|-------------------|---------------|--------|----------------------|-------|
| ⚡ | electric | 230 V / 50 Hz | 📏 | air tank volume | 50 l |
| 🔌 | power input | 1,5 kW / 2 HP | ⬇️⬇️⬇️ | max. output pressure | 8 bar |
| 📏 | Max suction power | 184 l/min. | 📏 | weight | 32 kg |

740 x 315 x 640 mm



TWO OUTLETS



TWIN CYLINDER

CE

| | | | | | |
|---|-------------------|---------------|--------|----------------------|-------|
| ⚡ | electric | 230 V / 50 Hz | 📏 | air tank volume | 50 l |
| 🔌 | power input | 2,2 kW / 3 HP | ⬇️⬇️⬇️ | max. output pressure | 8 bar |
| 📏 | Max suction power | 316 l/min. | 📏 | weight | 44 kg |

770 x 370 x 645 mm



POWER TOOLS

HECHT 1150



LED LIGHT

Charger included
Charging indicator



210 x 58 x 163 mm

Adjustable head 60°



| | | | | |
|--|---------------|---------------|----------------|----------|
| | ACCU | 3,6 V | chuck capacity | 1/4" hex |
| | battery | Li-ion 1,3 Ah | max. torque | 4 N.m |
| | no load speed | 180 rpm | weight | 0,41 kg |

LED light, LED charging indicator, charger (3-5 h), set of bits, plastic carrying case

HECHT 1153



LED LIGHT

Intergrated bit magazine

Charger included

Charging indicator



155 x 55 x 150 mm



| | | | | |
|--|---------------|----------------|----------------|----------|
| | ACCU | 3,6 V | chuck capacity | 1/4" hex |
| | battery | LI-ion, 1,3 Ah | max. torque | 4 N.m |
| | no load speed | 0-180 rpm | weight | 0,5 kg |

battery charger (3-5 h), 10 pcs screw bits, intergrated bit magazine

HECHT 1260



LED LIGHT

Charger included



222 x 67 x 213 mm



| | | | | |
|--|---------------|------------------|----------------|-----------|
| | ACCU | 10,8 V | chuck capacity | 0,8-10 mm |
| | battery | LI-ion, 1,5 Ah | max. torque | 20 N.m |
| | no load speed | 0-350/0-1350 rpm | weight | 1 kg |

2 speed, with battery, charger (3-5 h), charging base

HECHT 1215



LED LIGHT

Quick charger 1 h

Charger 001215CH

Charging indicator

Battery 001215B



295 x 95 x 230 mm



| | | | | |
|--|---------------|------------------|----------------|-----------|
| | ACCU | 12 V | chuck capacity | 0,8-10 mm |
| | battery | LI-ion, 1,5 Ah | max. torque | 20 N.m |
| | no load speed | 0-350/0-1350 rpm | weight | 1,05 kg |

2 speed, with battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1223



Quick charger 1 h

LED LIGHT

Charging indicator

Charger 001223CH
2x Battery 001223B



295 x 95 x 230 mm



| | | | | |
|--|---------------|------------------|----------------|-----------|
| | ACCU | 20 V | chuck capacity | 0,8-10 mm |
| | battery | LI-ion, 1,3 Ah | max. torque | 25 N.m |
| | no load speed | 0-350/0-1250 rpm | | |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1277



Quick charger 1 h

LED LIGHT

Charging indicator

ACCU program 1278

Charger 001277CH

2x Battery 001277B



230 x 295 x 95 mm



| | | | | |
|--|---------------|------------------|----------------|-----------|
| | ACCU | 20 V | chuck capacity | 0,8-10 mm |
| | battery | LI-ion, 1,5 Ah | max. torque | 25 N.m |
| | no load speed | 0-350/0-1250 rpm | weight | 1,4 kg |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

POWER TOOLS

HECHT 1278



| | | | | |
|---|---------------|------------------|----------------|---------------|
| ⚡ | ACCU | 20 V | chuck capacity | 2-13 mm |
| 🔋 | battery | Li-ion, 1,5 Ah | impact rate | 0-525/0-18750 |
| 🌀 | no load speed | 0-350/0-1250 rpm | 📏 weight | 1,54 kg |
| 🌀 | max. torque | 35 N.m | | |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

- CZ
- SK
- PL
- GB
- HU

230 x 295 x 95 mm



HECHT 1288



| | | | | |
|---|---------------|------------------|----------------|----------------|
| ⚡ | ACCU | 20 V | chuck capacity | 2-13 mm |
| 🔋 | battery | Li-ion, 1,5 Ah | impact rate | 0-6000/0-22500 |
| 🌀 | no load speed | 0-400/0-1500 rpm | 📏 weight | 1,49 kg |
| 🌀 | max. torque | 50 N.m | | |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder

- CZ
- SK
- PL
- GB
- HU

339 x 90 x 240 mm



www.hecht.cz

HECHT 1065



| | | | | |
|---|---------------|-------------|------------------------------|---------|
| ⚡ | electric | 230 V/50 Hz | drilling capacity - steel | 10 mm |
| 🔌 | power input | 650 W | drilling capacity - concrete | 13 mm |
| 🌀 | no load speed | 0-2800 rpm | drilling capacity - wood | 20 mm |
| 🌀 | impact rate | 0-50400 rpm | 📏 weight | 1,58 kg |

variable speed, auxiliary handle, depth gauge

- CZ
- SK
- PL
- GB
- HU

300 x 220 x 80 mm



HECHT 1075



| | | | | |
|---|---------------|-------------|------------------------------|-------|
| ⚡ | electric | 230 V/50 Hz | drilling capacity - steel | 13 mm |
| 🔌 | power input | 750 W | drilling capacity - concrete | 13 mm |
| 🌀 | no load speed | 0-3000 rpm | drilling capacity - wood | 25 mm |
| 🌀 | impact rate | 0-54000 rpm | | |

variable speed, with keyless chuck, auxiliary handle, depth gauge

- CZ
- SK
- PL
- GB
- HU

320 x 230 x 80 mm



HECHT 1076



| | | | | |
|---|---------------|-------------|------------------------------|-------|
| ⚡ | electric | 230 V/50 Hz | drilling capacity - steel | 13 mm |
| 🔌 | power input | 950 W | drilling capacity - concrete | 13 mm |
| 🌀 | no load speed | 0-3000 rpm | drilling capacity - wood | 25 mm |
| 🌀 | impact rate | 0-54000 rpm | | |

variable speed, with keyless chuck, auxiliary handle, depth gauge

- CZ
- SK
- PL
- GB
- HU

320 x 230 x 80 mm



HECHT 1112



| | | | | |
|---|---------------|-------------------|---------------------------|--------|
| ⚡ | electric | 230 V/50 Hz | drilling capacity - steel | 13 mm |
| 🔌 | power input | 1200 W | max. chuck size | 13 mm |
| 🌀 | no load speed | 0-1200/0-2800 rpm | 📏 weight | 3.4 kg |

variable speed, auxiliary handle, depth gauge

- CZ
- SK
- PL
- GB
- HU

395 x 270 x 95 mm



POWER TOOLS

HECHT 1080



CZ
 SK
 PL
 GB
 HU
 305 x 380 x 105 mm

| | | | | |
|--|---------------|-------------|------------------------------|--------|
| | electric | 230 V/50 Hz | drilling capacity - steel | 13 mm |
| | power input | 800 W | drilling capacity - concrete | 26 mm |
| | no load speed | 0-1000 rpm | drilling capacity - wood | 42 mm |
| | impact rate | 0-5000 rpm | weight | 3,1 kg |

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

HECHT 1028



CZ
 SK
 PL
 GB
 HU
 380 x 320 x 120 mm

| | | | | |
|--|---------------|-------------|------------------------------|----------|
| | electric | 230 V/50 Hz | tool holder | SDS plus |
| | power input | 1050 W | drilling capacity - concrete | 26 mm |
| | no load speed | 950 rpm | impact power | 4,5 J |
| | impact rate | 4250 rpm | weight | 4,5 kg |

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case

HECHT 1069



CZ
 SK
 PL
 GB
 HU
 450 x 385 x 132 mm

| | | | | |
|--|---------------|-------------|------------------------------|---------|
| | electric | 230 V/50 Hz | tool holder | SDS max |
| | power input | 1600 W | drilling capacity - concrete | 40 mm |
| | no load speed | 560 rpm | impact power | 9 J |
| | impact rate | 3530 rpm | weight | 7,3 kg |

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

HECHT 000996 Set of drill bits for wood 8 pcs

Ø: 3; 4; 5; 6; 7; 8; 9; 10 mm



HECHT 000995 Set of drill bits for concrete 5 pcs

Ø: 4; 5; 6; 7; 8 mm



HECHT 000998 Set of drill bits 19 pcs

drill bits - Ø: 1; 1,5; 2; 2,5; 3; 3,5; 4; 4,5; 5; 5,5; 6; 6,5; 7; 7,5; 8; 8,5; 9; 9,5; 10 mm, metal box



HECHT 2005 tool set 49 pcs



Suitable for workshop or car

Standard accessory: screwdrivers, precision screwdrivers, double open wrenches, hand saw with 2 blades, utility cutter, cutter blades, 6" combination pliers, bits holder, 250 V electricity tester, hex keys, 10" water pump pliers, 200g machinist hammer, 3m measuring tape, 25 bits, adaptor, BMC

CZ
 SK
 PL
 GB
 HU
 735 x 130 x 155 mm



LEG FRAME 30X30 MM

HECHT 0003

BAMBOO WORKING DESK

FOLDING



dimensions 62,5 x 60,5 x 75,5 cm
 max. load capacity 100 kg

ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



You buy a drill HECHT 1277 or HECHT 1278 to have no longer to re-buy batteries for other products.

001278B
spare battery 3 Ah
for HECHT 1277 and 1278

001277B
spare battery 1,5 Ah
for HECHT 1277 and 1278

001277CH
charger for HECHT 1277 and 1278

HECHT 1670 accu circular saw

| | |
|----------------|------------|
| no load speed | 0-4200 rpm |
| blade diameter | 150 mm |
| cutting depth | 48 mm |
| weight | 2,37 kg |

Battery not included



310 x 225 x 285 mm

HECHT 001670
saw blade for wood
24 teeth, 150x10x1,6 mm



AC LASER

8in 1
(8 products with 1 battery)
HECHT 1277 or 1278



HECHT 1720 accu rotary sander

| | |
|------------------|------------------------|
| no load speed | 5000 / 7000 / 9000 rpm |
| baseboard size Ø | 125 mm |
| weight | 1,1 kg |

Battery not included



182 x 128 x 168 mm

HECHT 1510 accu reciprocating saw

| | |
|-----------------------|------------|
| no load speed | 0-3000 rpm |
| cutting depth - wood | 115 mm |
| cutting depth - steel | 10 mm |
| weight | 2,11 kg |

Battery not included



405 x 85 x 185 mm



HECHT 001726
sandpaper roughness 60

HECHT 001728
sandpaper roughness 80

HECHT 001720
sandpaper roughness 120

ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



HECHT 1320 accu angle grinder

| | |
|-----------------|----------|
| no load speed | 8500 rpm |
| disc size | 115 mm |
| sprindle thread | M14 |
| weight | 1,7 kg |

Battery not included

CZ SK PL GB HU

CE

350 x 135 x 110 mm

including
2 batteries
and charger
in package

for HECHT 1278



HECHT 1255 accu impact wrench

| | |
|----------------|------------|
| no load speed | 0-2200 rpm |
| max. torque | 150 N.m |
| chuck capacity | 1/4" mm |
| weight | 1,18 kg |

Battery not included

CZ SK PL GB HU

CE

195 x 83 x 195 mm

HECHT 1531 accu jigsaw

| | |
|-----------------------|------------|
| no load speed | 0-2400 rpm |
| cutting depth - wood | 80 mm |
| cutting depth - steel | 10 mm |
| weight | 1,7 kg |

Battery not included

CZ SK PL GB HU

CE

229 x 86 x 215 mm

HECHT 1707 accu LED light

| | |
|---------------------|----------|
| LED 9 diod | 2,2 W |
| LED light intensity | 40 lumen |
| time of lighting ca | 18 h |
| weight | 293 g |

Battery not included

CZ SK PL GB HU

CE

125 x 85 x 210 mm



POWER TOOLS

HECHT 1540



210 x 250 x 78 mm



| | | | | |
|--|---------------|-------------|-----------------------|---------|
| | electric | 230 V/50 Hz | cutting depth - wood | 55 mm |
| | power input | 400 W | cutting depth - steel | 6 mm |
| | no load speed | 3000 rpm | weight | 1,75 kg |

with saw blade, hex key

HECHT 1568



283 x 85 x 225 mm



| | | | | |
|--|---------------|--------------|-----------------------|---------|
| | electric | 230 V/50 Hz | cutting depth - wood | 65 mm |
| | power input | 650 W | cutting depth - steel | 8 mm |
| | no load speed | 800-3000 rpm | weight | 2,31 kg |

with saw blade, dust adaptor, guide fence

HECHT 1569

AC LASER LED LIGHT



| | | | | |
|--|---------------|--------------|-----------------------|---------|
| | electric | 230 V/50 Hz | cutting depth - wood | 80 mm |
| | power input | 810 W | cutting depth - steel | 10 mm |
| | no load speed | 800-3000 rpm | weight | 2,38 kg |

with saw blade, dust adaptor, guide fence

000989

saw blades for metal
for jigsaws 5 pcs




www.hecht.cz



286 x 85 x 225 mm

Standard accessories



HECHT 1630



355 x 266 x 95 mm

| | | | | |
|--|-------------|-------------|----------------------------------|---------------------------------|
| | electric | 230 V/50 Hz | Quick Change Multi-function Tool | |
| | power input | 300 W | | no load speed 15000 - 22000 rpm |

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case

Available accessories

| | | |
|------------------------------|--|-----------------------------------|
| 0001630A 2 pcs saw blades | 0001630B 10 pcs sanding papers roughness 60, 100, 120, 240 | 0001630C 2 pcs abrasive blades |
| | | |

POWER TOOLS

HECHT 1372

Quick-release disc guard



330 x 130 x 120 mm

Available from 4/17



| | | | | |
|--|---------------|-------------|-----------------|--------|
| | electric | 230 V/50 Hz | disc size | 115 mm |
| | power input | 710 W | sprindle thread | M14 |
| | no load speed | 12000 rpm | weight | 1,9 kg |

auxiliary handle, wrench, the grindstone is not included

HECHT 1389

Quick-release disc guard



325 x 140 x 120 mm



| | | | | |
|--|---------------|-------------|-----------------|---------|
| | electric | 230 V/50 Hz | disc size | 115 mm |
| | power input | 900 W | sprindle thread | M14 |
| | no load speed | 12000 rpm | weight | 2,15 kg |

auxiliary handle, wrench, the grindstone is not included

HECHT 1390



330 x 140 x 120 mm



| | | | | |
|--|---------------|-------------|-----------------|---------|
| | electric | 230 V/50 Hz | disc size | 125 mm |
| | power input | 900 W | sprindle thread | M14 |
| | no load speed | 10500 rpm | weight | 2,36 kg |

auxiliary handle, wrench, the grindstone is not included

Quick-release disc guard

HECHT 1309



440 x 140 x 130 mm



| | | | | |
|--|---------------|-------------|-----------------|--------|
| | electric | 230 V/50 Hz | disc size | 125 mm |
| | power input | 1200 W | sprindle thread | M14 |
| | no load speed | 12000 rpm | weight | 2,6 kg |

auxiliary handle, wrench, the grindstone is not included

HECHT 1314

Quick-release disc guard



510 x 115 x 150 mm

Available from 4/17



| | | | | |
|--|---------------|-------------|-----------------|--------|
| | electric | 230 V/50 Hz | disc size | 150 mm |
| | power input | 1400 W | sprindle thread | M14 |
| | no load speed | 8600 rpm | weight | 3,1 kg |

auxiliary handle, wrench, the grindstone is not included

HECHT 1318



530 x 114 x 160 mm



| | | | | |
|--|---------------|-------------|-----------------|---------|
| | electric | 230 V/50 Hz | disc size | 180 mm |
| | power input | 1800 W | sprindle thread | M14 |
| | no load speed | 8000 rpm | weight | 4,48 kg |

auxiliary handle, wrench, the grindstone is not included

POWER TOOLS

HECHT 1323

Quick-release disc guard

Soft start



Rotary handle



565 x 165 x 125 mm

| | | | | |
|--|---------------|-------------|-----------------|--------|
| | electric | 230 V/50 Hz | disc size | 230 mm |
| | power input | 2350 W | sprindle thread | M14 |
| | no load speed | 6500 rpm | | weight |
| | | | | 4,9 kg |

auxiliary handle, wrench, soft start, the grindstone is not included

CE

000994
diamond blade 115 mm



000993
diamond blade 125 mm



000992
saw blade 185 x 20 x 40T

000991
saw blade 185 x 20 x 60T

HECHT 1726



290 x 185 x 205 mm

| | | | | |
|--|---------------|-------------|--------------------|---------|
| | electric | 230 V/50 Hz | disc size | 150 mm |
| | power input | 150 W | disc hole diameter | 12,7 mm |
| | no load speed | 2960 rpm | | weight |
| | | | | 4,3 kg |

spark guard, workpiece support

CE

HECHT 1727

HECHT 1728

Wet&Dry grinding



355 x 240 x 280 mm

CE

| | | | | |
|--|---------------|-------------|--------------------|--------|
| | electric | 230 V/50 Hz | disc size | 200 mm |
| | power input | 350 W | disc hole diameter | 16 mm |
| | no load speed | 2960 rpm | | weight |
| | | | | 8,5 kg |

spark guard, workpiece support



420 x 260 x 265 mm

CE

| | | | | |
|--|---------------|-------------|--------------------------|--------|
| | electric | 230 V/50 Hz | disc size (dry grinding) | 150 mm |
| | power input | 250 W | disc size (wet grinding) | 200 mm |
| | no load speed | 2960 rpm | | weight |
| | | | | 8 kg |

spark guard, workpiece support

POWER TOOLS

000176060
sandpaper for HECHT 1760
3 pcs, roughness 60

000176080
sandpaper for HECHT 1760
3 pcs, roughness 80

000176020
sandpaper for HECHT 1760
3 pcs, roughness 120



338 x 126 x 247 mm



| | | | | |
|--|---------------|-------------|----------------|-------------|
| | electric | 230 V/50 Hz | baseboard size | 140 X 80 mm |
| | power input | 220 W | | weight |
| | no load speed | 13000 rpm | | 2 kg |

sandpaper, plastic dust container

HECHT 1760

000176260
sandpaper for HECHT 1762
5 pcs, roughness 60

000176280
sandpaper for HECHT 1762
5 pcs, roughness 80

000176220
sandpaper for HECHT 1762
5 pcs, roughness 120



338 x 126 x 247 mm



| | | | | |
|--|---------------|-------------|----------------|-------------|
| | electric | 230 V/50 Hz | baseboard size | 187 X 90 mm |
| | power input | 220 W | | weight |
| | no load speed | 12000 rpm | | 1,66 kg |

sandpaper, plastic dust container

HECHT 1762

000176460
sandpaper for HECHT 1762
5 pcs, roughness 60

000176480
sandpaper for HECHT 1762
5 pcs, roughness 80

000176420
sandpaper for HECHT 1762
5 pcs, roughness 120



305 x 130 x 190 mm



| | | | | |
|--|---------------|-------------|-----------------------------|-----------|
| | electric | 230 V/50 Hz | no load orbital stroke rate | 26000 rpm |
| | power input | 450 W | baseboard size | Ø 125 mm |
| | no load speed | 13000 rpm | | weight |
| | | | | 2 kg |

sandpaper, plastic dust container

HECHT 1764

0001781060
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 60

0001781080
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 80

0001781120
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 120



353 x 160 x 165 mm



| | | | | |
|--|---------------|-------------|--------------|-------------|
| | electric | 230 V/50 Hz | sanding size | 140 X 76 mm |
| | power input | 810 W | sanding belt | 533 x 76 mm |
| | no load speed | 380 rpm | | weight |
| | | | | 3,2 kg |

sanding belt, dust bag

HECHT 1781



188 x 340 x 167 mm



| | | | | |
|--|---------------|-------------|--|-------|
| | electric | 230 V/50 Hz | max. planing width | 82 mm |
| | power input | 900 W | max. planing depth | 3 mm |
| | no load speed | 16000 rpm | max. rebating depth | 15 mm |
| | weight | 2,8 kg | with accessories box (key, allen key), guide fence | |

HECHT 1790

HECHT 001790 Upside down table for HECHT 1790



315 x 185 x 230 mm

315 x 185 x 230 mm

POWER TOOLS

001060A 2 pcs blade for wood
001060D 2 pcs blade for aluminium
001060C 2 pcs diamond blade



HECHT 1066



532 x 142 x 234 mm



| | | | | |
|--|---------------|-------------|--------------------|---------|
| | electric | 230 V/50 Hz | blade diameter | 89 mm |
| | power input | 705 W | max. cutting depth | 28,5 mm |
| | no load speed | 4500 rpm | weight | 2,55 kg |

3 blades, guide fence, hex key, dust adapter

HECHT 1618



190 x 330 x 250 mm



| | | | | |
|--|---------------|-------------|--------------------|--------|
| | electric | 230 V/50 Hz | blade diameter | 185 mm |
| | power input | 1300 W | max. cutting depth | 65 mm |
| | no load speed | 5000 rpm | weight | 4 kg |

with saw blade, guide fence

HECHT 1615

Available from 3/17

With LASER AC

HECHT 001615
Blade for HECHT 1615
blade diameter 185 mm



360 x 245 x 265 mm



| | | | | |
|--|---------------|-------------|--------------------|---------|
| | electric | 230 V/50 Hz | blade diameter | 185 mm |
| | power input | 1500 W | max. cutting depth | 65 mm |
| | no load speed | 5500 rpm | weight | 5,26 kg |

with saw blade

HECHT 1619

With LASER AC

001619
Blade for HECHT 1619
blade diameter 190 mm



190 x 343 x 252 mm



| | | | | |
|--|---------------|-------------|--------------------|--------|
| | electric | 230 V/50 Hz | blade diameter | 190 mm |
| | power input | 1600 W | max. cutting depth | 63 mm |
| | no load speed | 5000 rpm | weight | 4,6 kg |

with saw blade, guide fence

www.hecht.cz



blade for wood and steel included

HECHT 1570



480 x 80 x 190 mm



| | | | | |
|--|---------------|-------------|-----------------------|---------|
| | electric | 230 V/50 Hz | cutting depth - wood | 115 mm |
| | power input | 710 W | cutting depth - steel | 5 mm |
| | no load speed | 0-2500 rpm | weight | 2,74 kg |

POWER TOOLS, ELECTRIC HEATER

HECHT 814



Mitre saw with laser



490 x 300 x 290 mm



| | | | | |
|---|-------------|-------------|---------------|-----------------------|
| ⚡ | electric | 230 V/50 Hz | No load speed | 5000 rpm |
| ⚡ | power input | 1400 W | Tilting range | -45° / 0° / 45° |
| 🔪 | Saw blade | ∅ 210 mm | Mitre cuts | 0° to 45° to the left |

HECHT 818

Double bevel



Mitre saw with AC laser



725 x 455 x 390 mm



| | | | | |
|---|-------------|-------------|---------------|---------------------------------|
| ⚡ | electric | 230 V/50 Hz | No load speed | 5000 rpm |
| ⚡ | power input | 1800 W | Tilting range | -45° / 0° / 45° |
| 🔪 | Saw blade | ∅ 210 mm | Mitre cuts | 0° to 45° to the left and right |

HECHT 8199 PROFI



Mitre saw with AC laser



740 x 540 x 430 mm



| | | | | |
|---|-------------|-------------|---------------|-----------------------|
| ⚡ | electric | 230 V/50 Hz | No load speed | 4700 rpm |
| ⚡ | power input | 1900 W | Tilting range | -45° / 0° / 45° |
| 🔪 | Saw blade | ∅ 255 mm | Mitre cuts | 0° to 45° to the left |

003180

termostat with remote control for HECHT 3180, 3240



1580 x 250 x 145 mm



| | | | | |
|---|-------------|-------------|------------------------|-------------------|
| ⚡ | electric | 230 V/50 Hz | heating area - covered | 30 m ² |
| ⚡ | power input | 2400 W | dimensions | 150 x 19 x 6,7 cm |
| 👤 | weight | 9,7 kg | | |

HECHT 3240



DIESEL WITH THERMOSTAT AUTOMATIC SHUTDOWN



805 x 335 x 440 mm



| | | | | |
|---|--------------------|-------------|---------------------|--------------------|
| ⚡ | electric | 230 V/50 Hz | heating area | 166 m ² |
| ⚡ | power output | 20 kW | thermal performance | 70 000 Btu |
| 🛢 | fuel tank capacity | 19 l | consumption | 2 l/h |

REMOTE CONTROL



895 x 135 x 525 mm



| | | | | |
|---|-------------|-------------|------------|----------------------|
| ⚡ | electric | 230 V/50 Hz | dimensions | 220 x 230 x 772 |
| ⚡ | power input | 2000 W | airflow | 80 m ³ /h |
| 👤 | weight | 4,5 kg | setting | 1200 / 2000 W |

HECHT 3610



ROTARY

LCD DISPLAY

CAN BE USED AS A VENTILATOR

CERAMIC HEATER ELEMENT

POWER TOOLS

HECHT 1811

| | |
|-------------------|------------|
| electric | 230V/50 Hz |
| power input [W] | 40 |
| glue stick Ø [mm] | 11 |



double blister



Available from 4/17

HECHT 1816

Electrode welder - inverter



428 x 221 x 287 mm



HECHT 1812

| | |
|-------------------|------------|
| electric | 230V/50 Hz |
| power input [W] | 80 |
| glue stick Ø [mm] | 11,2 |



Cordless work thanks to heat accumulation



270 x 238 x 73 mm



| | | | |
|-----------------|--|--------------------|----------|
| input capacity | 6,4 KVA | electrode diameter | 1 - 4 mm |
| welding current | 20 - 160 A | weight | 5 kg |
| welding voltage | 26,4 V | electrode holder | |
| duty cycle | 160 A - 40 % , 124 A - 60 % , 80 A - 100 % | | |

HECHT 1817

Electrode welder - inverter



428 x 221 x 287 mm



HECHT 1820

Electrode welder - inverter



200 A



| | | | |
|-----------------|---|--------------------|----------|
| input capacity | 7,5 KVA | electrode diameter | 1 - 4 mm |
| welding current | 20 - 200 A | weight | 6,4 kg |
| welding voltage | 27,2 V | electrode holder | |
| duty cycle | 200 A - 40 % , 155 A - 60 % , 126 A - 100 % | | |

www.hecht.cz

HECHT 900201

Welding shield



238 x 238 x 323 mm

| | |
|--|-------------|
| window dimensions | 100 x 50 mm |
| response time | ≤ 1/25000 s |
| weight | 0,49 kg |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm | |

HECHT 900221

Welding shield



238 x 238 x 323 mm

| | |
|--|-------------|
| window dimensions | 100 x 50 mm |
| response time | ≤ 1/25000 s |
| weight | 0,49 kg |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm | |

HECHT 900241

Welding shield



238 x 238 x 323 mm

| | |
|--|-------------|
| window dimensions | 100 x 50 mm |
| response time | ≤ 1/25000 s |
| weight | 0,49 kg |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm | |

OUTER LED LIGHTS

HECHT 2020



Accessories
nr. 002020 for HECHT
2020, 2021, 2200



293 x 280 x 95 mm



| | | | | |
|---|-------------|--------------|---------------------|--------------|
| ⚡ | electric | 230 V /50 Hz | temperature setting | 350 / 600 °C |
| 🔌 | power input | 2000 W | air volume | 480 l/min |
| 👤 | weight | 0,6 kg | | |

HECHT 2021



Adjustable
temperature
setting 80-600 °C



270 x 235 x 76 mm



| | | | | |
|---|-------------|--------------|---------------------|-------------|
| ⚡ | electric | 230 V /50 Hz | temperature setting | 80 - 600 °C |
| 🔌 | power input | 2000 W | air volume | 480 l/min |
| 👤 | weight | 0,9 kg | | |

HECHT 2200



Available
from 4/17

Display



Adjustable
temperature
setting 80-600 °C



105 x 105 x 45 mm



| | | | | |
|---|-------------|--------------|---------------------|-------------|
| ⚡ | electric | 230 V /50 Hz | temperature setting | 80 / 600 °C |
| 🔌 | power input | 2000 W | air volume | 480 l/min |
| 👤 | weight | 0,7 kg | | |

HECHT 2801

LED light



HECHT 2802

LED light



HECHT 2803

LED light



| | | | | |
|---|-------------|-------------|-------------------|--------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 10 W | light intensity | 750 lm |
| | dimensions | | 130 x 90 x 34 mm | |

| | | | | |
|---|-------------|-------------|-------------------|---------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 20 W | light intensity | 1500 lm |
| | dimensions | | 180 x 126 x 36 mm | |

| | | | | |
|---|-------------|-------------|-------------------|---------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 30 W | light intensity | 2400 lm |
| | dimensions | | 210 x 147 x 37 mm | |

HECHT 2811

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

| | | | | |
|---|-------------|-------------|-------------------|--------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 10 W | light intensity | 750 lm |
| | dimensions | | 130 x 90 x 34 mm | |

remote control



HECHT 2812

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

| | | | | |
|---|-------------|-------------|-------------------|---------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 20 W | light intensity | 1500 lm |
| | dimensions | | 180 x 126 x 36 mm | |

remote control



HECHT 2813

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

| | | | | |
|---|-------------|-------------|-------------------|---------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 30 W | light intensity | 2250 lm |
| | dimensions | | 210 x 147 x 37 mm | |

remote control



HECHT 2815

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

| | | | | |
|---|-------------|-------------|-------------------|---------|
| ⚡ | electric | 230 V/50 Hz | light temperature | 6500 K |
| 🔌 | power input | 50 W | light intensity | 3750 lm |
| | dimensions | | 260 x 182 x 51 mm | |

remote control



GARDEN GRILLS

HECHT BALL


Suitable for sheltered garden areas.

- stainless steel
- ash catcher
- height: 100 cm
- width: 65 x 59 cm



Suitable for sheltered garden areas.


- steel plate
- adjustable charcoal grid
- warming rack
- ash catcher
- thermometer
- height: 94 cm
- width: 56 x 69 cm



HECHT MERIDA


Suitable for sheltered garden areas.

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- chrome plated cooking grill
- height: 92 cm
- diameter: 53,5 cm



Optional alloy grid HECHT 500 11

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- ash catcher



HECHT KUGELGRILL

Suitable for sheltered garden areas.



- height: 116 cm
- width: 60 x 98 cm


HECHT SENTINEL MINOR

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



Steel 1 mm



Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer



Steel 1 mm



HECHT SENTINEL



Optional grill cover HECHT 0001058



GARDEN GRILLS

HECHT SENTINEL LUX

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer

Steel 1,2 mm



710 x 520 x 510 mm

HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.

Steel 1,5 mm

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



1085 x 505 x 515 mm



HECHT STEAMROLLER



Optional alloy grid
HECHT 000666

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer



710 x 510 x 520 mm



Steel 1,5 mm

HECHT SMOKEHOUSE

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer

Steel 1,5 mm



755 x 505 x 515 mm



Gas grill - suitable for sheltered garden areas and exteriors.

- 3 burners
- 2x enamel wire grills

Cover 003101C



835 x 625 x 310 mm



HECHT CONTACT

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 4 burners
- 1 x enamel mat cast iron grill
- + 1 x mat enamel cast cooking plate

Cover 004205C



740 x 730 x 525 mm



HECHT ADELLE

Not intended for D and PI

Optional grill rack 004205M



Standard accessory



GARDEN FURNITURE

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

EKONOMY SET 4

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

EKONOMY SET 6



Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm

Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm



Table:
1420 x 920 x 70 mm



Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm



Table:
1420 x 920 x 70 mm

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

SOFIA SET 4

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

SOFIA SET 6



Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm

Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm



Table:
1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm



Table:
1520 x 920 x 70 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

HONEY SET 6

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

HONEY SET MAXI



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 150 x W 90 x H 72 cm /
Chair: L 58 x W 74 x H 97 cm



Table: 1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 168 x W 97 x H 72 cm /
Chair: L 57 x W 86 x H 111 cm



Table: 1700 x 70 x 980 mm

GARDEN FURNITURE

HECHT GRAPHITE SET

Aluminium construction, wood imitation. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL



Chair stackable



Table: 1520 x 80 x 1520 mm

HECHT BIER SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL



1450 x 690 x 1300 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

A set of table with 6 chairs and parasol included.

Folding chairs
Parasol 270 cm,
8 steel ribs,
steel frame



CZ
SK
PL
GB
DE
HU



Chair: (2 pcs. in box)
870 x 570 x 250 mm



Table:
1520 x 920 x 70 mm



Parasol:
1400 x 150 x 150 mm

SHADOW SET

HECHT BALCONY SET A

Hard wood Acacia. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

970 x 860 x 140 mm

Table: L 60 x W 60 x H 72 cm /
Chair: L 40 x W 53 x H 80 cm

Tropical hard wood Meranti. Suitable for sheltered garden areas.

HECHT WEEKEND SET



CZ
SK
PL
GB
DE
HU

Maximum load: Chair 150 kg / Bench 300 kg

Bench:
2021 x 571 x 226 mm

Chair: (2 pcs. in box)
2015 x 570 x 225 mm

Table: L 150 x W 90 x H 74 cm /
Chair: L 60 x W 61 x H 93 cm /
Bench: L 120 x W 60 x H 93 cm

Table:
2017 x 570 x 225 mm

GARDEN FURNITURE

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT BASIC SET 4

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT BASIC SET 6



1 CHAIR
CO03A6F



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm



CZ
SK
GB
DE
PL

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT NARROW SET

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT ROUNDED SET



CZ
SK
PL
GB
DE
HU



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
650 x 530 x 255 mm

Table: L 165 x W 100 x H 75 cm /
Chair: L 61,5 x W 63 x H 95 cm

Table:
1690 x 1040 x 120 mm

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT LEADER SET

Hard wood Acacia.
Suitable for
sheltered
garden areas.

HECHT CAMBERET SET



P015



CZ
SK
GB
DE
PL

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 61 x W 77 x H 106 cm

Maximum load: Chair 160 kg

Chair: (6 pcs. in box)
930 x 630 x 150 mm

Table:
1530 x 1030 x 170 mm



CZ
SK
PL
GB
DE
HU

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 58 x W 68 x H 110 cm

Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1520 x 1020 x 150 mm

GARDEN FURNITURE

Hard wood Acacia.
Suitable for sheltered garden areas.

HECHT ROYAL SET



Massive construction
Table desk thickness cca 4 cm

Folding table - 3 different sizes



Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1835 x 1185 x 215 mm

Table: L 180/280 x W 115 x H 76 cm /
Chair: L 58 x W 68 x H 110 cm

HECHT RELAXING CHAIR

Made from steel pipes.
Not suitable for wet places.



Weight: 12,5 kg
Dimensions: 1400 x 770 x 1060 mm
Material: PP



Maximum load: Chair 120 kg

960 x 150 x 650 mm



Maximum load: 120 kg

1030 x 780 x 240 mm

SOFIA LOUNGER

Aluminium construction.
Suitable for sheltered garden areas.



Aluminium construction.
Suitable for sheltered garden areas.



Maximum load: 120 kg



Maximum load: 120 kg

GARDEN FURNITURE

HECHT RESORT I

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 120 kg

1820 x 625 x 90 mm

HECHT RESORT A

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

2030 x 630 x 90 mm

HECHT ERA

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 250 kg

2018 x 571 x 268 mm

HECHT COMFORT

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

1960 x 660 x 120 mm

HECHT CAMBERET LOUNGER

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

955 x 615 x 195 mm

88276

Dimensions:
46 x 4 x 109 cm



Suitable for:
Deluxe Bench
Weekend set
(bench)

88919

Dimensions:
55 x 4 x 178 cm



Suitable for:
Resort I

88275


Dimensions:
46 x 4 x 46 cm



Suitable for:
Occasional Bench
Manton Set
Chicago Set
Gallery Set
Balcony
Dynasty Set

88278

Dimensions:
47 x 4 x 109 cm



Suitable for:
Dynasty Set, Prague Set
Grandeur Set, Revo Set
Boston Set, Rectangle Set


GARDEN FURNITURE

HECHT TEEBENCH

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 150 kg per side


 1970 x 560 x 267 mm

HECHT CLASSIC

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 300 kg

 1610 x 630 x 140 mm

HECHT WOODBENCH


Hard wood Acacia.
Suitable for sheltered garden areas.

Available from 3/17



HECHT TABLE BENCH




 1630 x 640 x 110 mm

HECHT TOYBOX

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 150 kg


 1960 x 556 x 266 mm



Hard wood Acacia.
Suitable for sheltered garden areas.

HECHT SPACE



 1220 x 600 x 180 mm

GARDEN FURNITURE

HECHT ROSE

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 300 kg

1640 x 580 x 110 mm

HECHT COUNTRY

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 300 kg

1700 x 620 x 150 mm

HECHT S TROLLEY

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 50 kg

1040 x 450 x 120 mm

Tropical hard
wood Meranti.
Suitable for sheltered
garden areas.



Maximum load: 120 kg

1070 x 560 x 170 mm

HECHT SERVING

www.hecht.cz

HECHT DREAM PINK

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

HECHT DREAM R

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

GARDEN SWINGS

HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet places.



CZ
SK
PL
GB
DE
HU

1280 x 760 x 380 mm

BERLIN



CZ
SK
PL
GB
DE
HU

1925 x 685 x 230 mm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

BERLIN D



CZ
SK
PL
GB
DE
HU

1925 x 685 x 230 mm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

HECHT FUTON

Available from 4/17



CZ
SK
PL
GB
DE
HU



HECHT MONTE CARLO

Tropical hard wood Meranti.
Suitable for covered garden areas.

Available from 4/17



Suitable for sheltered garden areas.

Maximum load: 200 kg



CZ
SK
GB
DE
PL

2000 x 1630 x 370 mm

HECHT BAHARU LUX

Tropical hard wood Meranti.

Available from 3/17

Suitable for covered garden areas.

2 positions:
bench or bed



Maximum load: 300 kg




CZ
SK
PL
GB
DE
HU

2334 x 571 x 228 mm

GARDEN SWINGS, PARASOLS

SUNSET

cross-section



Diameter: 240 cm
No. of struts: 6
Height: 2 m
Without base



1340 x 150 x 150 mm

SHADOW

cross-section




Diameter: 270 cm
No. of struts: 8
Height: 2,2 m
Without base



1400 x 150 x 150 mm

SANDY 1

cross-section



Diameter: 250 cm
No. of struts: 6
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm



1850 x 335 x 135 mm

cross-section




Diameter: 300 cm
No. of struts: 8
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm




2010 x 355 x 135 mm

SUNNY



www.hecht.cz

SOL



cross-section

Diameter: 350 cm
No. of struts: 8
Polyester 210 g/m²
Base 100 x 100 cm



2700 x 440 x 180 mm

Opening by handle



Rotating base



GARDEN SHEDS, LED LIGHTS

ANCHOR SET 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



890 x 570 x 480 mm

HECHT 4X6 PLUS

(dark grey)

**GARDEN SHED,
BASE INCLUDED (0,6 mm ZINC STEEL)**



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1950 x 200 x 120 mm

257 x 205 x 212 cm (L X W X H)

HECHT 6X8 PLUS

(dark grey)



**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

0,3 mm board, 0,6 mm zinc steel frame

109 x 184 x 181 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 8X8 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 90 mm,
1330 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

259 x 257 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 10X8 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1580 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

257 x 312 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 10X10 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1580 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**


315 x 315 x 217,5 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 5001

**Solar powered
mole scarer**

solar voltage 1,2 V
signal range ca 30 m
Interval 30 s



cca 38 cm



390 x 100 x 85 mm

HECHT 2706


voltage 1,2 V
solar



10 PCS in BOX
390 x 170 x 100 mm

HECHT 2193

voltage 1,2 V
solar



cca 30 cm



12 PCS in BOX
310 x 100 x 235 mm

GARDEN POOLS, INFLATABLE POOLS

HECHT 3590 BLUESEA

Family pool of solid construction

Available
from 4/17



| | | | |
|---|-------------|----------------|--------|
| dimensions | 350 x 90 cm | foil thickness | 0,3 mm |
| volume | 7200 l | wall thickness | 0,3 mm |
| package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic) | | | |



HECHT 3612 BLUESEA

Family pool of solid construction

Available
from 4/17



| | | | |
|------------------------------|--------------|----------------|--------|
| dimensions | 360 x 120 cm | foil thickness | 0,4 mm |
| volume | 10 680 l | wall thickness | 0,4 mm |
| package contains: pool, foil | | | |



HECHT 3076 BLUESEA

Annular inflatable pool with a self-supporting structure

Available
from 4/17



Cartridge filtration



| | | | |
|--|-------------|--------|--------|
| dimensions | 300 x 76 cm | volume | 3618 l |
| 3 ply PVC material without the use of phthalates, repair kit and cartridge filtration included | | | |



330 x 250 x 580 mm

HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure

Available
from 4/17



| | | | |
|---|-------------|--------|--------|
| dimensions | 360 x 90 cm | volume | 6654 l |
| 3 ply PVC material without the use of phthalates, repair kit included | | | |



445 x 265 x 520 mm

HECHT 520427

inflatable paddling pool



CE



| | | |
|--|-------------------|----------------------------|
| dimensions | 190 x 145 x 45 cm | for children aged 6+ years |
| volume | 450 l | wall thickness 0,27 mm |
| bicameral, strong construction, material PVC without phthalates, repair kit included | | |



320 x 270 x 100 mm

HECHT 520421

inflatable paddling pool



| | | |
|--|-------------------|----------------------------|
| dimensions | 262 x 175 x 51 cm | for children aged 6+ years |
| volume | 778 l | wall thickness 0,27 mm |
| bicameral, strong construction, material PVC without phthalates, repair kit included | | |



440 x 340 x 110 mm

POOL ACCESSORIES

HECHT 00090

Ladders for pools

height [cm] 90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



390 x 115 x 650 mm

HECHT 00122

Ladders for pools

height [cm] 122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



445 x 115 x 890 mm

HECHT 016123

Underlay pad for pools

dimensions [cm] 309x309

material PE [g/m²] 90

Available from 4/17



250 x 90 x 250 mm

HECHT 30003

Skimmer

hose coupler [mm] 32/38

Complete mounting kit

Available from 4/17



HECHT 003609

Cartridge filtration

voltage [V] 220-240

water flow [m³/hod] 1,2

hose coupler [mm] 32

Complete mounting kit

Available from 4/17



230 x 230 x 115 mm

029587



Replacement filters for cartridge filtration 2 pcs

HECHT 302110

10" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

HECHT 302231

10" Sand filtration without prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

HECHT 302112

12" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 42

water flow [m³/hod] 7

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



440 x 590 x 470 mm

POOL ACCESSORIES

HECHT 060501

THERMOMETER



HECHT 060504

FLOATING THERMOMETER



HECHT 060510

THERMOMETER



HECHT 060512

THERMOMETER



HECHT 060104

TRIANGULAR VACUUM CLEANER
30 cm



HECHT 060102

VACUUM CLEANER DE LUX
with side brushes



HECHT 060301

LEAF SKIMMER
for surface-collecting debris



HECHT 060302

LEAF SKIMMER
for surface-collecting debris



HECHT 060308

LEAF SKIMMER
for deep-collecting debris




HECHT 060309

LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307

LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic



HECHT 060402

TELESCOPIC ROD
three parts 1,2 - 3,6m



HECHT 060203

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060702

FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060703

FLOATING CHLORINE
DISPENSER
200g



HECHT 061002

POOL SERVICE KIT
4 pcs



HECHT 060607

TEST STRIPS 4IN1



HECHT 061210

REPAIR KIT
including glue and patches



HECHT 060601

TESTER PH/CL
basic set for measuring
pH / CL in pool water



INFLATABLE TOYS, WATER GUNS

HECHT 000036

Covering tarp
Available
from 4/17



250 x 90 x 250 mm

diameter 360 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 000030

Covering tarp
Available
from 4/17



250 x 60 x 250 mm

diameter 300 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 300908

Solar shower

| | |
|------------------------|-----|
| volume [l] | 8 |
| cylinder diameter [mm] | 110 |
| height [cm] | 215 |

Available
from 4/17



1210 x 150 x 150 mm

HECHT 510501

children's inflatable whale



230 x 195 x 70 mm

dimensions 170 x 87 cm for children aged 3+ years

wall thickness 0,22 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

HECHT 510503

children's inflatable orca



230 x 195 x 70 mm

dimensions 190 x 76 cm for children aged 3+ years

wall thickness 0,25 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

HECHT 570109

hand airpump



height 30 cm,
solid construction,
three different attachments

HECHT 20631

water gun

14 cm



HECHT 20632

water gun

14 cm



HECHT 20681

water gun

39 cm



HECHT 20711

water gun

29 cm



TOYS – INFLATABLE BOUNCERS

HECHT 59236



The package of each bouncer includes inflating fan:

330 W for 59314, 59072;

450 W for 59236, 59112, 59160, 59271;

680 W for 59060, 59109.



A new attraction for your children! They can fully enjoy their favorite activities - jumping, sliding, crawling and to spent many hours of great fun and healthy exercise. Bouncy castles are suitable for children from age of 3 years. Bouncy castle sides are fitted with soft mesh security nets for the best safety of your children during play. Ground pins are provided for firm anchor of the castle to the ground. A big advantage is the minimal storage space needed - just simply deflate and fold. Bouncy castle is inflated within 1 minutes.



| | | | |
|--|--------------------|-----------------|-------|
| dimensions | 350 x 210 x 200 cm | nr. of children | 2 |
| weight | 17,6 kg | max. load | 90 kg |
| Jumping part out of a highly durable laminated PVC, other parts of polyester. Included are ground pins, patches for repairing and a fan. | | | |

Not intended for: FR, A, D, H, GR, RO, UA, NL, B, IRL, P, DK.



450 x 430 x 580 mm

www.hecht.cz

HECHT 59072



VOLLEYBALL NET INCLUDED



| | | | |
|--|--------------------|--------------------|----|
| dimensions | 800 x 335 x 180 cm | number of children | 10 |
| weight | 22,5 kg | | |
| Inflatable part made from highly durable laminated PVC, other parts from polyester. Included are ground pins, patches for repairing and a fan. | | | |



760 x 380 x 380 mm

KIDS GARDEN TOOLS, PEDAL TRACTORS AND KARTS

KIDS GARDEN TOOLS

PT406
Mix children's equipment, 60 pieces, with sales box.



KID'S SPADE KID'S SHOVEL KID'S RAKE KID'S RAKE KID'S HOE KID'S SHOVEL

PT406-1 PT406-2 PT406-4 PT406-5 PT406-6 PT406-7



55202 SET OF GARDEN TOOLS FOR CHILDREN AND ADULTS

GIFT PACKAGE



8 pcs



HECHT 51312

Pedal tractor



775 x 430 x 330 mm

93 x 45 x 53 cm
maximum load: 30 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 7,6 kg

HECHT 51311

Pedal tractor

Available from 4/17



775 x 430 x 330 mm

85 x 45 x 53 cm
maximum load: 25 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 6,8 kg

HECHT 51413

Pedal tractor with trailer



775 x 430 x 470 mm

154 x 45 x 61 cm
maximum load: 30 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 10,2 kg

HECHT 51412

Pedal tractor with trailer



775 x 430 x 390 mm

148 x 45 x 53 cm
maximum load: 30 kg

Pedal tractor with trailer and chain drive.
For children aged 3-6 years.
weight: 9,2 kg

CHILDREN

PEDAL AND ACCU CARS

HECHT 59788

Pedal kart

Available from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.
For children aged 3-6 years.

weight: 10,2 kg

HECHT 59789

Pedal kart

Available from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.
For children aged 3-6 years.

weight: 10,2 kg

HECHT 50100

Pedal kart

Available from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.
For children aged 3-6 years.

weight: 15 kg

HECHT 50200

Pedal kart

Available from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.
For children aged 3-6 years.

weight: 15 kg

HECHT 55128



1010 x 670 x 525 mm

112 cm

70 cm

112 x 70 x 74 cm

maximum load: 30 kg



battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h

For children aged 3-8 years. Sound effects, reverse, 2 motors.

ACCU CARS

BMW S1000RR-Grey

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

BMW S1000RR-Red

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

HECHT 51117

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

HECHT 51119

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

MINI HATCH-YELLOW

ORIGINAL LICENSED BMW



1110 x 600 x 330 mm



110 cm

62 cm

110 x 62 x 51 cm

battery 2x 6 V / 4 Ah, weight 14 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, remote control

HECHT 56181



1170 x 610 x 380 mm



110 cm

73 cm

110 x 73 x 78 cm

battery (2x) 6 V / 7 Ah / 25 W, weight 17,5 kg, speed 3,2-6,8 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors.

ACCUCARS

HECHT 56186

10 AH



1170 x 610 x 380 mm

| | |
|---------------------|---|
| 110 x 73 x 78 cm | battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input. |

HECHT 56185

10 AH



1170 x 610 x 380 mm

| | |
|---------------------|---|
| 110 x 73 x 78 cm | battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input. |

VOLKSWAGEN GOLF A7 GTI-RED

ORIGINAL LICENSED
VOLKSWAGEN



1140 x 590 x 370 mm

| | |
|---------------------|--|
| 110 x 74 x 55 cm | battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, SD card slot |

VOLKSWAGEN GOLF A7 GTI-WHITE

ORIGINAL LICENSED
VOLKSWAGEN



1140 x 590 x 370 mm

| | |
|---------------------|--|
| 110 x 74 x 55 cm | battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, SD card slot |

HECHT 58587

+ GUN
AS A GIFT



1200 x 630 x 440 mm

| | |
|---------------------|---|
| 120 x 62 x 44 cm | battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, remote control |

HECHT 58588

+ GUN
AS A GIFT



1200 x 630 x 440 mm

| | |
|---------------------|---|
| 120 x 62 x 44 cm | battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, remote control |



1180 x 650 x 475 mm

118 cm

74 cm

118 x 74 x 75 cm

battery 2x 6 V / 10 Ah / 12 V, 30 W, weight 19 kg, speed 3-5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse

MERCEDES BENZ GLK-CLASS - WHITE



**ORIGINAL
LICENSED
MERCEDES**



78 cm

130 cm



1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

MERCEDES BENZ GLK-CLASS - RED



**ORIGINAL
LICENSED
MERCEDES**



130 cm

78 cm



1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

HECHT 54812

Accu buggy for children



90 cm

138 cm

83 cm

138 x 83 x 90 cm

battery 48 V, 12 Ah / 1000 W, speed max. 35 km/h

Wheels 13" x 5-6

ACCU CHILDREN ATV - QUADS

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54800



Max range
13-18 km

Charging time
8 hours

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54801



Max range
13-18 km

Charging time
8 hours



970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain



970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56800



Max range
13-18 km

Charging time
8 hours

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56801



Max range
13-18 km

Charging time
8 hours



1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain



1050 x 580 x 440 mm


dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain

ATV have a metal frame as classic motor-powered ATV, just the drive is electric and silent. This allows you to ride also at the places where you would disturb the others by operation the classic petrol ATV. Thus, children can go along with you in the park or a walk in the forest. You can select the mode max. 8 km/h, max 20 km/h or max. 35 km/h according to the skills of the child. Mode is selected by the key, after its removing the child cannot change it by itself.

CUBE B (beige)

Suitable for kittens



CUBE S (grey)

Suitable for kittens



GINGER B (beige)

Suitable for kittens



GINGER S (grey)

Suitable for kittens



GANDALF B (beige)

Suitable for kittens



325 x 325 x 310 mm

325 x 325 x 310 mm

310 x 310 x 330 mm


310 x 310 x 330 mm

520 x 520 x 350 mm

ALEX B (beige)



ALEX S (grey)



570 x 570 315 mm


570 x 570 315 mm

GARFIELD B (beige)



710 x 620 x 440 mm

GARFIELD S (grey)



710 x 620 x 440 mm

ROSE

Material: flax



SINDY

Material: suede



L x W x H [cm]

| | |
|-----------------------------|--------------|
| ROSE S (Nr.: ROSE S) | 60 x 40 x 16 |
| ROSE M (Nr.: ROSE M) | 75 x 50 x 16 |

L x W x H [cm]

| | |
|---------------------------------|---------------|
| SINDY L (Nr.: SINDY L) | 90 x 60 x 18 |
| SINDY XL (Nr.: SINDY XL) | 105 x 70 x 20 |

SULTAN

Material: flax, corduroy



L x W x H [cm]

| | |
|-----------------------------------|---------------|
| SULTAN M (Nr.: SULTAN M) | 75 x 50 x 16 |
| SULTAN L (Nr.: SULTAN L) | 90 x 60 x 18 |
| SULTAN XL (Nr.: SULTAN XL) | 105 x 70 x 20 |

LORD

Material: corduroy, cotton



L x W x H [cm]

| | |
|-------------------------------|---------------|
| LORD S (Nr.: LORD S) | 60 x 40 x 16 |
| LORD M (Nr.: LORD M) | 75 x 50 x 16 |
| LORD L (Nr.: LORD L) | 90 x 60 x 18 |
| LORD XL (Nr.: LORD XL) | 105 x 70 x 20 |

AGATHA

Material: flax, long plush



L x W x H [cm]

| | |
|---------------------------------|--------------|
| AGATHA S (Nr.: AGATHA S) | 50 x 50 x 20 |
| AGATHA M (Nr.: AGATHA M) | 70 x 70 x 20 |
| AGATHA L (Nr.: AGATHA L) | 90 x 90 x 20 |

MIKE SD / MIKE L

112 x 96 x 105 cm

88 x 78 x 81 cm



Air ventilation



930 x 665 x 130 mm / 1120 x 810 x 170 mm

doghouse

plastic door

insulation

| | | | |
|------------|---------|-----------|-----------|
| doghouse S | MIKE SD | PLD-MIKES | ISO-MIKES |
| doghouse L | MIKE L | PLD-MIKEL | ISO-1201L |

www.hecht.cz

HOLIDAY

Made from durable wood



98 x 50 x 41 cm

1030 x 480 x 75 mm

BUNNY

Made from durable wood



111,5 x 45 x 92 cm

1140 x 475 x 175 mm

MICKEY

Made from durable wood



91,5 x 45 x 70 cm


 935 x 460 x 137 mm

000022

Suitable for Oliver

Made from durable wood



 1455 x 525 x 171 mm

TWEETY

Made from durable wood



201 x 68 x 102 cm


 1730 x 780 x 110 mm

CLAUDIE

Made from durable wood



180 x 90 x 48 cm


 1820 x 490 x 117 mm

OLIVER

Made from durable wood



134 x 90 x 99 cm


 982 x 976 x 219 mm

OREO

Made from durable wood




195 x 73 x 98 cm

 2 BOXES: 650 x 635 x 131 mm, 955 x 635 x 107 mm

BRAND **HECHT**[®] IN EUROPE

made for garden



HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: +420 323 661 347, fax: +420 323 661 348, WWW.HECHT.CZ

HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: +421 46 542 03 20, WWW.HECHT.SK

HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: +48 957 117 140 WWW.HECHTPOLSKA.PL

HECHT HUNGARY Kft., II. Rákoczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/951 4525, WWW.HECHT.HU

Descriptions, pictures and specifications may vary at time of shipping. Weights of chainsaws are stated without cutting accessories. Edition: January 2017
Product images are for illustrative purposes only. Real product and accessories may vary.

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

FAX: 800 100 247

2 000000 003740



ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:

storgom.ua

ГРАФИК РАБОТЫ:

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

КОНТАКТЫ:

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/benzinovyj-izmelchitel-vetok-hecht-6420.html>

Другие товары: <https://storgom.ua/izmelchiteli-vetok.html>