

APD 40 A

Aksa
Aksa
D+&''



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$%



2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	40,00	32,00	36,00	28,80	51,00

FDGDE

GC ;) &

) & z

FDGDE

%\$i

GC" \$(*"

z&(

GC

Standard Specifications

(*#\$\$

fl

!

z

z

! ! ! ! !

! ! ! ! !

fl

"

!

ALTERNATOR

TRANSFER SWITCH

! ! ! ! !

APD 40 A

Aksa
Aksa
D+&''



Manufacturer		Aksa
Model		A3CRX32T
		% \$ \$ ' "# "
		' + ' "Q \$ < DQ
	L	3,10
	"	105 X 120
		17.0:1
	fl # ı	"# " 1500
	fl "ı	L 11,00
	L	18,00
AbsorbedAirDischargeReSourceKey.Text	' # "	3,20
	' # "	107
	' # "	9,50
	° C	550
		12 V d.c.
	Load	% \$ \$ ı
	# "	
		10,50

		Aksa
	Hz	50
7 cg'		0,80
		3
	fl ı	400/230
Temperatur		H


		fl "ı		fl "ı	
	"	"	"	"	L
APD 40 A	900	1730	900	1140	82
		fl "ı		fl "ı	
	"	"	"	"	L
APD 40 A	1030	2260	970	1280	

APD 40 A

Aksa
Aksa D+&''



1 D'+&''



- 1
- 2
- 3
- 4
- 4

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$

8G9'+&\$

8G9'+&\$

fl

ł

ž

fl

%%\$

ł

#

ž

ž

ž

ž

APD 40 A

Aksa
Aksa
D+&''



f@Bt
f@%&@t
f@%&@Bt

#

6G'9B*\$-\$)'
6G'9B*\$\$\$!*!&
6G'9B*\$\$\$!*!(

#

GA 8

%, !&*\$

%&\$)

ž

ž

!%&

"

ž

APD 40 A

Aksa
Aksa
D+&''



5D8'(\$'5!'

1

f) !&+)

ž

ž

1

ž

ž

ž

ž

ž

	"	970
f) "ž	"	2260
f) "ž	"	1280

ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:

storgom.ua

ГРАФИК РАБОТЫ:

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

КОНТАКТЫ:

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/dizelnyi-generator-aksa-apd-40-a.html>

Другие товары: <https://storgom.ua/dizelnye-generatory.html>