

# HECHT®

made for garden



# 2017

Spring



# EXTENSION CORDS, CYLINDER LAWN MOWERS

**120153**



⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**130153**



⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**121153**



260 x 315 x 185 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**131153**



260 x 220 x 320 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**420153**



285 x 355 x 200 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup>

**430153**



280 x 230 x 360 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup>

**HECHT 50437**

Children mower with sound



**WITH SOUND WHILE MOVING**



6 PCS

⚖ weight 0,9 kg ↔ dimensions 50 x 27,5 x 52 cm

www.hecht.cz

**HECHT 5030**



530 x 380 x 270 mm

**PUSHED**

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| 👤 manual pushed |        | 📏 height adjustment | 10–36 mm |
| 📏 working width | 30 cm  | 🔪 steel chassis     |          |
| ⚖ weight        | 7,8 kg | 🗑 collecting box    | 15 l     |

**HECHT 504**



560 x 320 x 220 mm

**PUSHED**

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| 👤 manual pushed |        | 📏 height adjustment | 17–43 mm |
| 📏 working width | 40 cm  | 🔪 steel chassis     |          |
| ⚖ weight        | 8,8 kg | 🗑 collecting box    | 15 l     |

# CYLINDER AND ELECTRIC LAWN MOWERS

## HECHT 514 PROFI

Contactless cutting cylinder  
Blade thickness 3 mm



650 x 580 x 275 mm

PUSHED

|  |               |  |                   |             |
|--|---------------|--|-------------------|-------------|
|  | manual pushed |  | height adjustment | 24–75 mm    |
|  | working width |  | steel chassis     | contactless |
|  | weight        |  | collecting box    | 50 l        |

## HECHT 1000

Powerful high torque  
electric motor  
“TURBO motor“



570 x 380 x 305 mm

CE PUSHED

|  |               |             |  |                     |          |
|--|---------------|-------------|--|---------------------|----------|
|  | electric      | 230 V/50 Hz |  | height adjustment   | 25–55 mm |
|  | power input   | 1000 W      |  | plastic chassis     |          |
|  | working width | 32 cm       |  | collecting box      | 35 l     |
|  | weight        | 8,8 kg      |  | wheels (front/rear) | 5/5“     |

## HECHT 1233

Powerful high torque  
electric motor  
“TURBO motor“



600 x 375 x 275 mm

CE PUSHED

|  |               |             |  |                     |          |
|--|---------------|-------------|--|---------------------|----------|
|  | electric      | 230 V/50 Hz |  | height adjustment   | 20–60 mm |
|  | power input   | 1200 W      |  | plastic chassis     |          |
|  | working width | 33 cm       |  | collecting box      | 30 l     |
|  | weight        | 7,1 kg      |  | wheels (front/rear) | 5,5/5,5“ |

## HECHT 1434

Powerful high torque  
electric motor  
“TURBO motor“



655 x 400 x 325 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25–65 mm |
|  | power input                          | 1400 W      |  | plastic chassis     |          |
|  | working width                        | 34 cm       |  | collecting box      | 35 l     |
|  | weight                               | 12 kg       |  | wheels (front/rear) | 5,5/6“   |
|  | central adjustment of cutting height |             |  |                     |          |

## HECHT 1638 R

Powerful high torque  
electric motor  
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25–65 mm |
|  | power input                          | 1600 W      |  | plastic chassis     |          |
|  | working width                        | 38 cm       |  | collecting box      | 45 l     |
|  | weight                               | 13 kg       |  | wheels (front/rear) | 5,5/7“   |
|  | central adjustment of cutting height |             |  |                     |          |

## HECHT 1844

Powerful high torque  
electric motor  
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25–85 mm |
|  | power input                          | 1800 W      |  | plastic chassis     |          |
|  | working width                        | 42 cm       |  | collecting box      | 50 l     |
|  | weight                               | 15,5 kg     |  | wheels (front/rear) | 6/8“     |
|  | central adjustment of cutting height |             |  |                     |          |

# ELECTRIC LAWN MOWERS

## HECHT 1640



660 x 510 x 330 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25-75 mm |
|  | power input                          | 1600 W      |  | steel chassis       |          |
|  | working width                        | 40 cm       |  | collecting box      | 45 l     |
|  | weight                               | 20 kg       |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 6/8"     |

## HECHT 1641

Mulching kit included

Powerful high torque electric motor "TURBO motor"



780 x 530 x 370 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 30-75 mm |
|  | power input                          | 1600 W      |  | steel chassis       |          |
|  | working width                        | 41 cm       |  | collecting box      | 50 l     |
|  | weight                               | 21,3 kg     |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 7/8"     |

## HECHT 1845

Mulching kit included

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 30-75 mm |
|  | power input                          | 1800 W      |  | steel chassis       |          |
|  | working width                        | 46 cm       |  | collecting box      | 60 l     |
|  | weight                               | 23,8 kg     |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 8/11"    |

## HECHT 1846

4 in 1



860 x 570 x 425 mm

alternative side ejection CE PUSHED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25-75 mm |
|  | power input                          | 1800 W      |  | steel chassis       |          |
|  | working width                        | 46 cm       |  | collecting box      | 60 l     |
|  | weight                               | 28,5 kg     |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 8/11"    |

## HECHT 1803 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

alternative side ejection CE SELF PROPELLED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 30-75 mm |
|  | power input                          | 1800 W      |  | steel chassis       |          |
|  | working width                        | 46 cm       |  | collecting box      | 60 l     |
|  | weight                               | 26,4 kg     |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 8/11"    |

## HECHT 1805 S 5 in 1

Mulching kit included

Speed 3,6 km/h



860 x 570 x 475 mm

alternative side ejection CE SELF PROPELLED

|  |                                      |             |  |                     |          |
|--|--------------------------------------|-------------|--|---------------------|----------|
|  | electric                             | 230 V/50 Hz |  | height adjustment   | 25-75 mm |
|  | power input                          | 1800 W      |  | steel chassis       |          |
|  | working width                        | 46 cm       |  | collecting box      | 60 l     |
|  | weight                               | 31,2 kg     |  | ball bearings       |          |
|  | central adjustment of cutting height |             |  | wheels (front/rear) | 8/11"    |

# ACCU AND PETROL LAWN MOWERS



**Li-ion**  
Powered

## HECHT 5035

Battery and charger included



735 x 405 x 370 mm

CE PUSHED

|  |                     |         |  |                                      |          |
|--|---------------------|---------|--|--------------------------------------|----------|
|  | accu Li-ion         | DC 40 V |  | height adjustment                    | 25-75 mm |
|  | Li-ion              | 2,5 Ah  |  | plastic chassis                      |          |
|  | working width       | 35 cm   |  | collecting box                       | 35 l     |
|  | weight              | 17,5 kg |  | central adjustment of cutting height |          |
|  | wheels (front/rear) | 6/9"    |  |                                      |          |



**Li-ion**  
Powered

## HECHT 5038

Battery and charger included



790 x 455 x 370 mm

CE PUSHED

|  |                     |         |  |                                      |          |
|--|---------------------|---------|--|--------------------------------------|----------|
|  | accu Li-ion         | DC 40 V |  | height adjustment                    | 25-75 mm |
|  | Li-ion              | 4 Ah    |  | plastic chassis                      |          |
|  | working width       | 38 cm   |  | collecting box                       | 40 l     |
|  | weight              | 16,4 kg |  | central adjustment of cutting height |          |
|  | wheels (front/rear) | 6/9"    |  |                                      |          |



**Li-ion**  
Powered

## HECHT 3639

Battery 003639A

Charging time 2 h



Battery and charger included



800 x 450 x 370 mm

CE PUSHED

|  |                     |         |  |                                      |          |
|--|---------------------|---------|--|--------------------------------------|----------|
|  | accu Li-ion         | DC 36 V |  | height adjustment                    | 25-75 mm |
|  | Li-ion              | 4 Ah    |  | plastic chassis                      |          |
|  | working width       | 37 cm   |  | collecting box                       | 43 l     |
|  | weight              | 16,5 kg |  | central adjustment of cutting height |          |
|  | wheels (front/rear) | 6/9,5"  |  |                                      |          |

**Li-ion**  
Powered

## HECHT 5046

Mulching kit included

Battery and charger included



PATENTED WHEELS DESIGN



845 x 570 x 430 mm

alternative side ejection CE SELF PROPELLED

|  |                     |         |  |                                      |          |
|--|---------------------|---------|--|--------------------------------------|----------|
|  | accu Li-ion         | DC 40 V |  | height adjustment                    | 25-75 mm |
|  | Li-ion              | 4 Ah    |  | steel chassis                        |          |
|  | working width       | 46 cm   |  | collecting box                       | 60 l     |
|  | weight              | 26 kg   |  | ball bearings                        |          |
|  | wheels (front/rear) | 8/11"   |  | central adjustment of cutting height |          |

**Li-ion**  
Powered

## HECHT 5051

Mulching kit included

Battery and charger included



PATENTED WHEELS DESIGN



910 x 570 x 430 mm

alternative side ejection CE SELF PROPELLED

|  |                     |         |  |                                      |          |
|--|---------------------|---------|--|--------------------------------------|----------|
|  | accu Li-ion         | DC 40 V |  | height adjustment                    | 25-75 mm |
|  | Li-ion              | 4 Ah    |  | steel chassis                        |          |
|  | working width       | 51 cm   |  | collecting box                       | 60 l     |
|  | weight              | 27,7 kg |  | ball bearings                        |          |
|  | wheels (front/rear) | 8/11"   |  | central adjustment of cutting height |          |

## HECHT 5406



710 x 460 x 380 mm

CE PUSHED

|  |                     |                    |  |                   |          |
|--|---------------------|--------------------|--|-------------------|----------|
|  | engine HECHT        | OHV                |  | height adjustment | 25-55 mm |
|  | displacement        | 99 cm <sup>3</sup> |  | max. torque       | 4,7 Nm   |
|  | working width       | 41 cm              |  | steel chassis     |          |
|  | weight              | 17,4 kg            |  | collecting box    | 45 l     |
|  | wheels (front/rear) | 6/6"               |  |                   |          |

# PETROL LAWN MOWERS

## HECHT 540

**STEEL CHASSIS**



710 x 460 x 380 mm

CE PUSHED

|  |                     |                    |  |                   |          |
|--|---------------------|--------------------|--|-------------------|----------|
|  | engine HECHT        | OHV                |  | height adjustment | 25-55 mm |
|  | displacement        | 99 cm <sup>3</sup> |  | max.torque        | 4,7 Nm   |
|  | working width       | 41 cm              |  | steel chassis     |          |
|  | weight              | 23,5 kg            |  | collecting box    | 45 l     |
|  | wheels (front/rear) | 7/7"               |  |                   |          |

## HECHT 540 B



670 x 520 410 mm

CE PUSHED

|  |                     |                     |  |                   |          |
|--|---------------------|---------------------|--|-------------------|----------|
|  | engine B&S          | Series 450 E        |  | height adjustment | 25-55 mm |
|  | displacement        | 125 cm <sup>3</sup> |  | max.torque        | 5,6 Nm   |
|  | working width       | 41 cm               |  | steel chassis     |          |
|  | weight              | 20,5 kg             |  | collecting box    | 45 l     |
|  | wheels (front/rear) | 7/7"                |  |                   |          |

## HECHT 543

## HECHT 546



765 x 515 x 460 mm

CE PUSHED

|  |                                      |                    |  |                     |          |
|--|--------------------------------------|--------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                |  | height adjustment   | 25-60 mm |
|  | displacement                         | 98 cm <sup>3</sup> |  | max.torque          | 4,7 Nm   |
|  | working width                        | 43 cm              |  | steel chassis       |          |
|  | collecting box                       | 45 l               |  | ball bearings       |          |
|  | central adjustment of cutting height |                    |  | wheels (front/rear) | 7/10"    |



775 x 560 x 500 mm

CE PUSHED

|  |                                      |                     |  |                     |          |
|--|--------------------------------------|---------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment   | 25-70 mm |
|  | displacement                         | 139 cm <sup>3</sup> |  | max.torque          | 7,5 Nm   |
|  | working width                        | 46 cm               |  | steel chassis       |          |
|  | collecting box                       | 65 l                |  | ball bearings       |          |
|  | central adjustment of cutting height |                     |  | wheels (front/rear) | 7/10"    |

## HECHT 541 SW

*Speed about 3,45 km/h*



670 x 520 x 410 mm

CE SELF PROPELLED

|  |                                      |                    |  |                   |          |
|--|--------------------------------------|--------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                |  | height adjustment | 25-70 mm |
|  | displacement                         | 99 cm <sup>3</sup> |  | max.torque        | 5,5 Nm   |
|  | working width                        | 41 cm              |  | steel chassis     |          |
|  | weight                               | 24 kg              |  | collecting box    | 45 l     |
|  | central adjustment of cutting height |                    |  | ball bearings     |          |
|  | wheels (front/rear)                  | 7/8"               |  |                   |          |

## HECHT 541 BSW

*Speed about 3,45 km/h*



670 x 520 x 410 mm

CE SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine B&S                           | Series 450 E        |  | height adjustment | 25-70 mm |
|  | displacement                         | 125 cm <sup>3</sup> |  | max.torque        | 6,1 Nm   |
|  | working width                        | 41 cm               |  | steel chassis     |          |
|  | weight                               | 24 kg               |  | collecting box    | 45 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 7/8"                |  |                   |          |

# PETROL LAWN MOWERS

## HECHT 543 SX

Speed about 3 km/h



765 x 515 x 460 mm

CE SELF PROPELLED

|  |                                      |                    |  |                     |          |
|--|--------------------------------------|--------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                |  | height adjustment   | 25-65 mm |
|  | displacement                         | 98 cm <sup>3</sup> |  | max.torque          | 4,7 Nm   |
|  | working width                        | 43 cm              |  | steel chassis       |          |
|  | collecting box                       | 45 l               |  | ball bearings       |          |
|  | central adjustment of cutting height |                    |  | wheels (front/rear) | 7/10"    |

## HECHT 543 SW

5 in 1

Speed 3,6 km/h



810 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

|  |                                      |                      |  |                     |          |
|--|--------------------------------------|----------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                  |  | height adjustment   | 25-75 mm |
|  | displacement                         | 98,5 cm <sup>3</sup> |  | max.torque          | 5,1 Nm   |
|  | working width                        | 43 cm                |  | steel chassis       | 5 in 1   |
|  | collecting box                       | 50 l                 |  | ball bearings       |          |
|  | central adjustment of cutting height |                      |  | wheels (front/rear) | 8/11"    |

## HECHT 543 SWE

5 in 1

Speed 3,6 km/h  
Electric starter



880 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

|  |                                      |                      |  |                     |          |
|--|--------------------------------------|----------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                  |  | height adjustment   | 25-75 mm |
|  | displacement                         | 98,5 cm <sup>3</sup> |  | max.torque          | 5,1 Nm   |
|  | working width                        | 43 cm                |  | steel chassis       | 5 in 1   |
|  | collecting box                       | 50 l                 |  | ball bearings       |          |
|  | central adjustment of cutting height |                      |  | wheels (front/rear) | 8/11"    |

## HECHT 546 SX

Speed about 3 km/h



MODEL 2016



785 x 570 x 500 mm

CE SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25-65 mm |
|  | displacement                         | 135 cm <sup>3</sup> |  | max.torque        | 6,8 Nm   |
|  | working width                        | 46 cm               |  | steel chassis     |          |
|  | weight                               | 32 kg               |  | collecting box    | 55 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 7/10"               |  |                   |          |

## HECHT 547 SXW

5 in 1

Mulching kit included  
Speed about 3,6 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25-70 mm |
|  | displacement                         | 139 cm <sup>3</sup> |  | max.torque        | 7,5 Nm   |
|  | working width                        | 46 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 32 kg               |  | collecting box    | 65 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 7/10"               |  |                   |          |

## HECHT 546 BSW

5 in 1

Speed 3,35 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

|  |                                      |                     |  |                     |          |
|--|--------------------------------------|---------------------|--|---------------------|----------|
|  | engine B&S                           | Series 500 E        |  | height adjustment   | 25-70 mm |
|  | displacement                         | 140 cm <sup>3</sup> |  | max.torque          | 6,8 Nm   |
|  | working width                        | 46 cm               |  | steel chassis       | 5 in 1   |
|  | collecting box                       | 65 l                |  | ball bearings       |          |
|  | central adjustment of cutting height |                     |  | wheels (front/rear) | 7/10"    |

# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



860 x 570 x 510 mm

**alternative side ejection**



|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25–75 mm |
|  | displacement                         | 135 cm <sup>3</sup> |  | max.torque        | 7 Nm     |
|  | working width                        | 46 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 35,6 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 548 SW 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



860 x 570 x 510 mm

**alternative side ejection**



|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25–75 mm |
|  | displacement                         | 135 cm <sup>3</sup> |  | max.torque        | 7 Nm     |
|  | working width                        | 46 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 36,7 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 5484 SX 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



860 x 570 x 510 mm

**alternative side ejection**



|  |                                      |                     |  |                     |          |
|--|--------------------------------------|---------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment   | 25–75 mm |
|  | displacement                         | 135 cm <sup>3</sup> |  | max.torque          | 7 Nm     |
|  | working width                        | 46 cm               |  | steel chassis       | 5 in 1   |
|  | weight                               | 39 kg               |  | collecting box      | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings       |          |
|  | battery 12 V DC, 4,5 Ah              |                     |  | wheels (front/rear) | 8/11"    |

## HECHT 548 SWE 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



860 x 570 x 510 mm

**alternative side ejection**



|  |                                      |                     |  |                     |          |
|--|--------------------------------------|---------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment   | 25–75 mm |
|  | displacement                         | 135 cm <sup>3</sup> |  | max.torque          | 7 Nm     |
|  | working width                        | 46 cm               |  | steel chassis       | 5 in 1   |
|  | weight                               | 36,7 kg             |  | collecting box      | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings       |          |
|  | battery 12 V DC, 4,5 Ah              |                     |  | wheels (front/rear) | 8/11"    |

## HECHT 5484 SXE 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**  
**Electric starter**



**PATENTED WHEELS DESIGN**



860 x 475 x 570 mm

**alternative side ejection**



|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine B&S                           | Series 500 E        |  | height adjustment | 25–75 mm |
|  | displacement                         | 140 cm <sup>3</sup> |  | max.torque        | 6,8 Nm   |
|  | working width                        | 46 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 31,2 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 549 SB 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



860 x 475 x 570 mm

**alternative side ejection**



|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine B&S                           | Series 500E         |  | height adjustment | 25–75 mm |
|  | displacement                         | 140 cm <sup>3</sup> |  | max.torque        | 6,8 Nm   |
|  | working width                        | 46 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 31,2 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 5494 SB 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**





# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



830 x 570 x 460 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25–65 mm |
|  | displacement                         | 173 cm <sup>3</sup> |  | max.torque        | 9,5 Nm   |
|  | working width                        | 51 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 36,5 kg             |  | collecting box    | 55 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 7,5/10,5"           |  |                   |          |

## HECHT 551 SX 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25–75 mm |
|  | displacement                         | 173 cm <sup>3</sup> |  | max.torque        | 10 Nm    |
|  | working width                        | 51 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 38,1 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 553 SW 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment | 25–75 mm |
|  | displacement                         | 173 cm <sup>3</sup> |  | max.torque        | 10 Nm    |
|  | working width                        | 51 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 38,7 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 5534 SX 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                     |          |
|--|--------------------------------------|---------------------|--|---------------------|----------|
|  | engine HECHT                         | OHV                 |  | height adjustment   | 25–75 mm |
|  | displacement                         | 173 cm <sup>3</sup> |  | max.torque          | 10 Nm    |
|  | working width                        | 51 cm               |  | steel chassis       | 5 in 1   |
|  | weight                               | 38,1 kg             |  | collecting box      | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings       |          |
|  | battery 12 V DC, 4,5 Ah              |                     |  | wheels (front/rear) | 8/11"    |

## HECHT 5534 SWE 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**  
**Electric starter**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine B&S                           | Series 625E         |  | height adjustment | 25–75 mm |
|  | displacement                         | 150 cm <sup>3</sup> |  | max.torque        | 8,5 Nm   |
|  | working width                        | 51 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 33,4 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 551 BS 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

**alternative side ejection**



SELF PROPELLED

|  |                                      |                     |  |                   |          |
|--|--------------------------------------|---------------------|--|-------------------|----------|
|  | engine B&S                           | Series 675iS        |  | height adjustment | 25–75 mm |
|  | displacement                         | 163 cm <sup>3</sup> |  | max.torque        | 9 Nm     |
|  | working width                        | 51 cm               |  | steel chassis     | 5 in 1   |
|  | weight                               | 33,8 kg             |  | collecting box    | 60 l     |
|  | central adjustment of cutting height |                     |  | ball bearings     |          |
|  | wheels (front/rear)                  | 8/11"               |  |                   |          |

## HECHT 5534 INSTART 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



# PETROL LAWN MOWERS

## HECHT 553 BSA 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



905 x 570 x 460 mm  
alternative side ejection **CE** SELF PROPELLED

|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S                           | Series 675 EXi      | height adjustment | 25-75 mm |
| displacement                         | 163 cm <sup>3</sup> | max.torque        | 9,85 Nm  |
| working width                        | 51 cm               | aluminium chassis | 5 in 1   |
| weight                               | 37 kg               | collecting box    | 60 l     |
| central adjustment of cutting height |                     | ball bearings     |          |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5564 5X 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 515 mm  
alternative side ejection **CE** SELF PROPELLED

|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT                         | OHV                 | height adjustment | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque        | 10 Nm    |
| working width                        | 56 cm               | steel chassis     | 5 in 1   |
| weight                               | 42,8 kg             | collecting box    | 70 l     |
| central adjustment of cutting height |                     | ball bearings     |          |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5564 5XE 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h  
Electric starter



960 x 650 x 515 mm  
alternative side ejection **CE** SELF PROPELLED

|                                      |                     |                     |          |
|--------------------------------------|---------------------|---------------------|----------|
| engine HECHT                         | OHV                 | height adjustment   | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque          | 10 Nm    |
| working width                        | 56 cm               | steel chassis       | 5 in 1   |
| weight                               | 42,8 kg             | collecting box      | 70 l     |
| central adjustment of cutting height |                     | ball bearings       |          |
| battery 12 V DC, 4,5 Ah              |                     | wheels (front/rear) | 8/11"    |

## HECHT 556 B5 5 in 1

Mulching kit included  
Speed 3,6 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm  
alternative side ejection **CE** SELF PROPELLED

|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S                           | Series 675          | height adjustment | 25-75 mm |
| displacement                         | 190 cm <sup>3</sup> | max.torque        | 8,8 Nm   |
| working width                        | 56 cm               | steel chassis     | 5 in 1   |
| weight                               | 38,5 kg             | collecting box    | 70 l     |
| central adjustment of cutting height |                     | ball bearings     |          |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5564 B5 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm  
alternative side ejection **CE** SELF PROPELLED

|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine B&S                           | Series 675          | height adjustment | 25-75 mm |
| displacement                         | 190 cm <sup>3</sup> | max.torque        | 8,8 Nm   |
| working width                        | 56 cm               | steel chassis     | 5 in 1   |
| weight                               | 38,5 kg             | collecting box    | 70 l     |
| central adjustment of cutting height |                     | ball bearings     |          |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 587 Speed about 3 km/h

**000587**  
Optional accessory set  
Ploughshare + Chains



1050 x 540 x 600 mm **CE** SELF PROPELLED

|               |                     |                   |           |
|---------------|---------------------|-------------------|-----------|
| engine HECHT  | OHV                 | height adjustment | 15-90 mm  |
| displacement  | 173 cm <sup>3</sup> | steel chassis     |           |
| working width | 87 cm               | ball bearings     |           |
| weight        | 57 kg               | wheels            | 13x3,5-6" |

# PETROL LAWN MOWERS

**HECHT 1863 S**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,6 km/h*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

860 x 570 x 475 mm  
**alternative side ejection**

CE SELF PROPELLED

|    |                     |             |    |                   |          |
|----|---------------------|-------------|----|-------------------|----------|
| ⚡  | electric            | 230 V/50 Hz | 📏  | height adjustment | 25-75 mm |
| 🔌  | power input         | 1800 W      | 🗑️ | steel chassis     |          |
| 📏  | working width       | 46 cm       | 🗑️ | collecting box    | 60 l     |
| 🏋️ | weight              | 33 kg       | ⚙️ | ball bearings     |          |
| 🛞  | wheels (front/rear) | 8/11"       |    |                   |          |

**HECHT 5433 SW**  
**5 in 1**  
*Mulching kit included*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

810 x 530 x 430 mm  
**alternative side ejection**

CE SELF PROPELLED

|    |                                      |          |    |                     |          |
|----|--------------------------------------|----------|----|---------------------|----------|
| 🔧  | engine HECHT                         | OHV      | 📏  | height adjustment   | 25-75 mm |
| 🗑️ | displacement                         | 98,5 cm³ | 🏋️ | max.torque          | 5,1 Nm   |
| 📏  | working width                        | 43 cm    | 🗑️ | steel chassis       | 5 in 1   |
| 📏  | central adjustment of cutting height |          | 🗑️ | collecting box      | 50 l     |
| ⚙️ | ball bearings                        |          | 🛞  | wheels (front/rear) | 8/11"    |

**HECHT 5483 SW**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,3 km/h*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

850 x 570 x 480 mm  
**alternative side ejection**

CE SELF PROPELLED

|    |                                      |         |    |                     |          |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧  | engine HECHT                         | OHV     | 📏  | height adjustment   | 25-75 mm |
| 🗑️ | displacement                         | 135 cm³ | 🏋️ | max.torque          | 7 Nm     |
| 📏  | working width                        | 46 cm   | 🗑️ | steel chassis       | 5 in 1   |
| 📏  | central adjustment of cutting height |         | 🗑️ | collecting box      | 60 l     |
| ⚙️ | ball bearings                        |         | 🛞  | wheels (front/rear) | 8/11"    |

**HECHT 5483 SWE**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,3 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

850 x 570 x 480 mm  
**alternative side ejection**

CE SELF PROPELLED

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

|    |                                      |         |    |                     |          |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧  | engine HECHT                         | OHV     | 📏  | height adjustment   | 25-75 mm |
| 🗑️ | displacement                         | 135 cm³ | 🏋️ | max.torque          | 7 Nm     |
| 📏  | working width                        | 46 cm   | 🗑️ | steel chassis       | 5 in 1   |
| 📏  | central adjustment of cutting height |         | 🗑️ | collecting box      | 60 l     |
| ⚙️ | ball bearings                        |         | 🛞  | wheels (front/rear) | 8/11"    |

**HECHT 5483 SXE**  
**5 in 1**  
*Mulching kit included*  
*4 speed: 3-4,5 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

900 x 570 x 500 mm  
**alternative side ejection**

CE SELF PROPELLED

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

|    |                                      |         |    |                     |          |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧  | engine HECHT                         | OHV     | 📏  | height adjustment   | 25-75 mm |
| 🗑️ | displacement                         | 135 cm³ | 🏋️ | max.torque          | 7 Nm     |
| 📏  | working width                        | 46 cm   | 🗑️ | steel chassis       | 5 in 1   |
| 📏  | central adjustment of cutting height |         | 🗑️ | collecting box      | 60 l     |
| ⚙️ | ball bearings                        |         | 🛞  | wheels (front/rear) | 8/11"    |

**HECHT 5543 SXE**  
*Mulching kit included*  
*4 speed: 3-4,5 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

900 x 570 x 500 mm  
**alternative side ejection**

CE SELF PROPELLED

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

|    |                                      |         |    |                     |          |
|----|--------------------------------------|---------|----|---------------------|----------|
| 🔧  | engine HECHT                         | OHV     | 📏  | height adjustment   | 25-75 mm |
| 🗑️ | displacement                         | 173 cm³ | 🏋️ | max.torque          | 10 Nm    |
| 📏  | working width                        | 51 cm   | 🗑️ | steel chassis       | 5 in 1   |
| 📏  | central adjustment of cutting height |         | 🗑️ | collecting box      | 60 l     |
| ⚙️ | ball bearings                        |         | 🛞  | wheels (front/rear) | 8/11"    |

# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



840 x 570 x 500 mm

**alternative side ejection**



|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT                         | OHV                 | height adjustment | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque        | 10 Nm    |
| working width                        | 51 cm               | steel chassis     | 5 in 1   |
| central adjustment of cutting height |                     | collecting box    | 60 l     |
| ball bearings                        |                     | weight            | 39,2 kg  |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5533 SW 5 in 1

**Mulching kit included**  
**Speed 3,3 km/h**



**PATENTED WHEELS DESIGN**



900 x 570 x 490 mm

**alternative side ejection**



|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT                         | OHV                 | height adjustment | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque        | 10 Nm    |
| working width                        | 51 cm               | steel chassis     | 5 in 1   |
| central adjustment of cutting height |                     | collecting box    | 60 l     |
| ball bearings                        |                     | weight            | 43,3 kg  |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5533 SWE 5 in 1

**Mulching kit included**  
**Speed 3,3 km/h**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST PRESS THE BUTTON -

www.hecht.cz



**PATENTED WHEELS DESIGN**



alternative side ejection



|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT                         | OHV                 | height adjustment | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque        | 10 Nm    |
| working width                        | 56 cm               | steel chassis     | 5 in 1   |
| central adjustment of cutting height |                     | collecting box    | 60 l     |
| ball bearings                        |                     | weight            | 43 kg    |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5563 SX 5 in 1

**Mulching kit included**



**PATENTED WHEELS DESIGN**



alternative side ejection



|                                      |                     |                   |          |
|--------------------------------------|---------------------|-------------------|----------|
| engine HECHT                         | OHV                 | height adjustment | 25-75 mm |
| displacement                         | 173 cm <sup>3</sup> | max.torque        | 10 Nm    |
| working width                        | 56 cm               | steel chassis     | 5 in 1   |
| central adjustment of cutting height |                     | collecting box    | 60 l     |
| ball bearings                        |                     | weight            | 46 kg    |
| wheels (front/rear)                  | 8/11"               |                   |          |

## HECHT 5563 SXE 5 in 1

**Mulching kit included**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST PRESS THE BUTTON -

**FOR BETTER COLLECTING OF WET GRASS**

## HECHT 500046

**Special lawn mower „TURBO“ blade**

**FOR MODELS:**

HECHT 548 SW, 5484 SX, 548 SWE, 5484 SXE

**46 cm**



**FOR BETTER COLLECTING OF WET GRASS**

## HECHT 500051

**Special lawn mower „TURBO“ blade**

**FOR MODELS:**

HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

**51 cm**



## HECHT 5060 EU speed 3 km/h



**MADE IN CZECH REPUBLIC**



1050 x 540 x 600 mm



|               |                     |               |           |
|---------------|---------------------|---------------|-----------|
| engine HECHT  | OHV                 | height        | 35 mm     |
| displacement  | 173 cm <sup>3</sup> | steel chassis |           |
| working width | 60 cm               | ball bearings |           |
| weight        | 50 kg               | wheels        | 16x3,5-8" |

# RIDERS, LAWN TRACTORS

## HECHT 5161

**Speed:**  
**Forward**  
 1,5–4,6 km/h  
**Reverse**  
 2,3 km/h



1480x780x730 mm

CE SELF PROPELLED

|  |                                      |                     |  |                   |                          |
|--|--------------------------------------|---------------------|--|-------------------|--------------------------|
|  | engine                               | HECHT               |  | height adjustment | 35–75 mm                 |
|  | displacement                         | 196 cm <sup>3</sup> |  | recommended area  | 1500–2000 m <sup>2</sup> |
|  | working width                        | 61 cm               |  | steel chassis     |                          |
|  | weight                               | 115 kg              |  | collecting box    | 150 l                    |
|  | central adjustment of cutting height |                     |  | ball bearings     |                          |

## HECHT 5162

**Speed:**  
**Forward**  
 1,5–4,5 km/h  
**Reverse**  
 1,5 km/h



1550 x 780 x 1030 mm

CE SELF PROPELLED

|  |                                      |                     |  |                   |                          |
|--|--------------------------------------|---------------------|--|-------------------|--------------------------|
|  | engine B&S                           | Series 850          |  | height adjustment | 30–90 mm                 |
|  | displacement                         | 190 cm <sup>3</sup> |  | recommended area  | 2000–2500 m <sup>2</sup> |
|  | working width                        | 62 cm               |  | steel chassis     |                          |
|  | weight                               | 125 kg              |  | collecting box    | 130 l                    |
|  | central adjustment of cutting height |                     |  | ball bearings     |                          |



steel structure

**Side ejection only**

## HECHT 5114

**Speed:**  
**Forward**  
 max. 8,3 km/h  
**Reverse**  
 2,5 km/h

CE SELF PROPELLED

|  |                                      |                                   |  |                   |                          |
|--|--------------------------------------|-----------------------------------|--|-------------------|--------------------------|
|  | engine HECHT                         | OHV                               |  | height adjustment | 30–90 mm                 |
|  | displacement                         | 452 cm <sup>3</sup><br>1 cylinder |  | recommended area  | 3000–4000 m <sup>2</sup> |
|  | working width                        | 98 cm                             |  | steel chassis     |                          |
|  | weight                               | 165 kg                            |  | ball bearings     |                          |
|  | central adjustment of cutting height |                                   |  |                   |                          |



2590 x 1080 x 1080 mm  
 (steel structure)

## HECHT 5176

**Speed:**  
**Forward**  
 max. 8,8 km/h  
**Reverse**  
 3,8 km/h



CE HYDROSTATIC SELF PROPELLED

|  |                                      |                                   |  |                   |                          |
|--|--------------------------------------|-----------------------------------|--|-------------------|--------------------------|
|  | engine B&S                           | INTEK OHV                         |  | height adjustment | 30–90 mm                 |
|  | displacement                         | 501 cm <sup>3</sup><br>1 cylinder |  | recommended area  | 3000–4000 m <sup>2</sup> |
|  | working width                        | 102 cm                            |  | steel chassis     |                          |
|  | weight                               | 220 kg                            |  | collecting box    | 270 l                    |
|  | central adjustment of cutting height |                                   |  | ball bearings     |                          |

# ROLLER, SERVICE SET, ACCESSORIES

## HECHT 5

Service sets for pumping out engine oil or petrol. Suitable for all types of lawn mower engines and lawn tractors.



167 x 155 x 210 mm

|  |                   |
|--|-------------------|
|  | manual            |
|  | tank volume 1,5 l |

## HECHT 501



580 x 350 x 390 mm

|  |               |       |  |               |             |
|--|---------------|-------|--|---------------|-------------|
|  | working width | 50 cm |  | weight        | 9 kg        |
|  | diameter      | 32 cm |  | filled weight | 50 kg ± 20% |

## HECHT 4T

Recommended oil for 4-stroke engines  
Min. order 6 pcs



## HECHT 2T

Recommended oil for 2-stroke engines  
Min. order 6 pcs



## HECHT CHAINOIL 4L

Special oil for greasing bars  
Min. order 3 pcs



## GREASE GX

Plastic lubricant for angle drives  
Min. order 48 pcs



## HECHT 5W-40

Recommended oil for 4-stroke engines - suitable for all year use  
Min. order 6 pcs



## HECHT CHAINOIL

Special oil for greasing bars  
Min. order 6 pcs



## HECHT HC22

Special hydraulic oil 4 l  
Min. order 3 pcs



## PLASTIC CAN 5 l

No. K00050



|  |             |     |
|--|-------------|-----|
|  | tank volume | 5 l |
|--|-------------|-----|



## PLASTIC CAN 20 l

No. K00200



|  |             |      |
|--|-------------|------|
|  | tank volume | 20 l |
|--|-------------|------|



## PLASTIC CAN 10 l

No. K00100



|  |             |      |
|--|-------------|------|
|  | tank volume | 10 l |
|--|-------------|------|



## PLASTIC CAN KOMBI

No. K00085




|  |             |             |
|--|-------------|-------------|
|  | tank volume | 6 l + 2,5 l |
|--|-------------|-------------|



# ELECTRIC AND ACCU LAWN AERATORS

## HECHT 1420 2 in 1




525 x 425 x 308 mm



|  |               |             |  |                         |      |
|--|---------------|-------------|--|-------------------------|------|
|  | electric      | 230 V/50 Hz |  | collecting box          | 40 l |
|  | power input   | 1500 W      |  | plastic chassis         |      |
|  | working width | 32 cm       |  | roller with metal wires |      |
|  | weight        | 8,5         |  | 16 metal knives         |      |

## HECHT 1521 2 in 1



560 x 415 x 325 mm



|  |                 |             |  |                                |                     |
|--|-----------------|-------------|--|--------------------------------|---------------------|
|  | electric        | 230 V/50 Hz |  | collecting box                 | 40 l                |
|  | power input     | 1500 W      |  | recommended area               | 1000 m <sup>2</sup> |
|  | working width   | 32 cm       |  | plastic chassis                |                     |
|  | weight          | 10 kg       |  | roller with metal wires        |                     |
|  | 16 metal knives |             |  | variable adjustment -9 to 3 mm |                     |

## HECHT 1538 2 in 1



560 x 540 x 370 mm



|  |                 |             |  |                                 |                     |
|--|-----------------|-------------|--|---------------------------------|---------------------|
|  | electric        | 230 V/50 Hz |  | collecting box                  | 50 l                |
|  | power input     | 1500 W      |  | recommended area                | 1100 m <sup>2</sup> |
|  | working width   | 38 cm       |  | plastic chassis                 |                     |
|  | weight          | 15          |  | roller with metal wires         |                     |
|  | 20 metal knives |             |  | variable adjustment -12 to 5 mm |                     |

## HECHT 1738 2 in 1




560 x 540 x 370 mm



|  |                 |             |  |                                 |                     |
|--|-----------------|-------------|--|---------------------------------|---------------------|
|  | electric        | 230 V/50 Hz |  | collecting box                  | 50 l                |
|  | power input     | 1700 W      |  | recommended area                | 1200 m <sup>2</sup> |
|  | working width   | 38 cm       |  | plastic chassis                 |                     |
|  | weight          | 15 kg       |  | roller with metal wires         |                     |
|  | 20 metal knives |             |  | variable adjustment -12 to 5 mm |                     |

## HECHT 1821 2 in 1

Available  
from 3/17



680 x 520 x 300 mm



|  |                 |             |  |                                  |                     |
|--|-----------------|-------------|--|----------------------------------|---------------------|
|  | electric        | 230 V/50 Hz |  | collecting box                   | 50 l                |
|  | power input     | 1800 W      |  | recommended area                 | 1200 m <sup>2</sup> |
|  | working width   | 36 cm       |  | plastic chassis                  |                     |
|  | weight          | 13          |  | roller with metal wires          |                     |
|  | 18 metal knives |             |  | variable adjustment -12 to 10 mm |                     |

## HECHT 1384



660 x 480 x 340 mm



|  |                             |         |  |                 |        |
|--|-----------------------------|---------|--|-----------------|--------|
|  | accu Li-ion                 | DC 40 V |  | collecting box  | 45 l   |
|  | working width               | 38 cm   |  | working time    | 48 min |
|  | weight                      | 14,5    |  | plastic chassis |        |
|  | without battery and charger |         |  |                 |        |

# ELECTRIC AND PETROL LAWN AERATORS

## HECHT 1739



620 x 570 x 360 mm



|  |                 |             |  |                     |                     |
|--|-----------------|-------------|--|---------------------|---------------------|
|  | electric        | 230 V/50 Hz |  | collecting box      | 50 l                |
|  | power input     | 1700 W      |  | recommended area    | 1200 m <sup>2</sup> |
|  | working width   | 37 cm       |  | plastic chassis     |                     |
|  | weight          | 22          |  | variable adjustment | -8 to 12 mm         |
|  | 26 metal knives |             |  |                     |                     |

## HECHT 5654



670 x 580 x 540 mm



|  |                 |                    |  |                     |                     |
|--|-----------------|--------------------|--|---------------------|---------------------|
|  | engine          | HECHT              |  | collecting box      | 40 l                |
|  | displacement    | 87 cm <sup>3</sup> |  | recommended area    | 1400 m <sup>2</sup> |
|  | working width   | 38 cm              |  | steel chassis       |                     |
|  | weight          | 26,5 kg            |  | variable adjustment | -12 to +10 mm       |
|  | 18 metal knives |                    |  |                     |                     |

## HECHT 5642



670 x 580 x 540 mm



|  |                 |                     |  |                     |                     |
|--|-----------------|---------------------|--|---------------------|---------------------|
|  | engine          | HECHT               |  | collecting box      | 45 l                |
|  | displacement    | 163 cm <sup>3</sup> |  | recommended area    | 1600 m <sup>2</sup> |
|  | working width   | 42 cm               |  | steel chassis       |                     |
|  | weight          | 44 kg               |  | variable adjustment | -12 to 0 mm         |
|  | 17 metal knives |                     |  |                     |                     |

## HECHT 5675



670 x 580 x 540 mm



|  |                 |                     |  |                     |                     |
|--|-----------------|---------------------|--|---------------------|---------------------|
|  | engine          | B&S 750             |  | collecting box      | 45 l                |
|  | displacement    | 163 cm <sup>3</sup> |  | recommended area    | 1600 m <sup>2</sup> |
|  | working width   | 42cm                |  | steel chassis       |                     |
|  | weight          | 38 kg               |  | variable adjustment | -12 to 0 mm         |
|  | 17 metal knives |                     |  |                     |                     |

## HECHT S 390 H



Original engine  
**HONDA**



630 x 860 x 630 mm



|  |                 |                     |  |                     |                     |
|--|-----------------|---------------------|--|---------------------|---------------------|
|  | engine HONDA    | GC 135              |  | collecting box      | 45 l                |
|  | displacement    | 135 cm <sup>3</sup> |  | recommended area    | 1600 m <sup>2</sup> |
|  | working width   | 38 cm               |  | steel chassis       |                     |
|  | weight          | 30 kg               |  | variable adjustment | -10 to 0 mm         |
|  | 16 metal knives |                     |  | max.torque          | 10,3 Nm             |

## HECHT S 500 H



Original engine  
**HONDA**



670 x 580 x 540 mm



|  |                 |                     |  |                     |                      |
|--|-----------------|---------------------|--|---------------------|----------------------|
|  | engine HONDA    | GP 160              |  | collecting box      | 110 l                |
|  | displacement    | 160 cm <sup>3</sup> |  | recommended area    | 3 000 m <sup>2</sup> |
|  | working width   | 49 cm               |  | steel chassis       |                      |
|  | weight          | 49 kg               |  | variable adjustment | -15 to 0 mm          |
|  | 19 metal knives |                     |  |                     |                      |



# ELECTRIC AND PETROL TILLERS

## HECHT 730



345 x 285 x 480 mm



|   |             |             |    |               |       |
|---|-------------|-------------|----|---------------|-------|
| ⚡ | electric    | 230 V/50 Hz | 📏  | working width | 32 cm |
| 🔌 | power input | 750 W       | ⚖️ | weight        | 8 kg  |
|   | 4 knives    |             |    |               |       |

## HECHT 738



600 x 430 x 275 mm

|   |             |             |    |               |         |
|---|-------------|-------------|----|---------------|---------|
| ⚡ | electric    | 230 V/50 Hz | 📏  | working width | 36,5 cm |
| 🔌 | power input | 1000 W      | ⚖️ | weight        | 7,7 kg  |
|   | 4 knives    |             |    |               |         |

## HECHT 739



382 x 288 x 502 mm



|   |             |             |    |               |        |
|---|-------------|-------------|----|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | 📏  | working width | 36 cm  |
| 🔌 | power input | 1050 W      | ⚖️ | weight        | 9,8 kg |
|   | 4 knives    |             |    |               |        |

## HECHT 745



412 x 365 x 560 mm



|   |             |             |    |               |         |
|---|-------------|-------------|----|---------------|---------|
| ⚡ | electric    | 230 V/50 Hz | 📏  | working width | 40 cm   |
| 🔌 | power input | 1500 W      | ⚖️ | weight        | 11,6 kg |
|   | 6 knives    |             |    |               |         |

## HECHT 743



560 x 330 x 530 mm



|   |              |                    |    |               |         |
|---|--------------|--------------------|----|---------------|---------|
| 🔧 | engine HECHT | 2-stroke           | 📏  | working width | 23,5 cm |
| 📏 | displacement | 43 cm <sup>3</sup> | ⚖️ | weight        | 21,4 kg |
|   | 4 knives     |                    |    |               |         |

## HECHT 761 R



705 x 670 x 390 mm



|   |                  |                     |    |               |       |
|---|------------------|---------------------|----|---------------|-------|
| 🔧 | engine HECHT     | OHV, 4-stroke       | 📏  | working width | 36 cm |
| 📏 | displacement     | 139 cm <sup>3</sup> | ⚖️ | weight        | 34 kg |
|   | 4 knives Ø 26 cm |                     |    | 1 speed       |       |

# PETROL TILLERS, ACCESSORIES

## HECHT 746 R

## HECHT 747 SB



Available from 3/17



707 x 668 x 381 mm



|  |                    |                     |         |               |          |
|--|--------------------|---------------------|---------|---------------|----------|
|  | engine HECHT       | OHV, 4-stroke       |         | working width | 36/60 cm |
|  | displacement       | 139 cm <sup>3</sup> |         | weight        | 36 kg    |
|  | 4/6 knives Ø 26 cm |                     | 1 speed |               |          |



700 x 380 x 660 mm



|  |                    |                     |         |               |          |
|--|--------------------|---------------------|---------|---------------|----------|
|  | engine B&S         | Series 500 E        |         | working width | 36/60 cm |
|  | displacement       | 140 cm <sup>3</sup> |         | weight        | 36 kg    |
|  | 4/6 knives Ø 26 cm |                     | 1 speed |               |          |

## ACCESSORIES FOR HECHT 750

## HECHT 750

### HECHT 000750

Iron wheel set  
- 2 pcs.  
- for use with  
ridger



### HECHT 000751

Ridger



1100 x 498 x 460 mm



|  |              |                     |         |               |       |
|--|--------------|---------------------|---------|---------------|-------|
|  | engine HECHT | OHV, 4-stroke       |         | working width | 50 cm |
|  | displacement | 196 cm <sup>3</sup> |         | weight        | 68 kg |
|  | Ø 34 cm      |                     | 1 speed |               |       |



## ACCESSORIES FOR HECHT 785, HECHT 790, HECHT 795, HECHT 790 BS

### HECHT 8001001

Rear bracket  
for mounting  
accessories



### HECHT 8001016

Single side  
Ridge plough



### HECHT 8001020

Potato digger



### HECHT 8001015

Double side  
Ridge plough



### HECHT 8001017

Wheel 8 inch  
- 2 pcs



### HECHT 8001004

Iron wheel set - 2 pcs  
- for use with  
plough or digger



### HECHT 8001021

Set of distance tubes  
(2 pcs) for shaft extension  
outer edge of wheels 65 - 85 cm



# PETROL TILLERS, ACCESSORIES

## HECHT 785

## HECHT 790



580 x 405 x 740 mm



|  |                      |                     |         |               |             |
|--|----------------------|---------------------|---------|---------------|-------------|
|  | engine HECHT         | OHV, 4-stroke       |         | working width | 32/50/84 cm |
|  | displacement         | 196 cm <sup>3</sup> |         | weight        | 52 kg       |
|  | 2/4/6 knives Ø 38 cm |                     | 1 speed |               |             |




600 x 420 x 740 mm



|  |                      |                     |         |               |             |
|--|----------------------|---------------------|---------|---------------|-------------|
|  | engine HECHT         | OHV                 |         | working width | 32/50/84 cm |
|  | displacement         | 196 cm <sup>3</sup> |         | weight        | 54 kg       |
|  | 2/4/6 knives Ø 38 cm |                     | 1 speed |               |             |

## HECHT 795

## HECHT 790 BS



740 x 660 x 400



|  |                      |                     |                            |               |             |
|--|----------------------|---------------------|----------------------------|---------------|-------------|
|  | engine HECHT         | OHV                 |                            | working width | 32/50/84 cm |
|  | displacement         | 196 cm <sup>3</sup> |                            | weight        | 56 kg       |
|  | 2/4/6 knives Ø 38 cm |                     | 2 speed forward, 1 reverse |               |             |



600 x 420 x 740 mm



|  |                      |                     |         |               |            |
|--|----------------------|---------------------|---------|---------------|------------|
|  | engine B&S           | CR 950              |         | working width | 32/50/8 cm |
|  | displacement         | 196 cm <sup>3</sup> |         | weight        | 55 kg      |
|  | 2/4/6 knives Ø 38 cm |                     | 1 speed |               |            |

# PETROL TILLER AND ACCESSORIES

**HECHT  
000721**  
Plough



**HECHT  
000720**  
Wheels 8"



**HECHT 7970**

Available  
from 5/17



890 x 460 x 660 mm

|          |              |                     |                    |               |        |
|----------|--------------|---------------------|--------------------|---------------|--------|
|          | engine HECHT | OHV                 |                    | working width | 110 cm |
|          | displacement | 212 cm <sup>3</sup> |                    | weight        | 78 kg  |
| 8 knives |              |                     | 2 speed, 1 reverse |               |        |

Trailer HECHT 57100  
also available  
(not included)



## ACCESSORIES FOR HECHT 7100

**HECHT  
007116**  
Single side  
plough



**HECHT  
007115**  
Adjustable  
digger



**HECHT  
007120**  
Potato  
digger



**HECHT 007125**  
Double side plough 20-25 cm,  
working depth cca 10 cm



**HECHT 007112**  
Wheel 12 inch with slipping  
pinion  
- 2 pcs  
- for use with trailer only  
(not designed for digging  
etc.)



**HECHT 007131**  
Three line seeder  
working width cca 47 cm,  
capacity cca 10 kg



**HECHT  
007104**  
Iron wheel set  
- 2 pcs  
- for use with plough  
or digger



**HECHT  
007101**  
Weights for wheels  
- 2 pcs (2x 12 kg)



**HECHT  
007128**  
LED light (3x AAA)



Batteries not included

# PETROL TILLER, ACCESSORIES

## HECHT 7100



| Speed km/h       |                                 | Gears  |        |        |                  |
|------------------|---------------------------------|--------|--------|--------|------------------|
|                  |                                 | Gear 3 | Gear 2 | Gear 1 | Gear -1 backward |
| Gearbox Standard | Speed on axis (rpm)             | 130    | 98.9   | 33.5   | 33.5             |
|                  | 4.0-8 Iron wheels (km/h)        | 10.06  | 7.65   | 2.59   | 2.59             |
|                  | 5.0-12 Wheels with tires (km/h) | 13.65  | 10.38  | 3.52   | 3.52             |



780 x 410 x 780 mm



|  |              |                     |  |                            |           |
|--|--------------|---------------------|--|----------------------------|-----------|
|  | engine HECHT | OHV, 4-stroke       |  | working width              | 81/104 cm |
|  | displacement | 208 cm <sup>3</sup> |  | weight                     | 72 kg     |
|  | 6 knives     |                     |  | 3 speed forward, 1 reverse |           |

## HECHT 57101

Drawbar



350 x 105 x 80 mm



1310 x 470 x 350 mm

## HECHT 57100

Trailer for HECHT 7100



|  |            |                  |  |           |                                         |
|--|------------|------------------|--|-----------|-----------------------------------------|
|  | dimensions | 134 x 92 x 34 cm |  | wheels    | 500 x 12"                               |
|  | weight     | 46,3 kg          |  | max. load | 300 kg net. / 500 kg including operator |

Slipping pinion on wheels for better turning



HECHT 7100 + 57100 + 57101 + 007112 + 007101

# TRAILERS, FERTILIZER

## HECHT 52145

Suitable for:  
HECHT 5114  
HECHT 5116  
HECHT 5176  
HECHT 5639  
HECHT 5938  
HECHT 5922  
and most garden tractors

**TILTING**



Possible to use as trailer for lawn tractor



950 x 520 x 220 mm

|                 |                        |           |             |
|-----------------|------------------------|-----------|-------------|
| body dimensions | 94 x 52 x 21 cm / 75 l | wheels    | 10" x 350-4 |
| weight          | 15,5 kg                | max. load | 250 kg      |

## HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.



Suitable for lawn tractors



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

|               |              |      |
|---------------|--------------|------|
| manual pushed | max capacity | 60 l |
|---------------|--------------|------|

## HECHT 52184

Suitable for:  
HECHT 5114  
HECHT 5116  
HECHT 5176  
HECHT 5639  
HECHT 5938  
HECHT 5922  
and most garden tractors

**215 L**



Possible to use as trailer for lawn tractor



1050 x 550 x 180 mm

|                 |                          |           |             |
|-----------------|--------------------------|-----------|-------------|
| body dimensions | 101 x 52 x 41 cm / 215 l | wheels    | 10" x 350-4 |
| weight          | 27,6 kg                  | max. load | 300 kg      |

## HECHT 50005

**FOLDING**



660 x 235 x 860 mm

|                        |                     |               |         |
|------------------------|---------------------|---------------|---------|
| body dimensions open   | 131 x 60 x 108,5 cm | weight        | 13,5 kg |
| body dimensions folded | 22,5 x 60 x 80 cm   | steel chassis |         |

## HECHT 53038

Suitable for:  
HECHT 5114, HECHT 5116,  
HECHT 5176, HECHT 5639,  
HECHT 5938, HECHT 5922  
and most garden tractors

Available from 4/17

Suitable for:  
HECHT 5114, HECHT 5116,  
HECHT 5176, HECHT 5639,  
HECHT 5938, HECHT 5922  
and most garden tractors

Available from 4/17



|                 |                    |           |        |
|-----------------|--------------------|-----------|--------|
| body dimensions | 123 x 77 x 62,5 cm | wheels    | 3.50-8 |
| weight          | 21,4 kg            | max. load | 200 kg |



|                 |                      |           |           |
|-----------------|----------------------|-----------|-----------|
| body dimensions | 150 x 93,5 x 74,5 cm | wheels    | 480/400-8 |
| weight          | 37,3 kg              | max. load | 300 kg    |

# ELECTRIC AND PETROL HEDGE TRIMMERS

## HECHT 606



900 x 145 x 175 mm



|  |                       |              |  |            |        |
|--|-----------------------|--------------|--|------------|--------|
|  | electric              | 230 V /50 Hz |  | bar length | 50 cm  |
|  | power input           | 520 W        |  | weight     | 1,9 kg |
|  | max. cutting diameter | 20 mm        |  |            |        |

## HECHT 655



1000 x 205 x 180 mm



|  |                       |              |  |            |        |
|--|-----------------------|--------------|--|------------|--------|
|  | electric              | 230 V /50 Hz |  | bar length | 62 cm  |
|  | power input           | 600 W        |  | weight     | 2,7 kg |
|  | max. cutting diameter | 20 mm        |  |            |        |



Rotary handle

## HECHT 610



1120 x 200 x 180 mm



|  |                       |              |  |            |        |
|--|-----------------------|--------------|--|------------|--------|
|  | electric              | 230 V /50 Hz |  | bar length | 68 cm  |
|  | power input           | 600 W        |  | weight     | 3,1 kg |
|  | max. cutting diameter | 24 mm        |  |            |        |



Rotary handle

## HECHT 611

with collecting bar



Laser cut blade



1120 x 200 x 213 mm



|  |                       |             |  |            |       |
|--|-----------------------|-------------|--|------------|-------|
|  | electric              | 230 V/50 Hz |  | bar length | 68 cm |
|  | power input           | 750 W       |  | weight     | 4 kg  |
|  | max. cutting diameter | 24 mm       |  |            |       |



Rotary handle

## HECHT 9246



1110 x 260 x 240 mm



|  |                       |                      |  |            |        |
|--|-----------------------|----------------------|--|------------|--------|
|  | engine volume         | 24,5 cm <sup>3</sup> |  | bar length | 70 cm  |
|  | power output          | 1 HP                 |  | weight     | 5,8 kg |
|  | max. cutting diameter | 22 mm                |  |            |        |



Rotary handle

## HECHT 9275 PROFI

otočná rukojeť



1290 x 260 x 250 mm



|  |                       |                      |  |            |        |
|--|-----------------------|----------------------|--|------------|--------|
|  | engine volume         | 22,2 cm <sup>3</sup> |  | bar length | 75 cm  |
|  | power output          | 1 HP                 |  | weight     | 5,4 kg |
|  | max. cutting diameter | 28 mm                |  |            |        |



72 cm bar

## HECHT 9375 PROFI



1290 x 260 x 250 mm



|  |                       |                      |  |            |        |
|--|-----------------------|----------------------|--|------------|--------|
|  | engine volume         | 22,2 cm <sup>3</sup> |  | bar length | 72 cm  |
|  | power output          | 0,9 HP               |  | weight     | 5,3 kg |
|  | max. cutting diameter | 20 mm                |  |            |        |

# HEDGE TRIMMERS

## HECHT 640

## HECHT 675



CE

1275 x 195 x 166 mm

CE

1150 x 165 x 205 mm

|  |                       |             |  |            |               |
|--|-----------------------|-------------|--|------------|---------------|
|  | electric              | 230 V/50 Hz |  | bar length | 40,5 cm       |
|  | power input           | 450 W       |  | weight     | 4,2 kg        |
|  | max. cutting diameter | 16 mm       |  | length     | 2,16 - 2,87 m |


|  |                       |             |  |            |              |
|--|-----------------------|-------------|--|------------|--------------|
|  | electric              | 230 V/50 Hz |  | bar length | 51 cm        |
|  | power input           | 750 W       |  | weight     | 5 kg         |
|  | max. cutting diameter | 28 mm       |  | length     | 2,35 - 2,8 m |

www.hecht.cz

## HECHT 6504



## HECHT 695



CE

1220 x 210 x 140 mm

CE

1067 x 187 x 105 mm

|  |                             |         |  |            |             |
|--|-----------------------------|---------|--|------------|-------------|
|  | Accu Li-ion                 | DC 40 V |  | bar length | 50 cm       |
|  | max. cutting diameter       | 20 mm   |  | weight     | 4,5 kg      |
|  | without battery and charger |         |  | length     | 1,9 - 2,4 m |

|  |                       |             |  |            |        |
|--|-----------------------|-------------|--|------------|--------|
|  | electric              | 230 V/50 Hz |  | bar length | 41 cm  |
|  | power input           | 900 W       |  | weight     | 4,9 kg |
|  | max. cutting diameter | 20 mm       |  | length     | 2,64 m |



# PRUNNING SAWS

## HECHT 9504



CE

|                             |             |           |  |            |        |
|-----------------------------|-------------|-----------|--|------------|--------|
|                             | Accu Li-ion | DC 40 V   |  | bar length | 20 cm  |
|                             | length      | 2,3–2,8 m |  | weight     | 4,4 kg |
| without battery and charger |             |           |  |            |        |

## HECHT 971 W



CE

|  |                      |
|--|----------------------|
|  | 1360 x 165 x 110 mm  |
|  | electric 230 V/50 Hz |
|  | bar length 30 cm     |
|  | power input 750 W    |
|  | weight 3,2 kg        |
|  | length 2–2,8 m       |

## HECHT 975 W



CE

|  |                      |
|--|----------------------|
|  | 1730 x 145 x 80 mm   |
|  | electric 230 V/50 Hz |
|  | bar length 24 cm     |
|  | power input 750 W    |
|  | weight 3,1 kg        |
|  | length 1,9–2,85 m    |

## HECHT 9260



GARDEN

## HECHT 976 W



CE

|  |                      |
|--|----------------------|
|  | 1730 x 160 x 100 mm  |
|  | electric 230 V/50 Hz |
|  | bar length 24 cm     |
|  | power input 750 W    |
|  | weight 3,1 kg        |
|  | length 1,83–2,69 m   |

## HECHT 690 3in1



CE

|  |                                     |
|--|-------------------------------------|
|  | 1062 x 255 x 100 mm                 |
|  | electric 230 V/50 Hz                |
|  | bar length - saw 23 cm              |
|  | power input 900 W                   |
|  | weight 2,5 kg                       |
|  | bar length - hedge trimmer 41 cm    |
|  | working width - grass trimmer 36 cm |

3in1

CE

|  |                                  |
|--|----------------------------------|
|  | 2550 x 270 x 260 mm              |
|  | engine volume 26 cm <sup>3</sup> |
|  | bar length 34 cm                 |
|  | power output 1 HP                |
|  | weight 8,5 kg                    |
|  | length 2,96–4,27 m               |

Net weight of chainsaws is without guide bar and saw chain

# PRUNNING SAW, ELECTRIC SAWS

## HECHT 59000

Saw for children with sound, moving chain  
- 3 batteries AA required (not included)



**REALISTIC SOUND  
OF STARTING AND CUTTING**

## HECHT 2035

PROFIL



sprocket  
teeth detail



465 x 230 x 175 mm



|    |             |             |            |        |
|----|-------------|-------------|------------|--------|
| CE | electric    | 230 V/50 Hz | bar length | 35 cm  |
|    | power input | 2000 W      | weight     | 4,2 kg |

## HECHT 2250

Soft start – starting capacitor for  
reduction of starting current.

PROFIL



sprocket  
teeth detail



550 x 210 x 250/85 mm



|    |             |             |            |        |
|----|-------------|-------------|------------|--------|
| CE | electric    | 230 V/50 Hz | bar length | 40 cm  |
|    | power input | 2400 W      | weight     | 5,6 kg |

## HECHT 2416 QT

Soft start – starting capacitor for  
reduction of starting current.

PROFIL



**Quick chain  
tension system**

sprocket  
teeth detail



480 x 270 x 270 mm



|    |             |             |            |        |
|----|-------------|-------------|------------|--------|
| CE | electric    | 230 V/50 Hz | bar length | 40 cm  |
|    | power input | 2400 W      | weight     | 4,7 kg |

## HECHT 2439

With Softstart, overload protector,  
tool free system & metal gear

PROFIL



**Quick chain  
tension system**

sprocket  
teeth detail



565 x 200 x 240 mm



|    |             |             |            |       |
|----|-------------|-------------|------------|-------|
| CE | electric    | 230 V/50 Hz | bar length | 40 cm |
|    | power input | 2400 W      | weight     | 5 kg  |

# ACCU CHAINSAW AND PETROL CHAINSAWS



Battery 000936B

## HECHT 936

**BATTERY AND CHARGER INCLUDED**

Charging time cca 100 min

**ACCU SAMSUNG**

Running Time: cca 25 minutes (100x 10 cm soft wood)

480 x 270 x 270 mm

|    |                       |                |  |            |         |
|----|-----------------------|----------------|--|------------|---------|
| CE | Accu (Li-ion) Samsung | 36 V, 2600 mAh |  | bar length | 30,5 cm |
|    | charging time         | 100 min        |  | weight     | 5 kg    |



## HECHT 9940

**ACCU program 5040**

**ACCU SAMSUNG**

**BATTERY AND CHARGER NOT INCLUDED**

445 x 258 x 290 mm

|    |                  |                |  |            |        |
|----|------------------|----------------|--|------------|--------|
| CE | accumulator      | Li-ion Samsung |  | bar length | 35 cm  |
|    | accu article (V) | DC 40 V, 4 Ah  |  | weight     | 5,5 kg |



hanger for belt

## HECHT 929



325 x 255 x 255 mm

|    |               |                      |  |            |        |
|----|---------------|----------------------|--|------------|--------|
| CE | engine volume | 25,4 cm <sup>3</sup> |  | bar length | 30 cm  |
|    | power output  | 1,2 HP               |  | weight     | 2,9 kg |



## HECHT 941



425 x 245 x 300 mm

|    |               |                    |  |            |        |
|----|---------------|--------------------|--|------------|--------|
| CE | engine volume | 40 cm <sup>3</sup> |  | bar length | 35 cm  |
|    | power output  | 1,8 HP             |  | weight     | 4,7 kg |



## HECHT 44



430 x 255 x 300 mm

|    |               |                    |  |            |        |
|----|---------------|--------------------|--|------------|--------|
| CE | engine volume | 45 cm <sup>3</sup> |  | bar length | 40 cm  |
|    | power output  | 2,7 HP             |  | weight     | 5,4 kg |



## HECHT 44 BOX



455 x 305 x 300 mm

|    |               |                    |  |            |        |
|----|---------------|--------------------|--|------------|--------|
| CE | engine volume | 45 cm <sup>3</sup> |  | bar length | 40 cm  |
|    | power output  | 2,7 HP             |  | weight     | 5,4 kg |



# PETROL CHAINSAWS, LOG CUTTING STANDS

## HECHT 945

## HECHT 950



Carburetor WALBRO  
Bar + chain OREGON



440 x 250 x 290 mm



|  |               |                    |  |            |       |
|--|---------------|--------------------|--|------------|-------|
|  | engine volume | 45 cm <sup>3</sup> |  | bar length | 39 cm |
|  | power output  | 2,7 HP             |  | weight     | 5 kg  |



Bar + chain OREGON



465 x 265 x 330 mm



|  |               |                      |  |            |       |
|--|---------------|----------------------|--|------------|-------|
|  | engine volume | 49,3 cm <sup>3</sup> |  | bar length | 39 cm |
|  | power output  | 3 HP                 |  | weight     | 5 kg  |

## HECHT 956

## HECHT 962



decompressor



Carburetor WALBRO  
Bar + chain OREGON



450 x 275 x 315 mm



|  |               |                    |  |            |        |
|--|---------------|--------------------|--|------------|--------|
|  | engine volume | 56 cm <sup>3</sup> |  | bar length | 39 cm  |
|  | power output  | 3,2 HP             |  | weight     | 5,1 kg |



decompressor



Carburetor WALBRO  
Bar + chain OREGON

2017 model:  
Bar 45 cm



570 x 295 x 340 mm




|  |               |                    |  |            |        |
|--|---------------|--------------------|--|------------|--------|
|  | engine volume | 62 cm <sup>3</sup> |  | bar length | 50 cm  |
|  | power output  | 4 HP               |  | weight     | 6,3 kg |

## HECHT 900

## HECHT 901

Not intended for  
UK, D, FR, IT, A, CH



1015 x 280 x 40 mm

|  |        |      |
|--|--------|------|
|  | weight | 8 kg |
|--|--------|------|



1210 x 410 x 70 mm

|              |           |  |        |         |
|--------------|-----------|--|--------|---------|
| Log Diameter | 25–230 mm |  | weight | 10,7 kg |
|--------------|-----------|--|--------|---------|

# ACCESSORIES, CHAIN SHARPENERS

## HECHT 000040


Chainsaw file 4 mm



3 pcs

## HECHT 000048

Chainsaw file 4,8 mm



3 pcs

## HECHT 900051

Chainsaw file 5,5 mm



3 pcs

## HECHT 900050

Chainsaw file 5,5 mm



12 pcs

## HECHT 9

|                       |
|-----------------------|
| Spare grinding wheels |
| H928 (3,2 x 100 x 10) |
| H928A (4,5x100x10)    |




275 x 160 x 215 mm



|  |             |             |  |               |        |
|--|-------------|-------------|--|---------------|--------|
|  | electric    | 230 V/50 Hz |  | weight        | 1,4 kg |
|  | power input | 250 W       |  | disc diameter | 100 mm |

## The original chains HECHT for chainsaws

**25Q100R ROLE**  
0,325 – 1,5 mm  
1840 links, 30,5 m



**33E100R ROLE**  
3/8 micro – 1,3 mm,  
1640 links, 30,5 m

## HECHT 903400

Chain saw sharpening kit  
Files 4 mm

## HECHT 903480

Chain saw sharpening kit  
Files 4,8 mm

## HECHT 004048

Chain saw sharpening kit  
Files 4 mm,  
4,8 mm, 5,5 mm

**HECHT 900401**  
Timber wedge 5"

**HECHT 900402**  
Timber wedge 8"

**HECHT 900405**  
Timber wedge 10"




## HECHT 9230

|                              |
|------------------------------|
| Spare grinding wheels        |
| 9230A0007 (145 x 3,2 x 22,3) |
| 9230B0007 (145 x 4,7 x 22,3) |
| 9230C0007 (145 x 6 x 22,3)   |

Positionable



370 x 255 x 280 mm




|  |             |             |  |               |        |
|--|-------------|-------------|--|---------------|--------|
|  | electric    | 230 V/50 Hz |  | weight        | 4,8 kg |
|  | power input | 230 W       |  | disc diameter | 145 mm |

## HECHT 900406

Carburetor adjuster set



Blistered



**HECHT 002850**  
Start rope Ø 2,8 mm, 50 m

**HECHT 003450**  
Start rope Ø 3,4 mm, 50 m

**HECHT 003850**  
Start rope Ø 3,8 mm, 50 m



Role



## HECHT 900404

Filing stump vise



LASH 228 x 100 mm



**HECHT 000045**  
Grease gun for chainsaw chains



LASH 248 x 90 mm



# ACCESSORIES

## HECHT 900110

Protection shield



Blistered

## HECHT 900102

Ear protection



200 x 245 x 80 mm / blistered


## HECHT 900507

Safety shoes



STEEL TOE CAP

STEEL PLATE



34,5 x 25 x 13 cm

## HECHT 900107

Protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.  
20 m/s



100 x 77 mm + plastic bag

## HECHT 900108

Winter protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.  
20 m/s



100 x 77 mm + plastic bag

## HECHT 900100

Safety helmet with face shield and ear protection.



310 x 255 x 167 mm



## HECHT 900101

Face shield.



250 x 82 mm – plastic bag with header



## HECHT 900105

Face shield with ear protection.



242 x 240 x 150 mm



## HECHT 900106

Safety goggles



167 x 157 x 45 mm



## HECHT 900106Y

Safety goggles




167 x 157 x 45 mm



## HECHT 900109

Professional protective covers for shins and knees



## HECHT 900120

Professional protective trousers for chainsaws.



Size: M, L, XL, XXL

(EN 381-5)  
Class I.  
20 m/s



405 x 290 x 95 mm

## HECHT 900121

Professional protective trousers for chainsaws.



Size: M, L, XL, XXL

(EN 381-5)  
Class I.  
20 m/s



405 x 290 x 95 mm

## HECHT 900122

Professional protective trousers for chainsaws, special lightweight material.



Size: M, L, XL, XXL

(EN 381-5)  
Class I.  
20 m/s



390 x 320 x 55 mm

## HECHT 900130

Professional work jacket.



Size: M, L, XL, XXL



400 x 295 x 35 mm

## HECHT 900131

Professional work jacket.



Size: M, L, XL, XXL



400 x 295 x 35 mm

## HECHT 900132

Professional work jacket, special lightweight material.



Size: M, L, XL, XXL

3 cm reflective bands



330 x 330 x 49 mm

# AXES, ACCESSORIES

## HECHT 900600

Universal axe  
Lenght 30 cm, Weight 600 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900680

Universal axe  
Lenght 38 cm, Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901000

Universal axe  
Lenght 40 cm, Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901001

Splitting axe  
Lenght 40 cm  
Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901500

Universal axe  
Lenght 55 cm  
Weight 1500 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901201

Splitting axe  
Lenght 55 cm  
Weight 1200 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901590

Universal axe  
Lenght 55 cm  
Weight 1590 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902000

Splitting axe  
Lenght 63 cm  
Weight 2000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902170

Splitting axe  
Lenght 40 cm  
Weight 2170 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902360


Splitting axe  
Lenght 55 cm  
Weight 2360 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900570 **TEFLON COATED BLADE**

Universal axe  
Lenght 35 cm  
Weight 570 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900901 **TEFLON COATED BLADE**

Universal axe  
Lenght 44 cm  
Weight 900 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900950 **TEFLON COATED BLADE**


Siekiera rozłupująca  
Lenght 44 cm  
Weight 950 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 901170 **TEFLON COATED BLADE**

Splitting axe  
Lenght 59 cm  
Weight 1170 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 901550 **TEFLON COATED BLADE**

Splitting axe  
Lenght 70 cm  
Weight 1550 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 902550 **TEFLON COATED BLADE**

Splitting axe  
Lenght 80 cm  
Weight 2550 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900403

Hook for timber



## HECHT 900613

Tree felling lever  
Lenght 120 cm



## HECHT 908500


Splitting axe  
Lenght 85 cm  
Weight 2700 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 903600

Splitting axe  
Lenght 91 cm  
Weight 3600 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 909100

Lenght 91 cm



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900080

Tree felling lever  
Lenght 80 cm



# LOG SAWS, LOG SPLITTERS

## HECHT 8220

## HECHT 830



|    |             |             |  |                   |                          |
|----|-------------|-------------|--|-------------------|--------------------------|
| CE |             |             |  |                   | 996 x 845 x 300 / 130 mm |
| ⚡  | electric    | 230 V/50 Hz |  | max. log diameter | 135 mm                   |
|    | power input | 2200 W      |  | weight            | 35 kg                    |



|    |             |             |  |                   |                          |
|----|-------------|-------------|--|-------------------|--------------------------|
| CE |             |             |  |                   | 960 x 750 x 580 / 274 mm |
| ⚡  | electric    | 400 V/50 Hz |  | max. log diameter | 170 mm                   |
|    | power input | 3000 W      |  | weight            | 76 kg                    |

## HECHT 845

## HECHT 890

### Petrol log saw 4 stroke



|   |             |             |  |                   |                                                          |
|---|-------------|-------------|--|-------------------|----------------------------------------------------------|
|   |             |             |  |                   | 1280 x 970 x 770 mm<br>(steel structure fully assembled) |
| ⚡ | electric    | 400 V/50 Hz |  | max. log diameter | 230 mm                                                   |
|   | power input | 4500 W      |  | weight            | 110 kg                                                   |



|  |               |                     |  |                   |                                                          |
|--|---------------|---------------------|--|-------------------|----------------------------------------------------------|
|  |               |                     |  |                   | 1260 x 970 x 760 mm<br>(steel structure fully assembled) |
|  | engine volume | 389 cm <sup>3</sup> |  | max. log diameter | 230 mm                                                   |
|  | power output  | 13* HP              |  | weight            | 133 kg                                                   |

Part no.:  
HECHT 000656

## HECHT 6370

## HECHT 000651

## HECHT 651

Stand for  
HECHT 651

845 x 135 x 180 mm

Part no.:  
HECHT  
000656



|    |               |             |  |                   |                    |
|----|---------------|-------------|--|-------------------|--------------------|
| CE |               |             |  |                   | 830 x 460 x 285 mm |
| ⚡  | electric      | 230 V/50 Hz |  | max. log length   | 370 mm             |
|    | power input   | 1500 W      |  | max. log diameter | 250 mm             |
|    | max. pressure | 4 t         |  | weight            | 38 kg              |



|    |               |             |  |                   |                     |
|----|---------------|-------------|--|-------------------|---------------------|
| CE |               |             |  |                   | 1000 x 285 x 460 mm |
| ⚡  | electric      | 230 V/50 Hz |  | max. log length   | 520 mm              |
|    | power input   | 1500 W      |  | max. log diameter | 250 mm              |
|    | max. pressure | 5 t         |  | weight            | 41 kg               |

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.



# LOG SPLITTERS

## HECHT 000670

Stand for  
HECHT 670

820 x 170 x 135 mm



## HECHT 670



Part no.:  
HECHT  
000671



970 x 290 x 460 mm



|  |               |             |  |                   |        |
|--|---------------|-------------|--|-------------------|--------|
|  | electric      | 230 V/50 Hz |  | max. log length   | 520 mm |
|  | power input   | 2000 W      |  | max. log diameter | 250 mm |
|  | max. pressure | 7 t         |  | weight            | 46 kg  |

## HECHT 656



975 x 325 x 480 mm



|  |               |             |  |                   |        |
|--|---------------|-------------|--|-------------------|--------|
|  | electric      | 230 V/50 Hz |  | max. log length   | 520 mm |
|  | power input   | 2100 W      |  | max. log diameter | 250 mm |
|  | max. pressure | 6 t         |  | weight            | 51 kg  |



Part no.:  
HECHT 006061



1060 x 520 x 380 mm



|  |               |             |  |                   |         |
|--|---------------|-------------|--|-------------------|---------|
|  | electric      | 230 V/50 Hz |  | max. log length   | 1060 mm |
|  | power input   | 2200 W      |  | max. log diameter | 400 mm  |
|  | max. pressure | 6 t         |  | weight            | 78 kg   |



Part no.:  
HECHT 006100 A



Part no.:  
HECHT 006100 B



1060 x 560 x 440 mm



|  |               |             |  |                   |         |
|--|---------------|-------------|--|-------------------|---------|
|  | electric      | 230 V/50 Hz |  | max. log length   | 1060 mm |
|  | power input   | 3000 W      |  | max. log diameter | 400 mm  |
|  | max. pressure | 8 t         |  | weight            | 98 kg   |



model 2016



Part no.:  
HECHT 006100 A



Part no.:  
HECHT 006100 B



1100 x 555 x 450 mm



|  |               |             |  |                   |         |
|--|---------------|-------------|--|-------------------|---------|
|  | electric      | 400 V/50 Hz |  | max. log length   | 1070 mm |
|  | power input   | 3700 W      |  | max. log diameter | 400 mm  |
|  | max. pressure | 10 t        |  | weight            | 128 kg  |



Part no.:  
006414 A  
006414 B  
006414 C



1040 x 690 x 520 mm



|  |               |             |  |                   |         |
|--|---------------|-------------|--|-------------------|---------|
|  | electric      | 400 V/50 Hz |  | max. log length   | 1350 mm |
|  | power input   | 4300 W      |  | max. log diameter | 400 mm  |
|  | max. pressure | 14 t        |  | weight            | 191 kg  |

# VACUUM CLEANERS / BLOWERS

## HECHT 3000

## HECHT 3030



Metal blade



815 x 190 x 235 mm



920 x 210 x 305 mm



|             |             |                |          |
|-------------|-------------|----------------|----------|
| electric    | 230 V/50 Hz | air velocity   | 275 km/h |
| power input | 3000 W      | collecting bag | 45 l     |

|             |             |                                       |              |
|-------------|-------------|---------------------------------------|--------------|
| electric    | 230 V/50 Hz | collecting bag                        | 50 l         |
| power input | 3000 W      | air velocity                          | 200–300 km/h |
| weight      | 4,8 kg      | multistage adjustment of engine power |              |

## HECHT 9254



2 IN 1

metal blade



580 x 290 x 390 mm

2-stroke engine

|                |      |  |
|----------------|------|--|
| collecting bag | 50 l |  |
|----------------|------|--|

|               |                      |                            |                       |
|---------------|----------------------|----------------------------|-----------------------|
| engine volume | 25,4 cm <sup>3</sup> | air velocity               | 148 km/h              |
| power output  | 1 HP                 | air volume                 | 0,2 m <sup>3</sup> /s |
| weight        | 5,8 kg               | adjustment of engine power |                       |

## HECHT 9265



2 IN 1

DOUBLE REINFORCEMENT OF SUCTION / BLOWER AUGER



metal blade



580 x 355 x 370 mm

2-stroke engine



|               |                      |                            |          |
|---------------|----------------------|----------------------------|----------|
| engine volume | 25,4 cm <sup>3</sup> | air velocity               | 180 km/h |
| power output  | 1 HP                 | collecting bag             | 50 l     |
| weight        | 4,1 kg               | adjustment of engine power |          |

# VACUUM CLEANERS / BLOWERS

## HECHT 972 PROFI

GARDEN



Filter for dusty environments

Blower only



540 x 430 x 550 mm

2-stroke engine



|  |                            |                      |  |                          |                       |
|--|----------------------------|----------------------|--|--------------------------|-----------------------|
|  | engine volume              | 79,4 cm <sup>3</sup> |  | weight without accessory | 11 kg                 |
|  | power output               | 4,6 HP               |  | air volume               | 0,4 m <sup>3</sup> /s |
|  | adjustment of engine power |                      |  |                          |                       |

## HECHT 979 PROFI



Filter for dusty environments

Blower only



530 x 410 x 580 mm

2-stroke engine



|  |               |                      |  |                          |                        |
|--|---------------|----------------------|--|--------------------------|------------------------|
|  | engine volume | 75,6 cm <sup>3</sup> |  | weight without accessory | 11,5 kg                |
|  | power output  | 4,2 HP               |  | air volume               | 0,41 m <sup>3</sup> /s |

## HECHT 9440

**BATTERY AND CHARGER NOT INCLUDED**



2 IN 1



440 x 390 x 222 mm



|  |                       |               |                                  |                           |                        |
|--|-----------------------|---------------|----------------------------------|---------------------------|------------------------|
|  | Li-ion                | DC 40 V, 4 Ah |                                  | air volume blower         | 0,07 m <sup>3</sup> /s |
|  | weight blower         | 2,14 kg       |                                  | air volume vacuum cleaner | 0,1 m <sup>3</sup> /s  |
|  | weight vacuum cleaner | 2,88 kg       | Battery and charger not included |                           |                        |

## OPPAMA PET 304

Engine tachometer

Petrol engine tachometer:  
2-stroke - 1 cylinder,  
4-stroke - 2 cylinder  
Max. 20 000 rpm



## OPPAMA PET 1000R

Engine tachometer

Petrol engine tachometer:  
2-stroke - 1 cylinder  
4-stroke - 2 cylinder



## OPPAMA PET 4000

Ignition checker



# ACCU PROGRAM 5040

## HECHT 5035

WITH BATTERY AND CHARGER



735 x 405 x 370 mm **CE** PUSHED

|   |                     |         |    |                                      |          |
|---|---------------------|---------|----|--------------------------------------|----------|
| ⚡ | accu Li-Ion         | DC 40 V | 📏  | height adjustment                    | 25-75 mm |
| 🔋 | Li-Ion              | 2,5 Ah  | 🌿  | plastic chassis                      |          |
| 📏 | working width       | 35 cm   | 🗑️ | collecting box                       | 35 l     |
| 👤 | weight              | 17,5 kg | ⬆️ | central adjustment of cutting height |          |
| 🛞 | wheels (front/rear) | 6/9"    |    |                                      |          |

## HECHT 5038

WITH BATTERY AND CHARGER



790 x 455 x 370 mm **CE** PUSHED

|   |                     |         |    |                                      |          |
|---|---------------------|---------|----|--------------------------------------|----------|
| ⚡ | accu Li-Ion         | DC 40 V | 📏  | height adjustment                    | 25-75 mm |
| 🔋 | Li-Ion              | 4 Ah    | 🌿  | plastic chassis                      |          |
| 📏 | working width       | 38 cm   | 🗑️ | collecting box                       | 40 l     |
| 👤 | weight              | 16,4 kg | ⬆️ | central adjustment of cutting height |          |
| 🛞 | wheels (front/rear) | 6/9"    |    |                                      |          |

## HECHT 6504

|    |                       |             |
|----|-----------------------|-------------|
| ⚡  | Accu Li-Ion           | DC 40 V     |
| 📏  | max. cutting diameter | 20 mm       |
| 🗑️ | bar length            | 50 cm       |
| 👤  | weight                | 4,5 kg      |
| 📏  | length                | 1,9 - 2,4 m |



Telescopic + 50 cm



1220 x 210 x 140 mm

## HECHT 1384

BATTERY AND CHARGER NOT INCLUDED

www.hecht.cz



660 x 480 x 340 mm **CE**

|                             |               |         |    |                 |        |
|-----------------------------|---------------|---------|----|-----------------|--------|
| ⚡                           | accu Li-Ion   | DC 40 V | 🗑️ | collecting box  | 45 l   |
| 📏                           | working width | 38 cm   | 🕒  | working time    | 48 min |
| 👤                           | weight        | 14,5    | 🌿  | plastic chassis |        |
| without battery and charger |               |         |    |                 |        |

**Battery 005040B**  
DC 40 V, 4 Ah  
Available from 1/17



**Battery 005025B**  
DC 40 V, 2,6 Ah  
Available from 1/17

## HECHT 9040

BATTERY AND CHARGER NOT INCLUDED



570 x 555 x 460 mm

|   |               |         |                                  |               |         |
|---|---------------|---------|----------------------------------|---------------|---------|
| ⚡ | accu Li-Ion   | DC 40 V | 🛞                                | manual pushed | ✓       |
| 🔋 | Li-Ion        | 4 Ah    | 👤                                | weight        | 19,5 kg |
| 📏 | working width | 46 cm   | Battery and charger not included |               |         |



With light

cca 90 cm

46 cm

## HECHT 9440

BATTERY AND CHARGER NOT INCLUDED



440 x 390 x 222 mm **CE**

|   |                       |               |                                  |                           |           |
|---|-----------------------|---------------|----------------------------------|---------------------------|-----------|
| ⚡ | Li-Ion                | DC 40 V, 4 Ah | 🌬️                               | air volume blower         | 0,07 m³/s |
| 👤 | weight blower         | 2,14 kg       | 🌬️                               | air volume vacuum cleaner | 0,1 m³/s  |
| 👤 | weight vacuum cleaner | 2,88 kg       | Battery and charger not included |                           |           |



2 IN 1



# ACCU PROGRAM 5040

## HECHT 5046

Mulching kit included

WITH BATTERY AND CHARGER



PATENTED WHEELS DESIGN



845 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

|    |                     |         |    |                                      |          |
|----|---------------------|---------|----|--------------------------------------|----------|
| ⚡  | accu Li-Ion         | DC 40 V | 📏  | height adjustment                    | 25-75 mm |
| 🔋  | Li-Ion              | 4 Ah    | 🛡️ | steel chassis                        |          |
| 📏  | working width       | 46 cm   | 🗑️ | collecting box                       | 60 l     |
| 🏋️ | weight              | 26 kg   | ⚙️ | ball bearings                        |          |
| 🛞  | wheels (front/rear) | 8/11"   | ⬇️ | central adjustment of cutting height |          |



PATENTED WHEELS DESIGN



910 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

|    |                     |         |    |                                      |          |
|----|---------------------|---------|----|--------------------------------------|----------|
| ⚡  | accu Li-Ion         | DC 40 V | 📏  | height adjustment                    | 25-75 mm |
| 🔋  | Li-Ion              | 4 Ah    | 🛡️ | steel chassis                        |          |
| 📏  | working width       | 51 cm   | 🗑️ | collecting box                       | 60 l     |
| 🏋️ | weight              | 27,7 kg | ⚙️ | ball bearings                        |          |
| 🛞  | wheels (front/rear) | 8/11"   | ⬇️ | central adjustment of cutting height |          |

## HECHT 5051

Mulching kit included

WITH BATTERY AND CHARGER



GARDEN

## Charger 005040CH

Available from 1/17



Battery cells



12 products with 1 battery and charger



BATTERY AND CHARGER NOT INCLUDED



## HECHT 1440

Accu brushcutter

|    |                           |                |
|----|---------------------------|----------------|
| ⚡  | accumulator               | Li-ion Samsung |
| ⚡  | accu article (V)          | DC 40 V, 4 Ah  |
| 📏  | working width blade       | 25,4 cm        |
| 📏  | working width string head | 30             |
| 🏋️ | weight                    | 5,5 kg         |

## HECHT 9504

BATTERY AND CHARGER NOT INCLUDED



## HECHT 9940

|    |                  |                |    |
|----|------------------|----------------|----|
| ⚡  | accumulator      | Li-ion Samsung | CE |
| ⚡  | accu article (V) | DC 40 V, 4 Ah  |    |
| 📏  | bar length       | 35 cm          |    |
| 🏋️ | weight           | 5,5 kg         |    |

BATTERY AND CHARGER NOT INCLUDED



## HECHT 1040

BATTERY AND CHARGER NOT INCLUDED



|   |                  |                |    |               |          |
|---|------------------|----------------|----|---------------|----------|
| ⚡ | accumulator      | Li-ion Samsung | 📏  | working width | 28-32 cm |
| ⚡ | accu article (V) | DC 40 V, 4 Ah  | 🏋️ | weight        | 3,8 kg   |



|   |             |           |    |            |        |
|---|-------------|-----------|----|------------|--------|
| ⚡ | Accu Li-Ion | DC 40 V   | 📏  | bar length | 20 cm  |
|   | length      | 2,3-2,8 m | 🏋️ | weight     | 4,4 kg |

445 x 258 x 290 mm



1232 x 258 x 118 mm

# ORIGINAL ACCESSORIES

## Adapters for grass trimmers HECHT

| HECHT<br>made for you | order number<br>dimensions    | Hecht 1238 | Hecht 1299 | Hecht 1445 | Hecht 690 | HECHT 124 | Hecht 124 R | Hecht 130R | Hecht 129 BTS | Hecht 135 BTS | HECHT 1330 | Hecht 142 BTS | Hecht 145 | Hecht 151 | Hecht 152 BTS | Hecht 154 | Hecht 150, 163 |
|-----------------------|-------------------------------|------------|------------|------------|-----------|-----------|-------------|------------|---------------|---------------|------------|---------------|-----------|-----------|---------------|-----------|----------------|
|                       |                               |            |            |            |           |           |             |            |               |               |            |               |           |           |               |           |                |
|                       | HECHT 000109 <b>EASY-load</b> |            | x          |            |           |           |             |            | x             | x             | x          | x             | x         | x         | x             | x         |                |
|                       | HECHT 000130 <b>EASY-load</b> |            |            |            |           |           |             |            |               |               |            |               | x         | x         | x             | x         |                |
|                       | HECHT 000108                  |            |            | x          | x         | x         | x           | x          | x             | x             | x          | x             | x         | x         | x             | x         |                |
|                       | 74201080                      |            | x          |            |           |           |             |            |               |               |            |               |           |           |               |           |                |
|                       | 74203101                      |            | x          |            |           |           |             |            |               |               |            |               |           |           |               |           |                |
|                       | H124-11                       |            |            |            |           | x         |             |            |               |               |            |               |           |           |               |           |                |
|                       | 124R00004                     |            |            |            |           |           | x           | x          |               |               |            |               |           |           |               |           |                |
|                       | 16300000H                     |            |            |            |           |           |             |            |               |               |            |               |           |           |               |           | x              |
|                       | 690002432                     |            |            |            | x         |           |             |            |               |               |            |               |           |           |               |           |                |
|                       | 600050 ø 255x1,4mm            | x          | x          |            |           |           |             |            | x             | x             | x          | x             | x         | x         | x             | x         | x              |
|                       | 600040 ø 255x1,4mm            | x          | x          |            |           |           |             |            | x             | x             | x          | x             | x         | x         | x             | x         | x              |
|                       | 600250 ø 255x1,4mm            | x          | x          |            |           |           |             |            | x             | x             | x          | x             | x         | x         | x             | x         | x              |
|                       | 600600 ø 250x3,0mm            |            |            |            |           |           |             |            |               |               |            | x             | x         | x         | x             | x         | x              |
|                       | 600610 ø 300x3,0mm            |            |            |            |           |           |             |            |               |               |            | x             | x         | x         | x             | x         | x              |
|                       | 600590 ø 255x1,4mm            |            |            |            |           |           |             |            |               |               |            |               |           | x         | x             | x         | x              |
|                       | 600640 ø 255x1,8mm            |            |            |            |           |           |             |            |               |               |            |               |           | x         | x             | x         | x              |

## Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 1,65 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 1,65 x 750 m (10075016)
- Ø 2,0 x 520 m (10052020)
- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 3,3 x 210 m (10021033)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- Ø 3,3 x 232 m (10123233)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)
- ★ Ø 3,3 x 232 m (10223233)



## Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 1,65 x 750 m (10375016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2 x 520 m (10352020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 3,3 x 210 m (10321033)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)
- Ø 3,3 x 232 m (10423233)



www.hecht.cz

1.

Insert

2.

Get through

3.

Reel in

4.

Complete

**EASY-load**

Easy load system - really quick string change without using any tools.

## HECHT GREASE GX

Plastic lubricant for angle drives  
Min. order 48 pcs



Plastic tube



## HECHT 000101 Shoulder strap



Plastic bag with hang tag

## HECHT 000102 Shoulder strap

Plastic bag with hang tag



## HECHT 000103 Shoulder strap

Plastic bag with tag




## HECHT 5036 SET 2in1

Separable handle



SAMSUNG



Scissors



Hedge



740 x 130 x 125 mm

|   |              |                |  |               |         |
|---|--------------|----------------|--|---------------|---------|
| ⚡ | accumulator  | Li-ion Samsung |  | working width | 8/11 cm |
| ⚡ | accu article | DC 3,6 V       |  | weight        | 1 kg    |

# ACCU PROGRAM 6020

You can buy grass trimmer HECHT 5020 with a battery and charger included to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

## 3 in 1

(3 products with 1 battery and charger)

**ACCU program 6020**

**Battery 000620B**  
DC 20 V, 2 Ah



**Charger 000620CH**



## HECHT 5020



**BATTERY AND CHARGER INCLUDED**



895 x 250 x 155 mm

CE

|  |                           |               |  |               |         |
|--|---------------------------|---------------|--|---------------|---------|
|  | accumulator               | Lithium-ion   |  | working width | 25 cm   |
|  | accu article (V)          | DC 20 V. 2 Ah |  | weight        | 2 kg    |
|  | working time without load | cca 20 min    |  | charging time | cca 2 h |

**Li-ion**  
Powered

## HECHT 6020



**BATTERY AND CHARGER NOT INCLUDED**



945 x 220 x 170 mm

CE

|  |                       |               |                                  |            |         |
|--|-----------------------|---------------|----------------------------------|------------|---------|
|  | accumulator           | Lithium-ion   |                                  | bar length | 61 cm   |
|  | accu article (V)      | DC 20 V. 2 Ah |                                  | weight     | 1,85 kg |
|  | max. cutting diameter | 15 mm         | Battery and charger not included |            |         |

## HECHT 9020



**BATTERY AND CHARGER NOT INCLUDED**



500 x 170 x 210 mm

CE

|                                  |                  |               |  |              |          |
|----------------------------------|------------------|---------------|--|--------------|----------|
|                                  | accumulator      | Lithium-ion   |  | air velocity | 198 km/h |
|                                  | accu article (V) | DC 20 V. 2 Ah |  | weight       | 1,3 kg   |
| Battery and charger not included |                  |               |  |              |          |

\* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

# ELECTRIC AND PETROL GRASS TRIMMERS AND BRUSH CUTTERS

## HECHT 300




CE

400 x 195 x 120 mm

CZ SK GB PL HU

|   |             |             |               |        |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | working width | 22 cm  |
| ⚡ | power input | 300 W       | weight        | 1,4 kg |

## HECHT 530



CE

980 x 245 x 130 mm

CZ SK GB PL HU

|   |             |             |               |        |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | working width | 30 cm  |
| ⚡ | power input | 550 W       | weight        | 2,6 kg |

## HECHT 630



CE

890 x 250 x 155 mm

CZ SK GB PL HU

|   |             |             |               |        |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | working width | 30 cm  |
| ⚡ | power input | 600 W       | weight        | 2,8 kg |

## HECHT 1299

Separable shaft



CE

310 x 825 x 140 mm

CZ SK GB PL HU

|   |             |             |               |        |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | working width | 38 cm  |
| ⚡ | power input | 1200 W      | weight        | 4,4 kg |

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

977 x 294 x 130 mm

CZ SK GB PL HU

|   |             |             |               |        |
|---|-------------|-------------|---------------|--------|
| ⚡ | electric    | 230 V/50 Hz | working width | 38 cm  |
| ⚡ | power input | 1200 W      | weight        | 4,4 kg |

## HECHT 1445

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

990 x 230 x 110 mm

CZ SK GB PL HU

|   |             |             |               |       |
|---|-------------|-------------|---------------|-------|
| ⚡ | electric    | 230 V/50 Hz | working width | 42 cm |
| ⚡ | power input | 1400 W      | weight        | 5 kg  |

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

986 x 257 x 233 mm

CZ SK GB PL HU

|   |               |                    |               |        |
|---|---------------|--------------------|---------------|--------|
| ⚡ | engine volume | 25 cm <sup>3</sup> | working width | 43 cm  |
| ⚡ | power output  | 1 HP               | weight        | 4,6 kg |



# PETROL BRUSH CUTTERS

Separable shaft



## HECHT 130 R

Separable shaft



## HECHT 129 BTs

Basic accessories of the machine are: string head and shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke  
autochoke

2-stroke

ULTRA LIGHT



1020 x 260 x 260 mm



|  |               |                    |  |               |       |
|--|---------------|--------------------|--|---------------|-------|
|  | engine volume | 30 cm <sup>3</sup> |  | working width | 43 cm |
|  | power output  | 1,2 HP             |  | weight        | 5 kg  |



1100 x 270 x 260 mm



|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 26 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 1,1 HP             |  | weight        | 5,9 kg |

Separable shaft



## HECHT 135 BTs

Separable shaft



## HECHT 142 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke

ULTRA LIGHT

ULTRA LIGHT



1130 x 270 x 256 mm



|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 33 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 1,5HP              |  | weight        | 6,1 kg |



1100 x 300 x 300 mm



|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 43 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 2 HP               |  | weight        | 6,8 kg |

## HECHT 145

Separable shaft



## HECHT 152 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke



1840 x 252 x 302 mm



|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 43 cm <sup>3</sup> |  | working width | 42 cm  |
|  | power output  | 2 HP               |  | weight        | 8,5 kg |



1100 x 300 x 300 mm



|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 52 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 2,2 HP             |  | weight        | 7,9 kg |

\* Net weight of grass trimmers and brush cutters is without cutting cover and tools

# PETROL BRUSH CUTTERS

## HECHT 151



Basic accessories of the machine are: string head and metal blade, shoulder belt



1850 x 280 x 285 mm

|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 51 cm <sup>3</sup> |  | working width | 44 cm  |
|  | power output  | 2,4 HP             |  | weight        | 8,9 kg |

## HECHT 150



Basic accessories of the machine are: string head and metal blade, shoulder belt



1860 x 310 x 306 mm

|  |               |                      |  |               |       |
|--|---------------|----------------------|--|---------------|-------|
|  | engine volume | 51,7 cm <sup>3</sup> |  | working width | 43 cm |
|  | power output  | 2,2 HP               |  | weight        | 10 kg |

## HECHT 154

Basic accessories of the machine are: string head, shoulder belt and metal blade, carburetor WALBRO



2-stroke  
easy start  
autochoke



1880 x 315 x 300 mm

|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 52 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 2,6 HP             |  | weight        | 8,7 kg |

A robust cleaning brush cutter for demanding applications

## HECHT 163

Basic accessories of the machine are: string head, shoulder belt and metal blade,



3,1 HP



1871 x 313 x 318 mm

|  |               |                      |  |               |         |
|--|---------------|----------------------|--|---------------|---------|
|  | engine volume | 63,3 cm <sup>3</sup> |  | working width | 43 cm   |
|  | power output  | 3,1 HP               |  | weight        | 10,8 kg |

## HECHT 133 R

Basic accessories of the machine are: string head, shoulder belt and metal blade



4-stroke



1840 x 264 x 270 mm

|  |               |                      |  |               |        |
|--|---------------|----------------------|--|---------------|--------|
|  | engine volume | 33,5 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 1,1 HP               |  | weight        | 7,5 kg |

## HECHT 1330

Multifunctional tool

5in 1



2-stroke



1080 x 260 x 270 mm

|  |               |                    |  |               |        |
|--|---------------|--------------------|--|---------------|--------|
|  | engine volume | 26 cm <sup>3</sup> |  | working width | 43 cm  |
|  | power output  | 1 HP               |  | weight        | 7,5 kg |

Lawn cutter - optional accessory for HECHT 0001330



# PETROL SWEEPERS, GARDEN GLOVES

GARDEN

## HECHT 8616

**3 in 1**      13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

**CE**

|  |               |                     |  |                                |       |
|--|---------------|---------------------|--|--------------------------------|-------|
|  | displacement  | 196 cm <sup>3</sup> |  | weight                         | 70 kg |
|  | working width | 55/62/85 cm         |  | 4 gear forward, 2 gear reverse |       |

## HECHT 8616 SE

With 230 V electric starter and adjustable light

**3 in 1**      13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

**CE**

|  |               |                     |  |                                |       |
|--|---------------|---------------------|--|--------------------------------|-------|
|  | displacement  | 196 cm <sup>3</sup> |  | weight                         | 72 kg |
|  | working width | 55/62/85 cm         |  | 4 gear forward, 2 gear reverse |       |

## HECHT 8101

*Variable brush speed*



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

**CE**

|  |               |                     |  |                                |               |
|--|---------------|---------------------|--|--------------------------------|---------------|
|  | displacement  | 173 cm <sup>3</sup> |  | weight                         | 79 kg         |
|  | power input   | 6,5 HP*             |  | 3 gear forward, 1 gear reverse |               |
|  | working width | 100 cm              |  | brush speed                    | 180 - 350 rpm |

### Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare 000861 A



61 cm

Collecting box 000861 B



Snow thrower 000861 C



55 cm

### Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A



Collecting box 008101 B



13" Chains 009551



## HECHT 8101 S

*Variable brush speed*



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

**CE**

**Equipped with battery starter**

|  |               |                     |  |                                |               |
|--|---------------|---------------------|--|--------------------------------|---------------|
|  | displacement  | 173 cm <sup>3</sup> |  | weight                         | 82 kg         |
|  | power input   | 6,5 HP*             |  | 3 gear forward, 1 gear reverse |               |
|  | working width | 100 cm              |  | brush speed                    | 180 - 350 rpm |

## HECHT 8101 BS

*Variable brush speed*



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke engine B&S 750 EX

**CE**

**POWERED BY BRIGGS & STRATTON**

|  |               |                     |  |                                |               |
|--|---------------|---------------------|--|--------------------------------|---------------|
|  | displacement  | 161 cm <sup>3</sup> |  | weight                         | 76 kg         |
|  | power input   | 6,5 HP*             |  | 3 gear forward, 1 gear reverse |               |
|  | working width | 100 cm              |  | brush speed                    | 180 - 350 rpm |

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# GARDEN TOOLS

**420 CC**



**421**



**498 D2**



**435 HB 2L**



**493 A**



**494 ADN**



**176 GT**



**434DLA08**  
Ratchet shears



**527A**



**023 - 2W**



**041 C**



**018KB**



**020 AKB**



**036 WLG**



telescopic


**0185GHJ2**



**020A5GHJ2**



**018 LGG**




telescopic

**020 ALGG**




telescopic

**0182036L**




telescopic

**050GAH9L**



telescopic

**050TAH9L**



telescopic

**060AH9L**



telescopic

**2002**



**2003**



**2004**



**G02FHN**



**JZN200 - universal garden pruning shears 200 cm**



**JZN356 - universal garden pruning shears 200-356 cm**



**R4**

**M4 T2A - aluminium - telescopic**

130-243 cm

# SPADES, RAKES

## HECHT 600801

Working part made of carbon steel.

thickness 1,8 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600805

Working part made of carbon steel.

thickness 2 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600808

Working part made of carbon steel.

thickness 1,8 mm  
blade length 295 mm  
neck length 300 mm  
handle length 850 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600821

Working part made of carbon steel.

thickness 2 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1200 mm

Handle made of durable ash wood.



Box: 3 pcs

## HECHT 600818

Working part made of carbon steel.

length 1220 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 2213

Working part made of carbon steel.

length 1145 mm



GARDEN

## 5in1

(5 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.


## HECHT 600101

oval aluminum handle with plastic sleeve, soft grip and end hook

### QUICK ASSEMBLY



Box: 6 pcs



161 cm

## HECHT 600135

PET rake blade 35 teeth  
size 760 x 310 mm



Box: 6 pcs

## HECHT 600123

PET rake blade 23 teeth  
size 480 x 260 mm



Box: 6 pcs

## HECHT 600112

Nylon rake blade 12 teeth  
size 410 mm



Box: 6 pcs

## HECHT 600118

Nylon rake blade 18 teeth  
size 580 mm



Box: 6 pcs

## HECHT 600113

PET rake blade 13 teeth  
size 240 x 200 mm



Box: 6 pcs

# GARDEN TOOLS, BOW SAWS, COMPOSTERS

**600631**

47 cm



**M4B1**

pruning shears for trimming branches and tall trees



**900442**



folding

**F2AD**



folding

**HECHT 600605**

length 53,4 cm

Bow saw for wood cutting



**HECHT 600620**

length 61 cm

Bow saw for wood cutting



**M9GLC**  
tool holder



5 PCS SET



www.hecht.cz

**HECHT 36**

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



235 x 845 x 725 mm



|                                                                                     |              |                 |
|-------------------------------------------------------------------------------------|--------------|-----------------|
|  | max capacity | 360 l           |
|                                                                                     | dimensions   | 78 x 78 x 84 cm |

**HECHT 4600**

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



770 x 240 X 1090 mm



|                                                                                       |              |                  |
|---------------------------------------------------------------------------------------|--------------|------------------|
|  | max capacity | 600 l            |
|                                                                                       | dimensions   | 80 x 80 x 108 cm |

# GARDEN CARTS, FERTILIZERS

## HECHT GARDEN CART

order no.:  
HCG401



PLASTIC WITH WHEELS



|  |              |       |
|--|--------------|-------|
|  | max weight   | 30 kg |
|  | max capacity | 60 l  |

## HECHT PROFI CART

order no.:  
HCP402



PLASTIC WITH WHEELS



|  |              |        |
|--|--------------|--------|
|  | max weight   | 150 kg |
|  | max capacity | 110 l  |

## HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



plastic bag

|  |        |        |              |                            |
|--|--------|--------|--------------|----------------------------|
|  | manual |        | max capacity | cca 3 l                    |
|  | weight | 0,5 kg |              | max. width of sprading 2 m |

## HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



245 x 210 x 575 mm

|  |               |      |              |                              |
|--|---------------|------|--------------|------------------------------|
|  | manual pushed |      | max capacity | 12 l                         |
|  | weight        | 2 kg |              | max. width of sprading 45 cm |

## HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



595 x 295 x 210 mm

|  |               |        |              |                              |
|--|---------------|--------|--------------|------------------------------|
|  | manual pushed |        | max capacity | 20 l                         |
|  | weight        | 2,9 kg |              | max. width of sprading 48 cm |

## HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



500 x 280 x 390 mm

|  |               |        |              |                            |
|--|---------------|--------|--------------|----------------------------|
|  | manual pushed |        | max capacity | 27 l                       |
|  | weight        | 4,4 kg |              | max. width of sprading 3 m |

# FERTILIZERS, GARDEN SHREDDERS

## HECHT 229



Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



620 x 420 x 320 mm

|               |              |                            |
|---------------|--------------|----------------------------|
| manual pushed | max capacity | 29 l                       |
| weight        | 11 kg        | max. width of sprading 3 m |

## HECHT 256



Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



780 x 550 x 450 mm

|               |              |                              |
|---------------|--------------|------------------------------|
| manual pushed | max capacity | 60 l                         |
| weight        | 17,3 kg      | max. width of sprading 3,5 m |

Suitable for lawn tractors

## HECHT 260



Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



www.hecht.cz



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

|               |              |                            |
|---------------|--------------|----------------------------|
| manual pushed | max capacity | 60 l                       |
| weight        | 12,6 kg      | max. width of sprading 4 m |

## HECHT 624



shredded branches



680 x 275 x 360 mm

|  |             |             |                    |                              |
|--|-------------|-------------|--------------------|------------------------------|
|  | electric    | 230 V/50 Hz | cut branches up to | 4,5 cm                       |
|  | power input | 2400 W      |                    | electric overload protection |

## HECHT 6224



shredded branches



650 x 370 x 475 mm

|  |             |             |                    |                              |
|--|-------------|-------------|--------------------|------------------------------|
|  | electric    | 230 V/50 Hz | cut branches up to | 4 cm                         |
|  | power input | 2400 W      |                    | electric overload protection |

## HECHT 624 BOX



shredded branches



485 x 385 x 555 mm

|  |                              |             |                    |          |
|--|------------------------------|-------------|--------------------|----------|
|  | electric                     | 230 V/50 Hz | cut branches up to | 4 cm     |
|  | power input                  | 2500 W      | collecting box     | cca 50 l |
|  | electric overload protection |             |                    |          |



# GARDEN SHREDDERS

## HECHT 6284 XL

box  
cca 60 l



shredded  
branches



575 x 420 x 505 mm



|  |                              |             |  |                    |          |
|--|------------------------------|-------------|--|--------------------|----------|
|  | electric                     | 230 V/50 Hz |  | cut branches up to | 4,5 cm   |
|  | power input                  | 2800 W      |  | collecting box     | cca 60 l |
|  | electric overload protection |             |  |                    |          |

## HECHT 626 Silent

Including  
cca 50 l bag



shredded  
branches



620 x 515 x 255 mm



|  |                                            |             |  |                          |      |
|--|--------------------------------------------|-------------|--|--------------------------|------|
|  | electric                                   | 230 V/50 Hz |  | cut branches up to       | 4 cm |
|  | power input                                | 2600 W      |  | automatic branch pulling |      |
|  | electric overload protection               |             |  |                          |      |
|  | engine brake                               |             |  |                          |      |
|  | shredding by crushing roller (very silent) |             |  |                          |      |

## HECHT 6285 XL



shredded  
branches



570 x 380 x 520 mm



|  |                              |             |  |                    |          |
|--|------------------------------|-------------|--|--------------------|----------|
|  | electric                     | 230 V/50 Hz |  | cut branches up to | 4,4 cm   |
|  | power input                  | 2800 W      |  | collecting box     | cca 60 l |
|  | electric overload protection |             |  |                    |          |

## HECHT 6280 XL



shredded  
branches



box  
cca 60 l



600 x 387 x 445 mm



|  |                                            |             |  |                          |        |
|--|--------------------------------------------|-------------|--|--------------------------|--------|
|  | electric                                   | 230 V/50 Hz |  | cut branches up to       | 4,5 cm |
|  | power input                                | 2800 W      |  | automatic branch pulling |        |
|  | electric overload protection               |             |  |                          |        |
|  | engine brake                               |             |  |                          |        |
|  | shredding by crushing roller (very silent) |             |  |                          |        |
|  | collecting box                             | cca 60 l    |  |                          |        |

## HECHT 6173

Including  
box for  
shredded  
branches



shredded  
branches



790 x 420 x 790 mm



|  |              |                     |  |                |          |
|--|--------------|---------------------|--|----------------|----------|
|  | engine HECHT | OHV                 |  | collecting box | cca 30 l |
|  | displacement | 173 cm <sup>3</sup> |  | weight         | 45 kg    |

## HECHT 6420



Shredding knives

Towing rod

Including  
bag for  
shredded  
branches



1125 x 780 x 460 mm



|  |              |                     |  |                          |      |
|--|--------------|---------------------|--|--------------------------|------|
|  | engine HECHT | OHV                 |  | cut branches up to       | 5 cm |
|  | displacement | 389 cm <sup>3</sup> |  | automatic branch pulling |      |
|  | weight       | 110 kg              |  |                          |      |

# HAND AND KNAPSACK SPRAYERS


## HECHT 401



Plastic bag

|  |        |         |  |             |       |
|--|--------|---------|--|-------------|-------|
|  | manual |         |  | tank volume | 0,9 l |
|  | weight | 0,15 kg |  |             |       |

Adjustable spraying jet



CZ  
SK  
PL  
GB  
DE  
HU

plastic bag

|  |               |       |  |        |        |
|--|---------------|-------|--|--------|--------|
|  | manual        |       |  | weight | 0,5 kg |
|  | max. pressure | 2 bar |  | piston |        |
|  | tank volume   | 1,5 l |  |        |        |


## HECHT 415 V



Relief valve



Adjustable spraying jet



## HECHT 405

pressure relief valve




CZ  
SK  
PL  
GB  
DE  
HU

160 x 185 x 420 mm

|  |               |       |  |        |        |
|--|---------------|-------|--|--------|--------|
|  | manual        |       |  | weight | 1,3 kg |
|  | max. pressure | 3 bar |  | piston |        |
|  | tank volume   | 5 l   |  |        |        |

Adjustable spraying jet



## HECHT 408

pressure relief valve



CZ  
SK  
PL  
GB  
DE  
HU

182 x 182 x 555 mm

|  |               |       |  |        |        |
|--|---------------|-------|--|--------|--------|
|  | manual        |       |  | weight | 1,4 kg |
|  | max. pressure | 3 bar |  | piston |        |
|  | tank volume   | 8 l   |  |        |        |

## ACCESSORIES

|    |                |                                                                               |
|----|----------------|-------------------------------------------------------------------------------|
| 1. | <b>003016</b>  | 30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500       |
| 2. | <b>000408</b>  | The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500 |
| 3. | <b>004500</b>  | telescopic rod max 150 cm for HECHT 405, 408, 4500                            |
| 4. | <b>000416</b>  | telescopic rod max 150 cm for HECHT 425, 4120                                 |
| 5. | <b>000400</b>  | gloss applicator for HECHT 405, 408, 4500                                     |
| 6. | <b>004112</b>  | set of nozzles for HECHT 4112, 4116                                           |
| 7. | <b>000415A</b> | nozzle „F-type“ for HECHT 415 ACCU                                            |



Adjustable spraying jet



pressure relief valve

## HECHT 4500

Manometer



CZ  
SK  
PL  
GB  
DE  
HU

181 x 439 x 181 mm

|  |               |       |  |        |        |
|--|---------------|-------|--|--------|--------|
|  | manual        |       |  | weight | 1,4 kg |
|  | max. pressure | 3 bar |  | piston |        |
|  | tank volume   | 5 l   |  |        |        |

# SPRAYERS AND MIST DUSTERS

## HECHT 41 12



425 x 165 x 559 mm



|  |               |  |             |      |
|--|---------------|--|-------------|------|
|  | manual        |  | tank volume | 12 l |
|  | max. pressure |  | piston      |      |

## HECHT 41 16



440 x 185 x 570 mm



|  |               |  |             |      |
|--|---------------|--|-------------|------|
|  | manual        |  | tank volume | 16 l |
|  | max. pressure |  | piston      |      |

## HECHT 451

Including applicator for granules

without auxiliary pump



510 x 400 x 690 mm



|  |               |                      |  |             |       |
|--|---------------|----------------------|--|-------------|-------|
|  | engine HECHT  | 2 stroke             |  | weight      | 11 kg |
|  | engine volume | 51,7 cm <sup>3</sup> |  | tank volume | 14 l  |
|  | power output  | 2 HP                 |  | range       | ≤12 m |



## HECHT 459

Including applicator for granules

with auxiliary pump



500 x 440 x 680 mm



|  |               |                      |  |             |         |
|--|---------------|----------------------|--|-------------|---------|
|  | engine HECHT  | 2 stroke             |  | weight      | 10,5 kg |
|  | engine volume | 59,2 cm <sup>3</sup> |  | tank volume | 14 l    |
|  | power output  | 3,6 HP               |  | range       | ≤16 m   |



## HECHT 415 ACCU

Li-ion battery included

Available from 4/17



370 x 240 x 550 mm



|  |               |            |  |             |        |
|--|---------------|------------|--|-------------|--------|
|  | accu          | 12 V, 7 Ah |  | tank volume | 15 l   |
|  | max. pressure | 2,75 bar   |  | weight      | 4,4 kg |



## HECHT 433

Available from 5/17



425 x 350 x 535 mm



|  |               |                      |  |               |        |
|--|---------------|----------------------|--|---------------|--------|
|  | engine HECHT  | 2 stroke             |  | weight        | 9,2 kg |
|  | engine volume | 25,4 cm <sup>3</sup> |  | tank volume   | 15 l   |
|  | power output  | 1 HP                 |  | max. pressure | 25 bar |



# SUBMERSIBLE, SURFACE AND GARDEN PUMPS

## HECHT 3018

Second extension



POND PUMP

Interchangeable attachments



POND PUMP



200 x 200 x 100 mm




200 x 205 x 160 mm



|  |               |               |  |                         |         |
|--|---------------|---------------|--|-------------------------|---------|
|  | electric      | 230 V / 50 Hz |  | max. delivery height    | 1,4 m   |
|  | power input   | 18 W          |  | max. delivery volume    | 900 l/h |
|  | pipe diameter | 1,4"          |  | 10 m rubber power cable |         |

|  |               |               |  |                         |          |
|--|---------------|---------------|--|-------------------------|----------|
|  | electric      | 230 V / 50 Hz |  | max. delivery height    | 2,3 m    |
|  | power input   | 50 W          |  | max. delivery volume    | 1750 l/h |
|  | pipe diameter | 1,2"          |  | 10 m rubber power cable |          |

|  |             |               |  |                         |          |
|--|-------------|---------------|--|-------------------------|----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 10 m     |
|  | power input | 350 W         |  | 10 m rubber power cable |          |
|  | clear water |               |  | max. delivery volume    | 3000 l/h |



220 x 370 x 160 mm

plastic chassis

## HECHT 3400



228 x 168 x 325 mm



plastic chassis

|  |             |               |  |                         |          |
|--|-------------|---------------|--|-------------------------|----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 5 m      |
|  | power input | 400 W         |  | 10 m rubber power cable |          |
|  | dirty water |               |  | max. delivery volume    | 8000 l/h |

## HECHT 3752



228 x 168 x 340 mm



plastic chassis

|  |             |               |  |                         |           |
|--|-------------|---------------|--|-------------------------|-----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 8 m       |
|  | power input | 750 W         |  | 10 m rubber power cable |           |
|  | dirty water |               |  | max. delivery volume    | 12500 l/h |

## HECHT 3011



228 x 168 x 360 mm



inox chassis

|  |             |               |  |                         |           |
|--|-------------|---------------|--|-------------------------|-----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 10 m      |
|  | power input | 1100 W        |  | 10 m rubber power cable |           |
|  | dirty water |               |  | max. delivery volume    | 16000 l/h |

## HECHT 3301



150 x 100 x 280 mm



steel chassis

|  |             |               |  |                         |          |
|--|-------------|---------------|--|-------------------------|----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 55 m     |
|  | power input | 300 W         |  | 10 m rubber power cable |          |
|  |             |               |  | max. delivery volume    | 1400 l/h |

## HECHT 3602




170 x 120 x 280 mm



steel chassis

|  |             |               |  |                         |          |
|--|-------------|---------------|--|-------------------------|----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 70 m     |
|  | power input | 600 W         |  | 10 m rubber power cable |          |
|  |             |               |  | max. delivery volume    | 1700 l/h |

## HECHT 3520



225 x 175 x 635 mm



steel chassis

|  |             |               |  |                         |          |
|--|-------------|---------------|--|-------------------------|----------|
|  | electric    | 230 V / 50 Hz |  | max. delivery height    | 55 m     |
|  | power input | 1000 W        |  | 10 m rubber power cable |          |
|  |             |               |  | max. delivery volume    | 5200 l/h |

# GARDEN PUMPS, GREENHOUSE ACCESSORIES

## HECHT 3080



370 x 210 x 260 mm



|  |               |                 |  |                      |          |
|--|---------------|-----------------|--|----------------------|----------|
|  | electric      | 230 V/<br>50 Hz |  | max. delivery height | 38 m     |
|  | power input   | 800 W           |  | max. delivery volume | 3200 l/h |
|  | max. pressure | 3,8 bar         |  |                      |          |

## HECHT 3800



465 x 280 x 570 mm



|  |                      |                 |  |                      |          |
|--|----------------------|-----------------|--|----------------------|----------|
|  | electric             | 230 V/<br>50 Hz |  | max. suction lift    | 8 m      |
|  | power input          | 800 W           |  | max. delivery volume | 3200 l/h |
|  | max. delivery height | 38 m            |  | tank volume          | 20 l     |

### HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.



carton header

## HECHT 3101 INOX



465 x 280 x 510 mm



|  |               |                 |  |                      |          |
|--|---------------|-----------------|--|----------------------|----------|
|  | electric      | 230 V/<br>50 Hz |  | max. delivery height | 44 m     |
|  | power input   | 1000 W          |  | max. delivery volume | 3500 l/h |
|  | max. pressure | 1,5-3 bar       |  |                      |          |

## HECHT 343



400 x 300 x 400 mm



|  |                      |                    |  |                      |            |
|--|----------------------|--------------------|--|----------------------|------------|
|  | engine HECHT         | 2-stroke           |  | max. suction lift    | 8 m        |
|  | engine volume        | 43 cm <sup>3</sup> |  | weight               | 9,5 kg     |
|  | max. delivery height | 35 m               |  | max. delivery volume | 15 000 l/h |

## HECHT 3635



485 x 383 x 400 mm



|  |                      |               |  |                      |           |
|--|----------------------|---------------|--|----------------------|-----------|
|  | engine HECHT         | OHV, 4-stroke |  | max. suction lift    | 7 m       |
|  | power output         | 6,5 HP*       |  | max. delivery volume | 30000 l/h |
|  | max. delivery height | 27 m          |  |                      |           |

## HECHT 3680



Suction strainer included



FOR DIRTY WATER



570 x 445 x 435 mm



|  |                      |               |  |                      |           |
|--|----------------------|---------------|--|----------------------|-----------|
|  | engine HECHT         | OHV, 4-stroke |  | max. suction lift    | 7 m       |
|  | power output         | 6,5 HP*       |  | weight               | 37 kg     |
|  | max. delivery height | 25 m          |  | max. delivery volume | 45000 l/h |

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION



**08010C** 1/2"

CONNECTION



**08011C** 1/2"

TAP EXTENSION



**08028C** 1"

SPRAYING GUN

**02095**



**HECHT 02096**



CONNECTION



**08029C** 3/4"



**08030C** 3/4"

IRRIGATION NOZZLE



**08024C** 1/2" & 3/4"

THREE-WAY CONNECTION




**08015E**

ALUMINIUM

CONNECTION

**HECHT 08010**


1/2" hoses



1/2"-5/8"

**HECHT 08011**

1/2" hoses



1/2"-5/8"

**HECHT 08111**

3/4" - 5/8" - 1/2" hoses



1/2"-5/8"-3/4"

CONNECTION

**HECHT 08029**

3/4" hoses



3/4"

**HECHT 08030**

3/4" hoses



3/4"

CORRECTION CONNECTION

**HECHT 08013**

3/4" - 5/8" - 1/2" hoses



Universal



1/2"-5/8"-3/4"

TAP EXTENSION

**HECHT 08018**

3/4" hoses



3/4"

**HECHT 08023**

3/4" & 1" hoses



3/4"



1"

**HECHT 08024**

1/2" & 3/4" hoses



1/2"



3/4"

TWO-WAY CONNECTION

**HECHT 08016**



CONNECTION SET

**HECHT 08025**



SPRINKLER

**HECHT 08109**

up to 10 m diameter



ELECTRONIC TIMER

**HECHT 08907**

multifunction pre-set watering selection digital LCD time display only 2 AA batteries required (not included) adaptor 3/4 and 1" hose



MECHANICAL TIMER

**HECHT 08901**

setting 0/120 min no batteries needed adaptor 3/4 and 1"



TWO-WAY TAP EXTENSION

**HECHT 08104**



IMPLUSE SPRINKLER

**HECHT 01023**



**HECHT 08103**



**HECHT 06043**



**HECHT 02677**



www.hecht.cz

# HOSE CONNECTIONS, EXTENTIONS AND GUNS

## SHOWER



**HECHT 08230**

65 cm

10 patterns

## 8 PATTERN OSCILLATING SPRINKLER 3 IN 1

**HECHT 06018**



8 patterns:  
circle, semicircle, rectangle, sector,  
shower, square, triangle, semiflat

## 8 PATTERN SPRINKLER

**HECHT 07060**



500 x 120 x 165 mm

pressure 2-4 bar, max. 20 l/min,  
max. area 280 m<sup>2</sup>

## OSCILLATING SPRINKLER

**HECHT 08601**

max. 4 bar,  
12,4 m diameter



## OSCILLATING SPRINKLER


**HECHT 08702**

17 holes



## SPRAYING GUNS

**HECHT 02002**




**HECHT 02063**



**HECHT 02036**



**HECHT 02064**



**HECHT 02037**



## HOSES

**HECHT 05915**

332 x 235 mm



**HECHT 05120** 1/2"

Working pressure 5 bar  
Bursting pressure 17 bar  
20 m



## HOSE HANGER

**HECHT 00632**



## HOSE REEL

**HECHT 08666**

20 m of 1/2" hose



**HECHT 00627**

335 x 150 x 370 mm

max 50 m of 1/2" hose

## HOSE CART

**HECHT 00628**

530 x 160 x 395 mm

max 50 m of 1/2" hose



**HECHT 08623**

570 x 160 x 370 mm

max 50 m of 1/2" hose



**HECHT 00638**

470 x 190 x 575 mm

max 100 m of 1/2" hose

# GREENHOUSES

## MINI



BOX: 1020 x 100 x 100 mm



100 x 60 x 60 cm

metal frame, PE cover

## TOMATO BASIC



BOX: 570 x 140 x 85 mm



100 x 50 x 150 cm

metal frame, PE cover

## ELONGATED



BOX: 900 x 140 x 115 mm



180 x 90 x 92 cm

metal frame, PE cover

## BALCONY B



BOX: 500 x 90 x 920 mm



90 x 49 x 150 cm

metal frame, PE cover

## BALCONY



BOX: 460 x 67 x 690 mm



68 x 49 x 125 cm

metal frame, PE cover

## TILT



BOX: 1020 x 280 x 130 mm



143 x 73 x 195 cm

metal frame, PE cover

## TUNNEL

### STEEL FRAME



BOX: 1070 x 400 x 170 mm



300 x 200 x 200 cm

metal frame, PE cover

## HECHT CANOPY



BOX: 3030 x 650 x 200 mm



435 x 206/258 x 303 cm

metal frame

## HECHT WORKBENCH

### GALVANIZED STEEL CONSTRUCTION



1 BOX: 1130 x 620 x 90 mm



112 x 61 x 109 cm

galvanized steel construction

## HECHT 000608

### AUTO VENT OPENER



NOT FOR THE MODEL HECHT GREENHOUSE



# GREENHOUSES

## HECHT PLANTER I. HECHT SEEDBED I.

ALU FRAME 1 mm  
+ POLYCARBONATE

ALU FRAME 1 mm  
+ POLYCARBONATE



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm      0,6 m<sup>2</sup>

alu frame, 4 mm pc board



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm      0,6 m<sup>2</sup>

alu frame, 4 mm twinwall polycarbonate

## HECHT SEEDBED II.

ALU FRAME 1 mm  
+ POLYCARBONATE



1 BOX: 620 x 560 x 110 mm

180 x 51 x 51 cm      0,9 m<sup>2</sup>      alu frame, 4 mm pc board

## HECHT GREENHOUSE I.

ALU FRAME 1 mm  
+ POLYCARBONATE

**BASE INCLUDED**  
(GALVANIZED STEEL)



2 BOXES: 1230 x 130 x 620, 2540 x 200 x 160 mm

250 x 190 x 195 cm      4,93 m<sup>2</sup>      1 mm alu frame, 4 mm twinwall polycarbonate

## HECHT RANCHER II.

ALU FRAME 1,2 mm  
+ POLYCARBONATE

**BASE INCLUDED**  
(GALVANIZED STEEL)



2 BOXES: 1380 x 640 x 140, 3170 x 200 x 190 mm

315 x 190 x 195 cm      5,98 m<sup>2</sup>      1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,2 mm  
+ POLYCARBONATE

**BASE INCLUDED**  
(GALVANIZED STEEL)

## HECHT GARDENER I.



2 BOXES: 1360 x 680 x 160, 1700 x 260 x 200 mm

310 x 250 x 190 cm      7,75 m<sup>2</sup>      1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,5 mm  
+ POLYCARBONATE

**BASE INCLUDED**  
(GALVANIZED STEEL)

## HECHT GREENGROECER



2 BOXES: 1420 x 730 x 140, 368 x 240 x 140 mm

365 x 244 x 250 cm      8,9 m<sup>2</sup>      1,5 mm alu frame, 4 mm twinwall polycarbonate

# HIGH PRESSURE WASHERS

## HECHT 317

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 3 meter, 3 meter pressure hose with gun



260 x 250 x 470 mm



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 105 bar |
|  | power input | 1600 W      |  | delivery volume | 360 l/h |

## HECHT 320

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun, accessories holder



325 x 295 x 600 mm

|  |                  |         |
|--|------------------|---------|
|  | max. pressure    | 180 bar |
|  | max. temperature | 60° C   |

BRUSH - 000320B FOR HECHT 320 AND 323

170 x 70 x 118 mm



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 165 bar |
|  | power input | 2000 W      |  | delivery volume | 390 l/h |

## HECHT 323

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable, 5 meter pressure hose with gun, accessories holder



**PRESSURE HOSE - 000320D FOR HECHT 320 AND 323**

270 x 90 x 270 mm



**ROTARY BRUSH - 000320E FOR HECHT 320 AND 323**


170 x 120 x 370 mm



350 x 325 x 735 mm



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 165 bar |
|  | power input | 2200 W      |  | delivery volume | 480 l/h |



**Pump with strengthening of the output pressure**



350 x 890 x 290 mm

|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 135 bar |
|  | power input | 1900 W      |  | delivery volume | 480 l/h |

## HECHT 321

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 7 meter pressure hose with gun



**Self-priming**  
- no need of pressure water supply, also works with pressure water



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 135 bar |
|  | power input | 1900 W      |  | delivery volume | 480 l/h |

## HECHT 324

**Equipment:**  
bottle for cleaner with foam jet, power cable, 8 meter pressure hose with gun, power cable 5 meter



520 x 410 x 640 mm



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 150 bar |
|  | power input | 2300 W      |  | delivery volume | 420 l/h |

## HECHT 326

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun



860 x 380 x 360 mm



|  |             |             |  |                 |         |
|--|-------------|-------------|--|-----------------|---------|
|  | electric    | 230 V/50 Hz |  | max. pressure   | 200 bar |
|  | power input | 2600 W      |  | delivery volume | 420 l/h |

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# PETROL GENERATOR

## HECHT 3227

### Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

Folding handle



575 x 525 x 580 mm



|  |               |                     |  |                 |         |
|--|---------------|---------------------|--|-----------------|---------|
|  | engine HECHT  | 4-stroke            |  | max. pressure   | 186 bar |
|  | engine volume | 196 cm <sup>3</sup> |  | delivery volume | 474 l/h |

## HECHT 3230

### Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool



620 x 490 x 555 mm



|  |               |                     |  |                 |         |
|--|---------------|---------------------|--|-----------------|---------|
|  | engine HECHT  | 4-stroke            |  | max. pressure   | 207 bar |
|  | engine volume | 196 cm <sup>3</sup> |  | delivery volume | 681 l/h |

# WASHER ACCESSORIES

## HECHT 000317



15 m

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220 use the reduction H318326).

230 x 100 x 230



**Rotating brush**  
(for HECHT 318, 326, 3220 use the reduction H318326)  
Part no.: 000318



**Reduction**  
Part no.: H318326



**Rotating brush for the terrace cleaning**  
(for HECHT 318, 326, 3220 use the reduction H318326)  
Part no.: 000326

## HECHT GG 1300

Machine panel equipped with:  
1 socket 230 V  
+ 1 socket 12 V,  
fuse, voltmeter,  
power syst.  
grounding, adj.  
of el. tension.



460 x 360 x 410 mm

4-stroke engine



|  |                          |                    |  |             |             |
|--|--------------------------|--------------------|--|-------------|-------------|
|  | displacement             | 87 cm <sup>3</sup> |  | voltage     | ~230 V/12 V |
|  | power output             | 2,4 HP*            |  | noise level | 93 dB       |
|  | steady electrical output | 900 W              |  | tank        | 5,2 l       |
|  | max. electrical output   | 1000 W             |  | weight      | 27 kg       |

## HECHT GG 950 DC

Machine panel equipped with:  
1 socket 230 V  
+ 1 socket 12 V, fuse, power syst. grounding,



375 x 330 x 320 mm

2-stroke engine



|  |                          |                    |  |             |             |
|--|--------------------------|--------------------|--|-------------|-------------|
|  | displacement             | 63 cm <sup>3</sup> |  | voltage     | ~230 V/12 V |
|  | power output             | 2 HP*              |  | noise level | 95 dB       |
|  | steady electrical output | 650 W              |  | tank        | 4,2 l       |
|  | max. electrical output   | 720 W              |  | weight      | 16,5 kg     |

## HECHT GG 3300

Machine panel equipped with:  
2 socket 230 V  
+ 1 socket 12 V,  
fuse, voltmeter,  
power syst.  
grounding, adj.  
of el. tension.



600 x 450 x 515 mm

4-stroke engine



|  |                          |                     |  |             |             |
|--|--------------------------|---------------------|--|-------------|-------------|
|  | displacement             | 208 cm <sup>3</sup> |  | voltage     | ~230 V/12 V |
|  | power output             | 7 HP*               |  | noise level | 96 dB       |
|  | steady electrical output | 2600 W              |  | tank        | 15 l        |
|  | max. electrical output   | 3000 W              |  | weight      | 46,5 kg     |

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# PETROL GENERATORS, SEPARATOR

## HECHT GG 6500

Machine panel equipped with:  
3 socket 230 V  
+ 1 socket 12 V

**e-start**

**1x industrial socket 32 A**



725 x 555 x 590 mm



4-stroke engine



|  |                          |                     |  |         |             |
|--|--------------------------|---------------------|--|---------|-------------|
|  | displacement             | 389 cm <sup>3</sup> |  | voltage | ~230 V/12 V |
|  | power output             | 13 HP*              |  | weight  | 84 kg       |
|  | steady electrical output | 5000 W              |  | tank    | 25 l        |
|  | max. electrical output   | 5500 W              |  |         |             |

## HECHT GG 8000

Machine panel equipped with:  
2x socket 230 V,  
1x 400 V, 1x 12 V

**e-start**

**folding handle**

**socket counter-parts included**



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



|  |                          |                     |  |             |                      |
|--|--------------------------|---------------------|--|-------------|----------------------|
|  | displacement             | 420 cm <sup>3</sup> |  | voltage     | ~230 V / 400 V =12 V |
|  | power output             | 14 HP*              |  | noise level | 98 dB                |
|  | steady electrical output | 6500 W              |  | tank        | 25 l                 |
|  | max. electrical output   | 7000 W              |  | weight      | 88 kg                |

## HECHT GG 10000

Machine panel equipped with:  
2x socket 230 V,  
1x 400 V, 1x 12 V

**e-start**

**folding handle**

**socket counter-parts included**



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



|  |                          |                     |  |         |                      |
|--|--------------------------|---------------------|--|---------|----------------------|
|  | displacement             | 459 cm <sup>3</sup> |  | voltage | ~230 V / 400 V =12 V |
|  | power output             | 16 HP*              |  | tank    | 25 l                 |
|  | steady electrical output | 7500 W              |  | weight  | 102 kg               |
|  | max. electrical output   | 8500 W              |  |         |                      |

## HECHT GG 1000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



430 x 370 x 290 mm



4-stroke engine



|  |                          |                      |  |             |             |
|--|--------------------------|----------------------|--|-------------|-------------|
|  | displacement             | 53,5 cm <sup>3</sup> |  | voltage     | ~230 V/12 V |
|  | power output             | 1,7 HP*              |  | noise level | 95 dB       |
|  | steady electrical output | 900 W                |  | tank        | 2,7 l       |
|  | max. electrical output   | 1000 W               |  | weight      | 14 kg       |

## HECHT GG 2000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



550 x 480 x 320 mm



4-stroke engine



|  |                          |                       |  |             |             |
|--|--------------------------|-----------------------|--|-------------|-------------|
|  | displacement             | 105,7 cm <sup>3</sup> |  | voltage     | ~230 V/12 V |
|  | power output             | 3 HP*                 |  | noise level | 92 dB       |
|  | steady electrical output | 1600 W                |  | tank        | 3,5 l       |
|  | max. electrical output   | 2000 W                |  | weight      | 22 kg       |

## HECHT 20 E



610 x 355 x 355 mm



|  |             |             |  |             |      |
|--|-------------|-------------|--|-------------|------|
|  | electric    | 230 V/50 Hz |  | tank volume | 18 l |
|  | power input | 1000 W      |  |             |      |

# VACUUM CLEANERS, PLATE COMPACTORS

## HECHT 008314

5 m hose for HECHT 8212, 8314, 8314 Z



Foam filter for HECHT 8212, nr. EKF 1005



CZ  
SK  
PL  
GB  
HU

445 x 321 x 323 mm

|  |             |             |  |             |      |
|--|-------------|-------------|--|-------------|------|
|  | electric    | 230 V/50 Hz |  | tank volume | 20 l |
|  | power input | 1250 W      |  |             |      |

## HECHT 8212 HECHT 8314

WET & DRY CLEANING



HEPA filter for HECHT 8314, 8314 Z, nr. EKF 1009



CZ  
SK  
PL  
GB  
HU

610 x 355 x 355 mm

|  |             |             |  |             |      |
|--|-------------|-------------|--|-------------|------|
|  | tank volume | 230 V/50 Hz |  | tank volume | 30 l |
|  | power input | 1400 W      |  |             |      |



WET & DRY CLEANING

WET & DRY CLEANING



Bag filter for HECHT 8212, 8314, 8314 Z  
3 szt,  
nr. EKF 1001



CZ  
SK  
PL  
GB  
HU

610 x 355 x 355 mm

|  |             |             |  |             |      |
|--|-------------|-------------|--|-------------|------|
|  | tank volume | 230 V/50 Hz |  | tank volume | 30 l |
|  | power input | 1400 W      |  |             |      |

## HECHT 8314 Z HECHT 1111

With socket 230 V / 50 Hz  
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).



CZ  
SK  
PL  
GB  
HU

700 x 398 x 480 mm

|  |                     |                     |                     |              |
|--|---------------------|---------------------|---------------------|--------------|
|  | engine HECHT        | OHV                 | Compaction pressure | 11000 N      |
|  | displacement        | 163 cm <sup>3</sup> | Compaction depth    | 25 cm        |
|  | Dimensions of plate | 530 x 370 mm        |                     | weight 63 kg |

FOLDING WHEELS AND DAMPING PAD INCLUDED



steel chasis

## HECHT 1113

FOLDING WHEELS AND DAMPING PAD INCLUDED



CZ  
SK  
PL  
GB  
HU

700 x 442 x 485 mm

|  |                     |                     |                     |              |
|--|---------------------|---------------------|---------------------|--------------|
|  | engine HECHT        | OHV                 | Compaction pressure | 13000 N      |
|  | displacement        | 196 cm <sup>3</sup> | Compaction depth    | 30 cm        |
|  | Dimensions of plate | 540 x 420 mm        |                     | weight 83 kg |

## HECHT 1114

FOLDING WHEELS AND DAMPING PAD INCLUDED

Available from 4/17



CZ  
SK  
PL  
GB  
HU

700 x 442 x 485 mm

|  |                     |                     |                     |              |
|--|---------------------|---------------------|---------------------|--------------|
|  | engine HECHT        | OHV                 | Compaction pressure | 20000 N      |
|  | displacement        | 196 cm <sup>3</sup> | Compaction depth    | 35 cm        |
|  | Dimensions of plate | 580 x 500 mm        |                     | weight 92 kg |



steel chasis

# MIXERS, EARTH AUGER

## HECHT 2116

## HECHT 2140



770 x 690 x 440 mm



|  |             |             |  |             |         |
|--|-------------|-------------|--|-------------|---------|
|  | electric    | 230 V/50 Hz |  | weight      | 43,5 kg |
|  | power input | 500 W       |  | drum volume | 120 l   |



|  |             |             |  |             |       |
|--|-------------|-------------|--|-------------|-------|
|  | electric    | 230 V/50 Hz |  | weight      | 47 kg |
|  | power input | 550 W       |  | drum volume | 140 l |

## HECHT 2180

## HECHT 2220

www.hecht.cz



770 x 680 x 520 mm



|  |             |             |  |             |       |
|--|-------------|-------------|--|-------------|-------|
|  | electric    | 230 V/50 Hz |  | weight      | 71 kg |
|  | power input | 800 W       |  | drum volume | 180 l |



|  |             |             |  |             |       |
|--|-------------|-------------|--|-------------|-------|
|  | electric    | 230 V/50 Hz |  | weight      | 95 kg |
|  | power input | 1050 W      |  | drum volume | 220 l |

## HECHT 1137

## HECHT 001135

Suitable for mixing coarse mixtures

## HECHT 001136D

Suitable for mixing fine mixtures



Suitable for mixing coarse mixtures, mixing fine mixtures needs a change of mixing tool

245 x 370 x 320 mm



|  |               |                 |  |               |        |
|--|---------------|-----------------|--|---------------|--------|
|  | electric      | 230 V/50 Hz     |  | tool diameter | 120 mm |
|  | power input   | 1400 W          |  | tool height   | 590 mm |
|  | no load speed | 0-570/0-760 rpm |  | weight        | 3,5 kg |

with mixing tool (connection M14)

## HECHT 52

Drilling auger bit  
150 mm included

### Drilling auger bits

| Diameter         | Part no. |
|------------------|----------|
| 100 mm           | 0043100  |
| 150 mm           | 0043150  |
| 200 mm           | 0043200  |
| 346 mm extension | 0043346  |



|  |              |                 |  |                |                    |
|--|--------------|-----------------|--|----------------|--------------------|
|  | engine type  | 2-stroke engine |  | engine volume  | 52 cm <sup>3</sup> |
|  | power output | 1,8 kW*         |  | rotation speed | 160 / min.         |
|  | weight       | 13 kg           |  | drilling depth | 730 mm             |



760 x 480 x 410 mm



# TRANSPORTERS, CHARGERS

## HECHT 2630



1650 x 720 x 1150 mm

steel chasis



|                |                                |                |                                             |
|----------------|--------------------------------|----------------|---------------------------------------------|
| engine HECHT   | OHV                            | max load       | 300 kg                                      |
| displacement   | 196 cm <sup>3</sup>            | weight         | 178 kg                                      |
| Self propelled | 3 gears forward,<br>1 backward | box dimensions | 907 x 600 x 210 mm /<br>1004 x 860 x 210 mm |

## HECHT 2950



1650 x 720 x 1100 mm

hydraulic lifting

steel chasis



|                |                                |                |                     |
|----------------|--------------------------------|----------------|---------------------|
| engine HECHT   | OHV                            | max load       | 500 kg              |
| displacement   | 270 cm <sup>3</sup>            | weight         | 270 kg              |
| Self propelled | 3 gears forward,<br>1 backward | box dimensions | 1004 x 700 x 450 mm |



### HECHT 2012 smart battery charger

Available  
from 3/17

5 steps charging

Input cable length: 1,5 m  
Output cable length: 1,5 m



blister



|             |             |               |                       |
|-------------|-------------|---------------|-----------------------|
| electric    | 230 V/50 Hz | for batteries | 4-120 Ah              |
| power input | 62 W        | output        | 6V - 0,55A / 12V - 1A |

BOOSTER  
JUST 5 MIN. CHARGING  
6 CHARGING STEPS, UP TO 15 A  
SHORT-CIRCUIT AND  
POLARITY PROTECTION



12-VOLT  
SOCKET FOR  
CONNECTING  
ACCESSORIES



230 x 155 x 230 mm

|              |                      |               |          |
|--------------|----------------------|---------------|----------|
| power output | 12V / 2-15 A         | for batteries | 4-300 Ah |
| power input  | 230 V/50 Hz<br>220 W | weight        | 1,53 kg  |

### HECHT 2013 smart battery charger



# COMPRESSORS

**FUNCTIONS:**  
COMPRESSOR  
LIGHT  
WARNING FLASH LIGHT

## HECHT 2001

**Dimensions:**  
46 x 13 x 33 cm

## HECHT 2883



CAN BE PLUGGED IN THE CAR LIGHTER SOCKET



470 x 125 x 335 mm



|  |          |      |  |                      |        |
|--|----------|------|--|----------------------|--------|
|  | electric | 12 V |  | weight               | 1 kg   |
|  | current  | 10 A |  | max. output pressure | 17 bar |



470 x 125 x 335 mm



|  |             |               |  |                      |            |
|--|-------------|---------------|--|----------------------|------------|
|  | electric    | 230 V / 50 Hz |  | Max suction power    | 180 l/min. |
|  | power input | 1100 W        |  | max. output pressure | 8 bar      |

## HECHT 2026

## HECHT 2052



650 x 280 x 630 mm



|  |                   |               |  |                      |       |
|--|-------------------|---------------|--|----------------------|-------|
|  | electric          | 230 V / 50 Hz |  | air tank volume      | 24 l  |
|  | power input       | 1,5 kW / 2 HP |  | max. output pressure | 8 bar |
|  | Max suction power | 184 l/min.    |  | weight               | 25 kg |



740 x 315 x 640 mm



|  |                   |               |  |                      |       |
|--|-------------------|---------------|--|----------------------|-------|
|  | electric          | 230 V / 50 Hz |  | air tank volume      | 50 l  |
|  | power input       | 1,5 kW / 2 HP |  | max. output pressure | 8 bar |
|  | Max suction power | 184 l/min.    |  | weight               | 32 kg |



suitable with HECHT 2026, 2052, 2353



suitable with HECHT 2026, 2052, 2353

TWO OUTLETS



TWIN CYLINDER



770 x 370 x 645 mm

## HECHT 2353



|  |                   |               |  |                      |       |
|--|-------------------|---------------|--|----------------------|-------|
|  | electric          | 230 V / 50 Hz |  | air tank volume      | 50 l  |
|  | power input       | 2,2 kW / 3 HP |  | max. output pressure | 8 bar |
|  | Max suction power | 316 l/min.    |  | weight               | 44 kg |



# POWER TOOLS

## HECHT 1150



LED LIGHT

Charger included  
Charging indicator



210 x 58 x 163 mm

Adjustable head 60°



|   |               |               |                |          |
|---|---------------|---------------|----------------|----------|
| ⚡ | ACCU          | 3,6 V         | chuck capacity | 1/4" hex |
| 🔋 | battery       | Li-ion 1,3 Ah | ⚙️ max. torque | 4 N.m    |
| 🌀 | no load speed | 180 rpm       | 📏 weight       | 0,41 kg  |

LED light, LED charging indicator, charger (3-5 h), set of bits, plastic carrying case

## HECHT 1153



LED LIGHT

Intergrated bit magazine

Charger included

Charging indicator



155 x 55 x 150 mm



|   |               |                |                |          |
|---|---------------|----------------|----------------|----------|
| ⚡ | ACCU          | 3,6 V          | chuck capacity | 1/4" hex |
| 🔋 | battery       | Li-ion, 1,3 Ah | ⚙️ max. torque | 4 N.m    |
| 🌀 | no load speed | 0-180 rpm      | 📏 weight       | 0,5 kg   |

battery charger (3-5 h), 10 pcs screw bits, intergrated bit magazine

## HECHT 1260



LED LIGHT

Charger included



222 x 67 x 213 mm



|   |               |                  |                |           |
|---|---------------|------------------|----------------|-----------|
| ⚡ | ACCU          | 10,8 V           | chuck capacity | 0,8-10 mm |
| 🔋 | battery       | Li-ion, 1,5 Ah   | ⚙️ max. torque | 20 N.m    |
| 🌀 | no load speed | 0-350/0-1350 rpm | 📏 weight       | 1 kg      |

2 speed, with battery, charger (3-5 h), charging base

## HECHT 1215



LED LIGHT

Quick charger 1 h

Charger 001215CH

Charging indicator

Battery 001215B



295 x 95 x 230 mm



|   |               |                  |                |           |
|---|---------------|------------------|----------------|-----------|
| ⚡ | ACCU          | 12 V             | chuck capacity | 0,8-10 mm |
| 🔋 | battery       | Li-ion, 1,5 Ah   | ⚙️ max. torque | 20 N.m    |
| 🌀 | no load speed | 0-350/0-1350 rpm | 📏 weight       | 1,05 kg   |

2 speed, with battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

## HECHT 1223



Quick charger 1 h

LED LIGHT

Charging indicator

Charger 001223CH

2x Battery 001223B



295 x 95 x 230 mm



|   |               |                  |                |           |
|---|---------------|------------------|----------------|-----------|
| ⚡ | ACCU          | 20 V             | chuck capacity | 0,8-10 mm |
| 🔋 | battery       | Li-ion, 1,3 Ah   | ⚙️ max. torque | 25 N.m    |
| 🌀 | no load speed | 0-350/0-1250 rpm |                |           |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

## HECHT 1277



Quick charger 1 h

LED LIGHT

Charging indicator

**ACCU program 1278**

Charger 001277CH

2x Battery 001277B



230 x 295 x 95 mm



|   |               |                  |                |           |
|---|---------------|------------------|----------------|-----------|
| ⚡ | ACCU          | 20 V             | chuck capacity | 0,8-10 mm |
| 🔋 | battery       | Li-ion, 1,5 Ah   | ⚙️ max. torque | 25 N.m    |
| 🌀 | no load speed | 0-350/0-1250 rpm | 📏 weight       | 1,4 kg    |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

# POWER TOOLS

## HECHT 1278



- 
- 
- 
- 
- 

230 x 295 x 95 mm

|  |               |                  |                |               |
|--|---------------|------------------|----------------|---------------|
|  | ACCU          | 20 V             | chuck capacity | 2-13 mm       |
|  | battery       | Li-ion, 1,5 Ah   | impact rate    | 0-525/0-18750 |
|  | no load speed | 0-350/0-1250 rpm |                | weight        |
|  | max. torque   | 35 N.m           |                | 1,54 kg       |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

**ACCU program 1278**

Charger  
001278CH  
2x Battery  
001277B

CE

## HECHT 1288



- 
- 
- 
- 
- 

339 x 90 x 240 mm

|  |               |                  |                |                |
|--|---------------|------------------|----------------|----------------|
|  | ACCU          | 20 V             | chuck capacity | 2-13 mm        |
|  | battery       | Li-ion, 1,5 Ah   | impact rate    | 0-6000/0-22500 |
|  | no load speed | 0-400/0-1500 rpm |                | weight         |
|  | max. torque   | 50 N.m           |                | 1,49 kg        |

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder

**PROFI TOOL**

**60 N.m**  
Charging indicator

Charger  
001288CH  
2x Battery  
001288B

CE

## HECHT 1065



- 
- 
- 
- 
- 

300 x 220 x 80 mm

|  |               |             |                              |         |
|--|---------------|-------------|------------------------------|---------|
|  | electric      | 230 V/50 Hz | drilling capacity - steel    | 10 mm   |
|  | power input   | 650 W       | drilling capacity - concrete | 13 mm   |
|  | no load speed | 0-2800 rpm  | drilling capacity - wood     | 20 mm   |
|  | impact rate   | 0-50400 rpm |                              | weight  |
|  |               |             |                              | 1,58 kg |

variable speed, auxiliary handle, depth gauge

CE

## HECHT 1075



- 
- 
- 
- 
- 

320 x 230 x 80 mm

|  |               |             |                              |       |
|--|---------------|-------------|------------------------------|-------|
|  | electric      | 230 V/50 Hz | drilling capacity - steel    | 13 mm |
|  | power input   | 750 W       | drilling capacity - concrete | 13 mm |
|  | no load speed | 0-3000 rpm  | drilling capacity - wood     | 25 mm |
|  | impact rate   | 0-54000 rpm |                              |       |

variable speed, with keyless chuck, auxiliary handle, depth gauge

CE

## HECHT 1076



- 
- 
- 
- 
- 

320 x 230 x 80 mm

|  |               |             |                              |       |
|--|---------------|-------------|------------------------------|-------|
|  | electric      | 230 V/50 Hz | drilling capacity - steel    | 13 mm |
|  | power input   | 950 W       | drilling capacity - concrete | 13 mm |
|  | no load speed | 0-3000 rpm  | drilling capacity - wood     | 25 mm |
|  | impact rate   | 0-54000 rpm |                              |       |

variable speed, with keyless chuck, auxiliary handle, depth gauge

CE

## HECHT 1112



- 
- 
- 
- 
- 

395 x 270 x 95 mm

|  |               |                   |                           |        |
|--|---------------|-------------------|---------------------------|--------|
|  | electric      | 230 V/50 Hz       | drilling capacity - steel | 13 mm  |
|  | power input   | 1200 W            | max. chuck size           | 13 mm  |
|  | no load speed | 0-1200/0-2800 rpm |                           | weight |
|  |               |                   |                           | 3.4 kg |

variable speed, auxiliary handle, depth gauge

CE

# POWER TOOLS

## HECHT 1080



305 x 380 x 105 mm

|  |               |             |                              |        |
|--|---------------|-------------|------------------------------|--------|
|  | electric      | 230 V/50 Hz | drilling capacity - steel    | 13 mm  |
|  | power input   | 800 W       | drilling capacity - concrete | 26 mm  |
|  | no load speed | 0-1000 rpm  | drilling capacity - wood     | 42 mm  |
|  | impact rate   | 0-5000 rpm  | weight                       | 3,1 kg |

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

## HECHT 1028



380 x 320 x 120 mm

|  |               |             |                              |          |
|--|---------------|-------------|------------------------------|----------|
|  | electric      | 230 V/50 Hz | tool holder                  | SDS plus |
|  | power input   | 1050 W      | drilling capacity - concrete | 26 mm    |
|  | no load speed | 950 rpm     | impact power                 | 4,5 J    |
|  | impact rate   | 4250 rpm    | weight                       | 4,5 kg   |

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case

## HECHT 1069



450 x 385 x 132 mm

|  |               |             |                              |         |
|--|---------------|-------------|------------------------------|---------|
|  | electric      | 230 V/50 Hz | tool holder                  | SDS max |
|  | power input   | 1600 W      | drilling capacity - concrete | 40 mm   |
|  | no load speed | 560 rpm     | impact power                 | 9 J     |
|  | impact rate   | 3530 rpm    | weight                       | 7,3 kg  |

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

## HECHT 000996 Set of drill bits for wood 8 pcs

Ø: 3; 4; 5; 6; 7; 8; 9; 10 mm



## HECHT 000995 Set of drill bits for concrete 5 pcs

Ø: 4; 5; 6; 7; 8 mm



## HECHT 000998 Set of drill bits 19 pcs

drill bits - Ø: 1; 1,5; 2; 2,5; 3; 3,5; 4; 4,5; 5; 5,5; 6; 6,5; 7; 7,5; 8; 8,5; 9; 9,5; 10 mm, metal box



## HECHT 2005 tool set 49 pcs



**Suitable for workshop or car**

**Standard accessory:** screwdrivers, precision screwdrivers, double open wrenches, hand saw with 2 blades, utility cutter, cutter blades, 6" combination pliers, bits holder, 250 V electricity tester, hex keys, 10" water pump pliers, 200g machinist hammer, 3m measuring tape, 25 bits, adaptpor, BMC

735 x 130 x 155 mm



**LEG FRAME 30X30 MM**

## HECHT 0003

**BAMBOO WORKING DESK**

**FOLDING**



dimensions 62,5 x 60,5 x 75,5 cm  
 max. load capacity 100 kg

# ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



You buy a drill HECHT 1277 or HECHT 1278 to have no longer to re-buy batteries for other products.

**001278B**  
spare battery 3 Ah  
for HECHT 1277 and 1278

**001277B**  
spare battery 1,5 Ah  
for HECHT 1277 and 1278

**001277CH**  
charger for HECHT 1277 and 1278

## HECHT 1670 accu circular saw

|                |            |
|----------------|------------|
| no load speed  | 0-4200 rpm |
| blade diameter | 150 mm     |
| cutting depth  | 48 mm      |
| weight         | 2,37 kg    |

Battery not included



310 x 225 x 285 mm

**HECHT 001670**  
saw blade for wood  
24 teeth, 150x10x1,6 mm



AC LASER

**8in 1**  
(8 products with 1 battery)  
**HECHT 1277 o**



## HECHT 1720 accu rotary sander

|                  |                        |
|------------------|------------------------|
| no load speed    | 5000 / 7000 / 9000 rpm |
| baseboard size Ø | 125 mm                 |
| weight           | 1,1 kg                 |

Battery not included



182 x 128 x 168 mm

## HECHT 1510 accu reciprocating saw

|                       |            |
|-----------------------|------------|
| no load speed         | 0-3000 rpm |
| cutting depth - wood  | 115 mm     |
| cutting depth - steel | 10 mm      |
| weight                | 2,11 kg    |

Battery not included



405 x 85 x 185 mm



**HECHT 001726**  
sandpaper roughness 60

**HECHT 001728**  
sandpaper roughness 80

**HECHT 001720**  
sandpaper roughness 120

# ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



## HECHT 1320 accu angle grinder

|                 |          |
|-----------------|----------|
| no load speed   | 8500 rpm |
| disc size       | 115 mm   |
| sprindle thread | M14      |
| weight          | 1,7 kg   |

Battery not included

CZ  
 SK  
 PL  
 GB  
 HU

CE

350 x 135 x 110 mm

including  
2 batteries  
and charger  
in package

for HECHT 1278



## HECHT 1255 accu impact wrench

|                |            |
|----------------|------------|
| no load speed  | 0-2200 rpm |
| max. torque    | 150 N.m    |
| chuck capacity | 1/4" mm    |
| weight         | 1,18 kg    |

Battery not included

CZ  
 SK  
 PL  
 GB  
 HU

CE

195 x 83 x 195 mm

## HECHT 1531 accu jigsaw

|                       |            |
|-----------------------|------------|
| no load speed         | 0-2400 rpm |
| cutting depth - wood  | 80 mm      |
| cutting depth - steel | 10 mm      |
| weight                | 1,7 kg     |

Battery not included

CZ  
 SK  
 PL  
 GB  
 HU

CE

229 x 86 x 215 mm

## HECHT 1707 accu LED light

|                     |          |
|---------------------|----------|
| LED 9 diod          | 2,2 W    |
| LED light intensity | 40 lumen |
| time of lighting ca | 18 h     |
| weight              | 293 g    |

Battery not included

CZ  
 SK  
 PL  
 GB  
 HU

CE

125 x 85 x 210 mm



WORKSHOP / TOOLS

# POWER TOOLS

## HECHT 1540



210 x 250 x 78 mm



|  |               |             |                       |         |
|--|---------------|-------------|-----------------------|---------|
|  | electric      | 230 V/50 Hz | cutting depth - wood  | 55 mm   |
|  | power input   | 400 W       | cutting depth - steel | 6 mm    |
|  | no load speed | 3000 rpm    | weight                | 1,75 kg |

with saw blade, hex key

## HECHT 1568



283 x 85 x 225 mm



|  |               |              |                       |         |
|--|---------------|--------------|-----------------------|---------|
|  | electric      | 230 V/50 Hz  | cutting depth - wood  | 65 mm   |
|  | power input   | 650 W        | cutting depth - steel | 8 mm    |
|  | no load speed | 800-3000 rpm | weight                | 2,31 kg |

with saw blade, dust adaptor, guide fence

## HECHT 1569

AC LASER LED LIGHT



|  |               |              |                       |         |
|--|---------------|--------------|-----------------------|---------|
|  | electric      | 230 V/50 Hz  | cutting depth - wood  | 80 mm   |
|  | power input   | 810 W        | cutting depth - steel | 10 mm   |
|  | no load speed | 800-3000 rpm | weight                | 2,38 kg |

with saw blade, dust adaptor, guide fence

## 000989

saw blades for metal  
for jigsaws 5 pcs




www.hecht.cz



286 x 85 x 225 mm

### Standard accessories



## HECHT 1630



355 x 266 x 95 mm

|  |             |             |                                  |                                 |
|--|-------------|-------------|----------------------------------|---------------------------------|
|  | electric    | 230 V/50 Hz | Quick Change Multi-function Tool |                                 |
|  | power input | 300 W       |                                  | no load speed 15000 - 22000 rpm |

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case

### Available accessories

|                              |                                                                  |                                   |
|------------------------------|------------------------------------------------------------------|-----------------------------------|
| 0001630A<br>2 pcs saw blades | 0001630B<br>10 pcs sanding papers<br>roughness 60, 100, 120, 240 | 0001630C<br>2 pcs abrasive blades |
|                              |                                                                  |                                   |

# POWER TOOLS

## HECHT 1372

**Quick-release disc guard**



330 x 130 x 120 mm

Available from 4/17



|  |               |             |                 |        |
|--|---------------|-------------|-----------------|--------|
|  | electric      | 230 V/50 Hz | disc size       | 115 mm |
|  | power input   | 710 W       | sprindle thread | M14    |
|  | no load speed | 12000 rpm   | weight          | 1,9 kg |

auxiliary handle, wrench, the grindstone is not included

## HECHT 1389

**Quick-release disc guard**



325 x 140 x 120 mm



|  |               |             |                 |         |
|--|---------------|-------------|-----------------|---------|
|  | electric      | 230 V/50 Hz | disc size       | 115 mm  |
|  | power input   | 900 W       | sprindle thread | M14     |
|  | no load speed | 12000 rpm   | weight          | 2,15 kg |

auxiliary handle, wrench, the grindstone is not included

## HECHT 1390



330 x 140 x 120 mm



|  |               |             |                 |         |
|--|---------------|-------------|-----------------|---------|
|  | electric      | 230 V/50 Hz | disc size       | 125 mm  |
|  | power input   | 900 W       | sprindle thread | M14     |
|  | no load speed | 10500 rpm   | weight          | 2,36 kg |

auxiliary handle, wrench, the grindstone is not included

**Quick-release disc guard**

## HECHT 1309



440 x 140 x 130 mm



|  |               |             |                 |        |
|--|---------------|-------------|-----------------|--------|
|  | electric      | 230 V/50 Hz | disc size       | 125 mm |
|  | power input   | 1200 W      | sprindle thread | M14    |
|  | no load speed | 12000 rpm   | weight          | 2,6 kg |

auxiliary handle, wrench, the grindstone is not included

## HECHT 1314

**Quick-release disc guard**



510 x 115 x 150 mm

Available from 4/17



|  |               |             |                 |        |
|--|---------------|-------------|-----------------|--------|
|  | electric      | 230 V/50 Hz | disc size       | 150 mm |
|  | power input   | 1400 W      | sprindle thread | M14    |
|  | no load speed | 8600 rpm    | weight          | 3,1 kg |

auxiliary handle, wrench, the grindstone is not included

## HECHT 1318



530 x 114 x 160 mm



|  |               |             |                 |         |
|--|---------------|-------------|-----------------|---------|
|  | electric      | 230 V/50 Hz | disc size       | 180 mm  |
|  | power input   | 1800 W      | sprindle thread | M14     |
|  | no load speed | 8000 rpm    | weight          | 4,48 kg |

auxiliary handle, wrench, the grindstone is not included

**Quick-release disc guard**

**Soft start**



**Rotary handle**



565 x 165 x 125 mm

|  |               |             |                 |        |        |
|--|---------------|-------------|-----------------|--------|--------|
|  | electric      | 230 V/50 Hz | disc size       | 230 mm |        |
|  | power input   | 2350 W      | sprindle thread | M14    |        |
|  | no load speed | 6500 rpm    |                 | weight | 4,9 kg |

auxiliary handle, wrench, soft start, the grindstone is not included

CE

**000994**  
diamond blade 115 mm



**000993**  
diamond blade 125 mm



**000992**  
saw blade 185 x 20 x 40T

**000991**  
saw blade 185 x 20 x 60T

## HECHT 1726



290 x 185 x 205 mm

|  |               |             |                    |         |        |
|--|---------------|-------------|--------------------|---------|--------|
|  | electric      | 230 V/50 Hz | disc size          | 150 mm  |        |
|  | power input   | 150 W       | disc hole diameter | 12,7 mm |        |
|  | no load speed | 2960 rpm    |                    | weight  | 4,3 kg |

spark guard, workpiece support

CE

## HECHT 1727

## HECHT 1728



355 x 240 x 280 mm

CE

|  |               |             |                    |        |        |
|--|---------------|-------------|--------------------|--------|--------|
|  | electric      | 230 V/50 Hz | disc size          | 200 mm |        |
|  | power input   | 350 W       | disc hole diameter | 16 mm  |        |
|  | no load speed | 2960 rpm    |                    | weight | 8,5 kg |

spark guard, workpiece support



420 x 260 x 265 mm

CE

|  |               |             |                          |        |      |
|--|---------------|-------------|--------------------------|--------|------|
|  | electric      | 230 V/50 Hz | disc size (dry grinding) | 150 mm |      |
|  | power input   | 250 W       | disc size (wet grinding) | 200 mm |      |
|  | no load speed | 2960 rpm    |                          | weight | 8 kg |

spark guard, workpiece support



# POWER TOOLS

**000176060**  
sandpaper for HECHT 1760  
3 pcs, roughness 60

**000176080**  
sandpaper for HECHT 1760  
3 pcs, roughness 80

**000176020**  
sandpaper for HECHT 1760  
3 pcs, roughness 120



338 x 126 x 247 mm



|  |               |             |                |             |
|--|---------------|-------------|----------------|-------------|
|  | electric      | 230 V/50 Hz | baseboard size | 140 X 80 mm |
|  | power input   | 220 W       |                | weight      |
|  | no load speed | 13000 rpm   |                | 2 kg        |

sandpaper, plastic dust container

## HECHT 1760

**000176260**  
sandpaper for HECHT 1762  
5 pcs, roughness 60

**000176280**  
sandpaper for HECHT 1762  
5 pcs, roughness 80

**000176220**  
sandpaper for HECHT 1762  
5 pcs, roughness 120



338 x 126 x 247 mm



|  |               |             |                |             |
|--|---------------|-------------|----------------|-------------|
|  | electric      | 230 V/50 Hz | baseboard size | 187 X 90 mm |
|  | power input   | 220 W       |                | weight      |
|  | no load speed | 12000 rpm   |                | 1,66 kg     |

sandpaper, plastic dust container

## HECHT 1762

**000176460**  
sandpaper for HECHT 1762  
5 pcs, roughness 60

**000176480**  
sandpaper for HECHT 1762  
5 pcs, roughness 80

**000176420**  
sandpaper for HECHT 1762  
5 pcs, roughness 120



305 x 130 x 190 mm



|  |               |             |                             |           |
|--|---------------|-------------|-----------------------------|-----------|
|  | electric      | 230 V/50 Hz | no load orbital stroke rate | 26000 rpm |
|  | power input   | 450 W       | baseboard size              | Ø 125 mm  |
|  | no load speed | 13000 rpm   |                             | weight    |
|  |               |             |                             | 2 kg      |

sandpaper, plastic dust container

## HECHT 1764

**0001781060**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 60

**0001781080**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 80

**0001781120**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 120



353 x 160 x 165 mm



|  |               |             |              |             |
|--|---------------|-------------|--------------|-------------|
|  | electric      | 230 V/50 Hz | sanding size | 140 X 76 mm |
|  | power input   | 810 W       | sanding belt | 533 x 76 mm |
|  | no load speed | 380 rpm     |              | weight      |
|  |               |             |              | 3,2 kg      |

sanding belt, dust bag

## HECHT 1781



188 x 340 x 167 mm



|  |               |             |                                                    |       |
|--|---------------|-------------|----------------------------------------------------|-------|
|  | electric      | 230 V/50 Hz | max. planing width                                 | 82 mm |
|  | power input   | 900 W       | max. planing depth                                 | 3 mm  |
|  | no load speed | 16000 rpm   | max. rebating depth                                | 15 mm |
|  | weight        | 2,8 kg      | with accessories box (key, allen key), guide fence |       |

## HECHT 1790

## HECHT 001790 Upside down table for HECHT 1790



315 x 185 x 230 mm

315 x 185 x 230 mm

# POWER TOOLS

001060A 2 pcs blade for wood  
001060D 2 pcs blade for aluminium  
001060C 2 pcs diamond blade



## HECHT 1066



532 x 142 x 234 mm

+ Box



|  |               |             |                    |         |
|--|---------------|-------------|--------------------|---------|
|  | electric      | 230 V/50 Hz | blade diameter     | 89 mm   |
|  | power input   | 705 W       | max. cutting depth | 28,5 mm |
|  | no load speed | 4500 rpm    | weight             | 2,55 kg |

3 blades, guide fence, hex key, dust adapter

## HECHT 1618



001618

Blade for HECHT 1618  
blade diameter 185 mm



190 x 330 x 250 mm



|  |               |             |                    |        |
|--|---------------|-------------|--------------------|--------|
|  | electric      | 230 V/50 Hz | blade diameter     | 185 mm |
|  | power input   | 1300 W      | max. cutting depth | 65 mm  |
|  | no load speed | 5000 rpm    | weight             | 4 kg   |

with saw blade, guide fence

## HECHT 1615

Available from 3/17



With LASER AC

HECHT 001615  
Blade for HECHT 1615  
blade diameter 185 mm



360 x 245 x 265 mm

|  |               |             |                    |         |
|--|---------------|-------------|--------------------|---------|
|  | electric      | 230 V/50 Hz | blade diameter     | 185 mm  |
|  | power input   | 1500 W      | max. cutting depth | 65 mm   |
|  | no load speed | 5500 rpm    | weight             | 5,26 kg |

with saw blade

## HECHT 1619

With LASER AC



001619

Blade for HECHT 1619  
blade diameter 190 mm



190 x 343 x 252 mm



|  |               |             |                    |        |
|--|---------------|-------------|--------------------|--------|
|  | electric      | 230 V/50 Hz | blade diameter     | 190 mm |
|  | power input   | 1600 W      | max. cutting depth | 63 mm  |
|  | no load speed | 5000 rpm    | weight             | 4,6 kg |

with saw blade, guide fence

## HECHT 1570



blade for wood and steel included



480 x 80 x 190 mm



|  |               |             |                       |         |
|--|---------------|-------------|-----------------------|---------|
|  | electric      | 230 V/50 Hz | cutting depth - wood  | 115 mm  |
|  | power input   | 710 W       | cutting depth - steel | 5 mm    |
|  | no load speed | 0-2500 rpm  | weight                | 2,74 kg |

# POWER TOOLS, ELECTRIC HEATER

## HECHT 814



Mitre saw with laser



490 x 300 x 290 mm



|   |             |             |               |                       |
|---|-------------|-------------|---------------|-----------------------|
| ⚡ | electric    | 230 V/50 Hz | No load speed | 5000 rpm              |
| ⚡ | power input | 1400 W      | Tilting range | -45° / 0° / 45°       |
| 🔪 | Saw blade   | ∅ 210 mm    | Mitre cuts    | 0° to 45° to the left |

## HECHT 818

Double bevel



Mitre saw with AC laser



725 x 455 x 390 mm



|   |             |             |               |                                 |
|---|-------------|-------------|---------------|---------------------------------|
| ⚡ | electric    | 230 V/50 Hz | No load speed | 5000 rpm                        |
| ⚡ | power input | 1800 W      | Tilting range | -45° / 0° / 45°                 |
| 🔪 | Saw blade   | ∅ 210 mm    | Mitre cuts    | 0° to 45° to the left and right |

## HECHT 8199 PROFI



Mitre saw with AC laser



740 x 540 x 430 mm



|   |             |             |               |                       |
|---|-------------|-------------|---------------|-----------------------|
| ⚡ | electric    | 230 V/50 Hz | No load speed | 4700 rpm              |
| ⚡ | power input | 1900 W      | Tilting range | -45° / 0° / 45°       |
| 🔪 | Saw blade   | ∅ 255 mm    | Mitre cuts    | 0° to 45° to the left |

## 003180

termostat with remote control for HECHT 3180, 3240



1580 x 250 x 145 mm



|   |             |             |                        |                   |
|---|-------------|-------------|------------------------|-------------------|
| ⚡ | electric    | 230 V/50 Hz | heating area - covered | 30 m <sup>2</sup> |
| ⚡ | power input | 2400 W      | dimensions             | 150 x 19 x 6,7 cm |
| 👤 | weight      | 9,7 kg      |                        |                   |

## HECHT 3240



## DIESEL WITH THERMOSTAT AUTOMATIC SHUTDOWN



805 x 335 x 440 mm



|   |                    |             |                     |                    |
|---|--------------------|-------------|---------------------|--------------------|
| ⚡ | electric           | 230 V/50 Hz | heating area        | 166 m <sup>2</sup> |
| ⚡ | power output       | 20 kW       | thermal performance | 70 000 Btu         |
| 🛢 | fuel tank capacity | 19 l        | consumption         | 2 l/h              |

## REMOTE CONTROL



895 x 135 x 525 mm



|   |             |             |            |                      |
|---|-------------|-------------|------------|----------------------|
| ⚡ | electric    | 230 V/50 Hz | dimensions | 220 x 230 x 772      |
| ⚡ | power input | 2000 W      | airflow    | 80 m <sup>3</sup> /h |
| 👤 | weight      | 4,5 kg      | setting    | 1200 / 2000 W        |

## HECHT 3610



ROTARY

LCD DISPLAY

CAN BE USED AS A VENTILATOR

CERAMIC HEATER ELEMENT

# POWER TOOLS

## HECHT 1811

|                   |            |
|-------------------|------------|
| electric          | 230V/50 Hz |
| power input [W]   | 40         |
| glue stick Ø [mm] | 11         |



CZ  
 SK  
 GB  
 DE  
 PL  
 double blister



Available from 4/17

## HECHT 1816

Electrode welder - inverter



CZ  
 SK  
 PL  
 GB  
 HU  
 428 x 221 x 287 mm



## HECHT 1812

|                   |            |
|-------------------|------------|
| electric          | 230V/50 Hz |
| power input [W]   | 80         |
| glue stick Ø [mm] | 11,2       |



Cordless work thanks to heat accumulation  
 CZ  
 SK  
 GB  
 DE  
 PL  
 HU  
 270 x 238 x 73 mm



|                 |                                            |                    |          |
|-----------------|--------------------------------------------|--------------------|----------|
| input capacity  | 6,4 KVA                                    | electrode diameter | 1 - 4 mm |
| welding current | 20 - 160 A                                 | weight             | 5 kg     |
| welding voltage | 26,4 V                                     | electrode holder   |          |
| duty cycle      | 160 A - 40 % , 124 A - 60 % , 80 A - 100 % |                    |          |

## HECHT 1817

Electrode welder - inverter



CZ  
 SK  
 PL  
 GB  
 HU



CZ  
 SK  
 PL  
 GB  
 HU  
 428 x 221 x 287 mm



|                 |                                            |                    |          |
|-----------------|--------------------------------------------|--------------------|----------|
| input capacity  | 6,4 KVA                                    | electrode diameter | 1 - 4 mm |
| welding current | 20 - 160 A                                 | weight             | 5 kg     |
| welding voltage | 26,4 V                                     | electrode holder   |          |
| duty cycle      | 160 A - 40 % , 124 A - 60 % , 80 A - 100 % |                    |          |

## HECHT 1820

Electrode welder - inverter



200 A



CZ  
 SK  
 PL  
 GB  
 HU  
 428 x 221 x 287 mm



|                 |                                             |                    |          |
|-----------------|---------------------------------------------|--------------------|----------|
| input capacity  | 7,5 KVA                                     | electrode diameter | 1 - 4 mm |
| welding current | 20 - 200 A                                  | weight             | 6,4 kg   |
| welding voltage | 27,2 V                                      | electrode holder   |          |
| duty cycle      | 200 A - 40 % , 155 A - 60 % , 126 A - 100 % |                    |          |

www.hecht.cz

## HECHT 900201

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

|                                                                                      |             |
|--------------------------------------------------------------------------------------|-------------|
| window dimensions                                                                    | 100 x 50 mm |
| response time                                                                        | ≤ 1/25000 s |
| weight                                                                               | 0,49 kg     |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm |             |

## HECHT 900221

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

|                                                                                      |             |
|--------------------------------------------------------------------------------------|-------------|
| window dimensions                                                                    | 100 x 50 mm |
| response time                                                                        | ≤ 1/25000 s |
| weight                                                                               | 0,49 kg     |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm |             |

## HECHT 900241

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

|                                                                                      |             |
|--------------------------------------------------------------------------------------|-------------|
| window dimensions                                                                    | 100 x 50 mm |
| response time                                                                        | ≤ 1/25000 s |
| weight                                                                               | 0,49 kg     |
| solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm |             |

# OUTER LED LIGHTS

## HECHT 2020

## HECHT 2021

## HECHT 2200



Accessories  
nr. 002020 for HECHT  
2020, 2021, 2200



293 x 280 x 95 mm



|   |             |              |                     |              |
|---|-------------|--------------|---------------------|--------------|
| ⚡ | electric    | 230 V /50 Hz | temperature setting | 350 / 600 °C |
| 🔌 | power input | 2000 W       | air volume          | 480 l/min    |
| 👤 | weight      | 0,6 kg       |                     |              |



Adjustable  
temperature  
setting 80-600 °C



270 x 235 x 76 mm



|   |             |              |                     |             |
|---|-------------|--------------|---------------------|-------------|
| ⚡ | electric    | 230 V /50 Hz | temperature setting | 80 - 600 °C |
| 🔌 | power input | 2000 W       | air volume          | 480 l/min   |
| 👤 | weight      | 0,9 kg       |                     |             |



Available  
from 4/17

Display



Adjustable  
temperature  
setting 80-600 °C



105 x 105 x 45 mm



|   |             |              |                     |             |
|---|-------------|--------------|---------------------|-------------|
| ⚡ | electric    | 230 V /50 Hz | temperature setting | 80 / 600 °C |
| 🔌 | power input | 2000 W       | air volume          | 480 l/min   |
| 👤 | weight      | 0,7 kg       |                     |             |

## HECHT 2801

LED light



## HECHT 2802

LED light



## HECHT 2803

LED light



|   |             |                  |                   |        |
|---|-------------|------------------|-------------------|--------|
| ⚡ | electric    | 230 V/50 Hz      | light temperature | 6500 K |
| 🔌 | power input | 10 W             | light intensity   | 750 lm |
|   | dimensions  | 130 x 90 x 34 mm |                   |        |

|   |             |                   |                   |         |
|---|-------------|-------------------|-------------------|---------|
| ⚡ | electric    | 230 V/50 Hz       | light temperature | 6500 K  |
| 🔌 | power input | 20 W              | light intensity   | 1500 lm |
|   | dimensions  | 180 x 126 x 36 mm |                   |         |

|   |             |                   |                   |         |
|---|-------------|-------------------|-------------------|---------|
| ⚡ | electric    | 230 V/50 Hz       | light temperature | 6500 K  |
| 🔌 | power input | 30 W              | light intensity   | 2400 lm |
|   | dimensions  | 210 x 147 x 37 mm |                   |         |

## HECHT 2811

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

|   |             |                  |                   |        |
|---|-------------|------------------|-------------------|--------|
| ⚡ | electric    | 230 V/50 Hz      | light temperature | 6500 K |
| 🔌 | power input | 10 W             | light intensity   | 750 lm |
|   | dimensions  | 130 x 90 x 34 mm |                   |        |

remote control




## HECHT 2812

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

|   |             |                   |                   |         |
|---|-------------|-------------------|-------------------|---------|
| ⚡ | electric    | 230 V/50 Hz       | light temperature | 6500 K  |
| 🔌 | power input | 20 W              | light intensity   | 1500 lm |
|   | dimensions  | 180 x 126 x 36 mm |                   |         |

remote control



## HECHT 2813

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

|   |             |                   |                   |         |
|---|-------------|-------------------|-------------------|---------|
| ⚡ | electric    | 230 V/50 Hz       | light temperature | 6500 K  |
| 🔌 | power input | 30 W              | light intensity   | 2250 lm |
|   | dimensions  | 210 x 147 x 37 mm |                   |         |

remote control




## HECHT 2815

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

|   |             |                   |                   |         |
|---|-------------|-------------------|-------------------|---------|
| ⚡ | electric    | 230 V/50 Hz       | light temperature | 6500 K  |
| 🔌 | power input | 50 W              | light intensity   | 3750 lm |
|   | dimensions  | 260 x 182 x 51 mm |                   |         |

remote control




# GARDEN GRILLS

## HECHT BALL


Suitable for sheltered garden areas.

- stainless steel
- ash catcher
- height: 100 cm
- width: 65 x 59 cm



Suitable for sheltered garden areas.


- steel plate
- adjustable charcoal grid
- warming rack
- ash catcher
- thermometer
- height: 94 cm
- width: 56 x 69 cm



## HECHT MERIDA


Suitable for sheltered garden areas.

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- chrome plated cooking grill
- height: 92 cm
- diameter: 53,5 cm



Optional alloy grid HECHT 50011

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- ash catcher



## HECHT KUGELGRILL

Suitable for sheltered garden areas.



- height: 116 cm
- width: 60 x 98 cm


## HECHT SENTINEL MINOR

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



Steel 1 mm




Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer



Steel 1 mm



## HECHT SENTINEL



Optional grill cover HECHT 0001058



# GARDEN GRILLS

## HECHT SENTINEL LUX

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer

**Steel 1,2 mm**



710 x 520 x 510 mm

## HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.

**Steel 1,5 mm**

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



1085 x 505 x 515 mm



## HECHT STEAMROLLER



Optional alloy grid  
HECHT 000666

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer



710 x 510 x 520 mm



**Steel 1,5 mm**

## HECHT SMOKEHOUSE

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer

**Steel 1,5 mm**



755 x 505 x 515 mm



Gas grill - suitable for sheltered garden areas and exteriors.

- 3 burners
- 2x enamel wire grills

Cover 003101C



835 x 625 x 310 mm



## HECHT CONTACT

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 4 burners
- 1 x enamel mat cast iron grill
- + 1 x mat enamel cast cooking plate

Cover 004205C



740 x 730 x 525 mm



## HECHT ADELLE

Not intended for D and PI

Optional grill rack 004205M



Standard accessory



# GARDEN FURNITURE

**Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.**

## EKONOMY SET 4

**Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.**

## EKONOMY SET 6



Table: L 141 x W 91 x H 73 cm /  
Chair: L 55 x W 76 x H 96 cm

Maximum load: 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm



Table:  
1420 x 920 x 70 mm



Maximum load: 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm

Table: L 141 x W 91 x H 73 cm /  
Chair: L 55 x W 76 x H 96 cm



Table:  
1420 x 920 x 70 mm

**Aluminium construction and tempered glass. Suitable for sheltered garden areas.**

## SOFIA SET 4

**Aluminium construction and tempered glass. Suitable for sheltered garden areas.**

## SOFIA SET 6



Table: L 150 x W 90 x H 73 cm /  
Chair: L 55 x W 75 x H 95 cm

Maximum load: Chair 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm



Table:  
1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm

Table: L 150 x W 90 x H 73 cm /  
Chair: L 55 x W 75 x H 95 cm



Table:  
1520 x 920 x 70 mm

**Aluminium construction and tempered black glass. Suitable for sheltered garden areas.**

## HONEY SET 6

**Aluminium construction and tempered black glass. Suitable for sheltered garden areas.**

## HONEY SET MAXI



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 150 x W 90 x H 72 cm /  
Chair: L 58 x W 74 x H 97 cm



Table: 1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 168 x W 97 x H 72 cm /  
Chair: L 57 x W 86 x H 111 cm



Table: 1700 x 70 x 980 mm



# GARDEN FURNITURE

## HECHT GRAPHITE SET

Aluminium construction, wood imitation. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL



Chair stackable



Table: 1520 x 80 x 1520 mm

## HECHT BIER SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL



1450 x 690 x 1300 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

A set of table with 6 chairs and parasol included.

Folding chairs  
Parasol 270 cm,  
8 steel ribs,  
steel frame



CZ  
SK  
PL  
GB  
DE  
HU



Chair: (2 pcs. in box)  
870 x 570 x 250 mm



Table:  
1520 x 920 x 70 mm



Parasol:  
1400 x 150 x 150 mm

## SHADOW SET

## HECHT BALCONY SET A

Hard wood Acacia. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL

Maximum load: Chair 160 kg

Table: L 60 x W 60 x H 72 cm /  
Chair: L 40 x W 53 x H 80 cm



970 x 860 x 140 mm

Tropical hard wood Meranti. Suitable for sheltered garden areas.

## HECHT WEEKEND SET



CZ  
SK  
PL  
GB  
DE  
HU

Maximum load: Chair 150 kg / Bench 300 kg



Bench:  
2021 x 571 x 226 mm



Chair: (2 pcs. in box)  
2015 x 570 x 225 mm



Table: L 150 x W 90 x H 74 cm /  
Chair: L 60 x W 61 x H 93 cm /  
Bench: L 120 x W 60 x H 93 cm



Table:  
2017 x 570 x 225 mm

# GARDEN FURNITURE

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT BASIC SET 4

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT BASIC SET 6



1 CHAIR  
CO03A6F



CZ  
SK  
GB  
DE  
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)  
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /  
Chair: L 53 x W 57 x H 86 cm

Table:  
1235 x 1160 x 280 mm



CZ  
SK  
GB  
DE  
PL

Chair: (2 pcs. in box)  
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /  
Chair: L 53 x W 57 x H 86 cm

Table:  
1235 x 1160 x 280 mm

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT NARROW SET

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT ROUNDED SET



CZ  
SK  
PL  
GB  
DE  
HU



CZ  
SK  
GB  
DE  
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)  
650 x 530 x 255 mm

Table: L 165 x W 100 x H 75 cm /  
Chair: L 61,5 x W 63 x H 95 cm

Table:  
1690 x 1040 x 120 mm

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT LEADER SET

Hard wood Acacia.  
Suitable for  
sheltered  
garden areas.

## HECHT CAMBERET SET



P015



CZ  
SK  
GB  
DE  
PL

Table: L 200/150 x W 100 x H 74 cm /  
Chair: L 61 x W 77 x H 106 cm

Maximum load: Chair 160 kg

Chair: (6 pcs. in box)  
930 x 630 x 150 mm

Table:  
1530 x 1030 x 170 mm



CZ  
SK  
PL  
GB  
DE  
HU

Table: L 200/150 x W 100 x H 74 cm /  
Chair: L 58 x W 68 x H 110 cm

Maximum load: Chair 160 kg

Chair: (1 pcs. in box)  
1030 x 610 x 170 mm

Table:  
1520 x 1020 x 150 mm

# GARDEN FURNITURE

**Hard wood Acacia.  
Suitable for  
sheltered  
garden areas.**

## HECHT ROYAL SET



**Massive construction  
Table desk  
thickness cca 4 cm**

**Folding table - 3 different sizes**



Maximum load: Chair 160 kg

Chair: (1 pcs. in box)  
1030 x 610 x 170 mm



Table:  
1835 x 1185 x 215 mm

Table: L 180/280 x W 115 x H 76 cm /  
Chair: L 58 x W 68 x H 110 cm

## HECHT RELAXING CHAIR

**Made from steel pipes.  
Not suitable for wet  
places.**



**Weight: 12,5 kg  
Dimensions: 1400 x 770 x 1060 mm  
Material: PP**

## HECHT 0001 19



Maximum load: Chair 120 kg

960 x 150 x 650 mm



Maximum load: 120 kg

1030 x 780 x 240 mm

## SOFIA LOUNGER

**Aluminium construction.  
Suitable for sheltered  
garden areas.**



**Aluminium construction.  
Suitable for sheltered  
garden areas.**



Maximum load: 120 kg



Maximum load: 120 kg

# GARDEN FURNITURE

## HECHT RESORT I

**Tropical hard wood Meranti.**  
Suitable for sheltered garden areas.



Maximum load: 120 kg

1820 x 625 x 90 mm

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg

2030 x 630 x 90 mm

## HECHT ERA

**Tropical hard wood Meranti.**  
Suitable for sheltered garden areas.



Maximum load: 250 kg

2018 x 571 x 268 mm

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg

1960 x 660 x 120 mm

## HECHT CAMBERET LOUNGER

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg

955 x 615 x 195 mm

## 88276

Dimensions:  
46 x 4 x 109 cm



## 88275

Dimensions:  
46 x 4 x 46 cm



Suitable for:  
Occasional Bench  
Manton Set  
Chicago Set  
Gallery Set  
Balcony  
Dynasty Set

## 88919


Dimensions:  
55 x 4 x 178 cm



Suitable for:  
Resort I

## 88278

Dimensions:  
47 x 4 x 109 cm



Suitable for:  
Dynasty Set, Prague Set  
Grandeur Set, Revo Set  
Boston Set, Rectangle Set

# GARDEN FURNITURE

## HECHT TEEBENCH

Tropical hard wood Meranti.  
Suitable for sheltered garden areas.



Maximum load: 150 kg per side

1970 x 560 x 267 mm

## HECHT CLASSIC

Hard wood Acacia.  
Suitable for sheltered garden areas.



Maximum load: 300 kg

1610 x 630 x 140 mm

## HECHT WOODBENCH

Hard wood Acacia.  
Suitable for sheltered garden areas.

Available from 3/17



## HECHT TABLE BENCH



1630 x 640 x 110 mm

## HECHT TOYBOX

Tropical hard wood Meranti.  
Suitable for sheltered garden areas.



Maximum load: 150 kg

1960 x 556 x 266 mm



Hard wood Acacia.  
Suitable for sheltered garden areas.

## HECHT SPACE



1220 x 600 x 180 mm

# GARDEN FURNITURE

## HECHT ROSE

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 300 kg

1640 x 580 x 110 mm

## HECHT COUNTRY

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 300 kg

1700 x 620 x 150 mm

## HECHT 5 TROLLEY

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 50 kg

1040 x 450 x 120 mm

Tropical hard  
wood Meranti.  
Suitable for sheltered  
garden areas.



Maximum load: 120 kg

1070 x 560 x 170 mm

## HECHT SERVING

www.hecht.cz

## HECHT DREAM PINK

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

## HECHT DREAM R

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

## HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

# GARDEN SWINGS

## HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet places.



1280 x 760 x 380 mm

## BERLIN



Maximum load: 240 kg

Made from steel pipes.  
Suitable for sheltered garden areas.  
Not for wet places.



1925 x 685 x 230 mm

## BERLIN D



Maximum load: 240 kg

Made from steel pipes.  
Suitable for sheltered garden areas.  
Not for wet places.



1925 x 685 x 230 mm

## HECHT FUTON

Available from 4/17



## HECHT MONTE CARLO

Tropical hard wood Meranti.  
Suitable for covered garden areas.

Available from 4/17



Suitable for sheltered garden areas.

Maximum load: 200 kg



2000 x 1630 x 370 mm

## HECHT BAHARU LUX

Tropical hard wood Meranti.

Available from 3/17

Suitable for covered garden areas.

2 positions:  
bench or bed



Maximum load: 300 kg



2334 x 571 x 228 mm

# GARDEN SWINGS, PARASOLS

## SUNSET

cross-section



Diameter: 240 cm  
No. of struts: 6  
Height: 2 m  
Without base



1340 x 150 x 150 mm

## SHADOW

cross-section




Diameter: 270 cm  
No. of struts: 8  
Height: 2,2 m  
Without base



1400 x 150 x 150 mm

## SANDY 1

cross-section




Diameter: 250 cm  
No. of struts: 6  
Diameter of rod rack: 4,8 cm  
Polyester 180 g/m<sup>2</sup>  
Base 100 x 100 cm



1850 x 335 x 135 mm

cross-section



Diameter: 300 cm  
No. of struts: 8  
Diameter of rod rack: 4,8 cm  
Polyester 180 g/m<sup>2</sup>  
Base 100 x 100 cm




2010 x 355 x 135 mm

## SUNNY

www.hecht.cz

## SOL



Diameter: 350 cm  
No. of struts: 8  
Polyester 210 g/m<sup>2</sup>  
Base 100 x 100 cm



2700 x 440 x 180 mm



cross-section

Opening by handle



Rotating base





# GARDEN SHEDS, LED LIGHTS

## ANCHOR SET 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



890 x 570 x 480 mm

## HECHT 4X6 PLUS

(dark grey)

**GARDEN SHED,  
BASE INCLUDED (0,6 mm ZINC STEEL)**



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1950 x 200 x 120 mm

257 x 205 x 212 cm (L X W X H)

## HECHT 6X8 PLUS

(dark grey)



**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

0,3 mm board, 0,6 mm zinc steel frame

109 x 184 x 181 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 8X8 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 90 mm,  
1330 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

259 x 257 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 10X8 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1580 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

257 x 312 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 10X10 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1580 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**


315 x 315 x 217,5 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 5001

**Solar powered  
mole scarer**

solar voltage 1,2 V  
signal range ca 30 m  
Interval 30 s



cca 38 cm



390 x 100 x 85 mm

## HECHT 2706


voltage 1,2 V  
solar



10 PCS in BOX  
390 x 170 x 100 mm

## HECHT 2193

voltage 1,2 V  
solar



cca 30 cm



12 PCS in BOX  
310 x 100 x 235 mm

# GARDEN POOLS, INFLATABLE POOLS

## HECHT 3590 BLUESEA

Family pool of solid construction

Available from 4/17



|            |             |                |        |
|------------|-------------|----------------|--------|
| dimensions | 350 x 90 cm | foil thickness | 0,3 mm |
| volume     | 7200 l      | wall thickness | 0,3 mm |

package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic)

## HECHT 3612 BLUESEA

Family pool of solid construction

Available from 4/17



|            |              |                |        |
|------------|--------------|----------------|--------|
| dimensions | 360 x 120 cm | foil thickness | 0,4 mm |
| volume     | 10 680 l     | wall thickness | 0,4 mm |

package contains: pool, foil

## HECHT 3076 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



**Cartridge filtration**



|            |             |        |        |
|------------|-------------|--------|--------|
| dimensions | 300 x 76 cm | volume | 3618 l |
|------------|-------------|--------|--------|

3 ply PVC material without the use of phthalates, repair kit and cartridge filtration included

330 x 250 x 580 mm

## HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



|            |             |        |        |
|------------|-------------|--------|--------|
| dimensions | 360 x 90 cm | volume | 6654 l |
|------------|-------------|--------|--------|

3 ply PVC material without the use of phthalates, repair kit included

445 x 265 x 520 mm

## HECHT 520427

inflatable paddling pool



CE



|            |                   |                            |
|------------|-------------------|----------------------------|
| dimensions | 190 x 145 x 45 cm | for children aged 6+ years |
| volume     | 450 l             | wall thickness 0,27 mm     |

bicameral, strong construction, material PVC without phthalates, repair kit included

320 x 270 x 100 mm

## HECHT 520421

inflatable paddling pool



|            |                   |                            |
|------------|-------------------|----------------------------|
| dimensions | 262 x 175 x 51 cm | for children aged 6+ years |
| volume     | 778 l             | wall thickness 0,27 mm     |

bicameral, strong construction, material PVC without phthalates, repair kit included

440 x 340 x 110 mm

# POOL ACCESSORIES

## HECHT 00090

Ladders for pools

height [cm] 90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



390 x 115 x 650 mm

## HECHT 00122

Ladders for pools

height [cm] 122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



445 x 115 x 890 mm

## HECHT 016123

Underlay pad for pools

dimensions [cm] 309x309

material PE [g/m²] 90

Available from 4/17



250 x 90 x 250 mm

## HECHT 30003

Skimmer

hose coupler [mm] 32/38

Complete mounting kit

Available from 4/17



## HECHT 003609

Cartridge filtration

voltage [V] 220-240

water flow [m³/hod] 1,2

hose coupler [mm] 32

Complete mounting kit

Available from 4/17



230 x 230 x 115 mm

## 029587



Replacement filters for cartridge filtration 2 pcs

## HECHT 302110

10" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

## HECHT 302231

10" Sand filtration without prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

## HECHT 302112

12" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 42

water flow [m³/hod] 7

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



440 x 590 x 470 mm

# POOL ACCESSORIES

**HECHT 060501**

THERMOMETER



**HECHT 060504**

FLOATING THERMOMETER



**HECHT 060510**

THERMOMETER



**HECHT 060512**

THERMOMETER



**HECHT 060104**

TRIANGULAR VACUUM CLEANER  
30 cm



**HECHT 060102**

VACUUM CLEANER DE LUX  
with side brushes



**HECHT 060301**

LEAF SKIMMER  
for surface-collecting debris



**HECHT 060302**

LEAF SKIMMER  
for surface-collecting debris



**HECHT 060308**

LEAF SKIMMER  
for deep-collecting debris




**HECHT 060309**

LEAF SKIMMER  
for deep-collecting debris  
(reinforced frame)



**HECHT 060307**

LEVEL SKIMMER  
ON ALUMINUM ROD  
length 1,3 m,  
telescopic



**HECHT 060402**

TELESCOPIC ROD  
three parts 1,2 - 3,6m



**HECHT 060203**

BRUSH  
for removing dirt from the  
bottom and the edges  
Dimension: 25 cm



**HECHT 060205**

BRUSH  
for removing dirt from the  
bottom and the edges  
Dimension: 45 cm



**HECHT 060702**

FLOATING CHLORINE  
DISPENSER  
(medium) 20g / 200g



**HECHT 060703**

FLOATING CHLORINE  
DISPENSER  
200g



**HECHT 061002**

POOL SERVICE KIT  
4 pcs



**HECHT 060607**

TEST STRIPS 4IN1



**HECHT 061210**

REPAIR KIT  
including glue and patches



**HECHT 060601**

TESTER PH/CL  
basic set for measuring  
pH / CL in pool water



# INFLATABLE TOYS, WATER GUNS

## HECHT 000036

Covering tarp  
Available  
from 4/17



250 x 90 x 250 mm

diameter 360 cm material PE 90 g/m<sup>2</sup>

Drainage holes, pulling rope

## HECHT 000030

Covering tarp  
Available  
from 4/17



250 x 60 x 250 mm

diameter 300 cm material PE 90 g/m<sup>2</sup>

Drainage holes, pulling rope

## HECHT 300908

Solar shower

|                        |     |
|------------------------|-----|
| volume [l]             | 8   |
| cylinder diameter [mm] | 110 |
| height [cm]            | 215 |


Available  
from 4/17



1210 x 150 x 150 mm

## HECHT 510501

children's inflatable whale



230 x 195 x 70 mm

dimensions 170 x 87 cm for children aged 3+ years

wall thickness 0,22 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

## HECHT 510503

children's inflatable orca



230 x 195 x 70 mm

dimensions 190 x 76 cm for children aged 3+ years

wall thickness 0,25 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

## HECHT 570109

hand airpump



height 30 cm,  
solid construction,  
three different attachments

## HECHT 20631

water gun

14 cm



## HECHT 20632

water gun

14 cm



## HECHT 20681

water gun

39 cm



## HECHT 20711

water gun

29 cm



POOLS

CHILDREN

# TOYS – INFLATABLE BOUNCERS

## HECHT 59236



The package of each bouncer includes inflating fan:

330 W for 59314, 59072;

450 W for 59236, 59112, 59160, 59271;

680 W for 59060, 59109.



A new attraction for your children! They can fully enjoy their favorite activities - jumping, sliding, crawling and to spent many hours of great fun and healthy exercise. Bouncy castles are suitable for children from age of 3 years. Bouncy castle sides are fitted with soft mesh security nets for the best safety of your children during play. Ground pins are provided for firm anchor of the castle to the ground. A big advantage is the minimal storage space needed - just simply deflate and fold. Bouncy castle is inflated within 1 minutes.



|                                                                                                                                          |                    |                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------|-------|
| dimensions                                                                                                                               | 350 x 210 x 200 cm | nr. of children | 2     |
| weight                                                                                                                                   | 17,6 kg            | max. load       | 90 kg |
| Jumping part out of a highly durable laminated PVC, other parts of polyester. Included are ground pins, patches for repairing and a fan. |                    |                 |       |

**Not intended for: FR, A, D, H, GR, RO, UA, NL, B, IRL, P, DK.**



450 x 430 x 580 mm

www.hecht.cz

## HECHT 59072



**VOLLEYBALL NET INCLUDED**



|                                                                                                                                                |                    |                    |    |
|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------|----|
| dimensions                                                                                                                                     | 800 x 335 x 180 cm | number of children | 10 |
| weight                                                                                                                                         | 22,5 kg            |                    |    |
| Inflatable part made from highly durable laminated PVC, other parts from polyester. Included are ground pins, patches for repairing and a fan. |                    |                    |    |



760 x 380 x 380 mm

# KIDS GARDEN TOOLS, PEDAL TRACTORS AND KARTS

## KIDS GARDEN TOOLS

PT406  
Mix children's equipment, 60 pieces, with sales box.



## KID'S SPADE KID'S SHOVEL KID'S RAKE KID'S RAKE KID'S HOE KID'S SHOVEL

PT406-1 PT406-2 PT406-4 PT406-5 PT406-6 PT406-7



**55202**  
SET OF GARDEN TOOLS FOR CHILDREN AND ADULTS

GIFT PACKAGE



8 pcs



### HECHT 51312

Pedal tractor



775 x 430 x 330 mm

93 x 45 x 53 cm  
maximum load: 30 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 7,6 kg

### HECHT 51311

Pedal tractor

Available from 4/17



775 x 430 x 330 mm

85 x 45 x 53 cm  
maximum load: 25 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 6,8 kg

### HECHT 51413

Pedal tractor with trailer



775 x 430 x 470 mm

154 x 45 x 61 cm  
maximum load: 30 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 10,2 kg

### HECHT 51412

Pedal tractor with trailer



775 x 430 x 390 mm

148 x 45 x 53 cm  
maximum load: 30 kg

Pedal tractor with trailer and chain drive.  
For children aged 3-6 years.  
weight: 9,2 kg

CHILDREN

# PEDAL AND ACCU CARS

## HECHT 59788

**Pedal kart**

Available from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 10,2 kg

## HECHT 59789

**Pedal kart**

Available from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 10,2 kg

## HECHT 50100

**Pedal kart**

Available from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 15 kg

## HECHT 50200

**Pedal kart**

Available from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 15 kg

## HECHT 55128



1010 x 670 x 525 mm

112 cm

70 cm

112 x 70 x 74 cm

maximum load: 30 kg



battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h

For children aged 3-8 years. Sound effects, reverse, 2 motors.



# ACCU CARS

## BMW S1000RR-Grey

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

## BMW S1000RR-Red

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

## HECHT 51117

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

## HECHT 51119

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

## MINI HATCH-YELLOW

ORIGINAL LICENSED BMW



1110 x 600 x 330 mm



110 cm

62 cm

110 x 62 x 51 cm

battery 2x 6 V / 4 Ah, weight 14 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, remote control

## HECHT 56181



1170 x 610 x 380 mm



110 cm

73 cm

110 x 73 x 78 cm

battery (2x) 6 V / 7 Ah / 25 W, weight 17,5 kg, speed 3,2-6,8 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors.

# ACCUCARS

## HECHT 56186

10 AH



1170 x 610 x 380 mm

|                     |                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------|
| 110 x 73 x 78 cm    | battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h                                                   |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input. |

## HECHT 56185

10 AH



1170 x 610 x 380 mm

|                     |                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------|
| 110 x 73 x 78 cm    | battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h                                                   |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input. |

## VOLKSWAGEN GOLF A7 GTI-RED

ORIGINAL LICENSED  
VOLKSWAGEN



1140 x 590 x 370 mm

|                     |                                                                    |
|---------------------|--------------------------------------------------------------------|
| 110 x 74 x 55 cm    | battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h    |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, SD card slot |

## VOLKSWAGEN GOLF A7 GTI-WHITE

ORIGINAL LICENSED  
VOLKSWAGEN



1140 x 590 x 370 mm

|                     |                                                                    |
|---------------------|--------------------------------------------------------------------|
| 110 x 74 x 55 cm    | battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h    |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, SD card slot |

## HECHT 58587

+ GUN  
AS A GIFT



1200 x 630 x 440 mm

|                     |                                                                               |
|---------------------|-------------------------------------------------------------------------------|
| 120 x 62 x 44 cm    | battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h                   |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, remote control |

## HECHT 58588

+ GUN  
AS A GIFT



1200 x 630 x 440 mm

|                     |                                                                               |
|---------------------|-------------------------------------------------------------------------------|
| 120 x 62 x 44 cm    | battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h                   |
| maximum load: 30 kg | For children aged 3-8 years. Light and sound effects, reverse, remote control |

## HECHT 51235



118 cm  
74 cm  
1180 x 650 x 475 mm

118 x 74 x 75 cm

battery 2x 6 V / 10 Ah / 12 V, 30 W, weight 19 kg, speed 3-5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse

## MERCEDES BENZ GLK-CLASS - WHITE



**ORIGINAL  
LICENSED  
MERCEDES**



78 cm  
130 cm  
1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

## MERCEDES BENZ GLK-CLASS - RED



**ORIGINAL  
LICENSED  
MERCEDES**



130 cm  
78 cm  
1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

## HECHT 54812

Accu buggy for children



138 x 83 x 90 cm

battery 48 V, 12 Ah / 1000 W, speed max. 35 km/h

Wheels 13" x 5-6

# ACCU CHILDREN ATV - QUADS

**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 54800



**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 54801



-  CZ
-  SK
-  PL
-  GB
-  HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain



-  CZ
-  SK
-  PL
-  GB
-  HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

www.hecht.cz

**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 56800



**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 56801



-  CZ
-  SK
-  PL
-  GB
-  HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain



-  CZ
-  SK
-  PL
-  GB
-  HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg


Safety pedal, battery indicator, three speed switch, horn, drive - chain

**ATV have a metal frame as classic motor-powered ATV, just the drive is electric and silent. This allows you to ride also at the places where you would disturb the others by operation the classic petrol ATV. Thus, children can go along with you in the park or a walk in the forest. You can select the mode max. 8 km/h, max 20 km/h or max. 35 km/h according to the skills of the child. Mode is selected by the key, after its removing the child cannot change it by itself.**

## CUBE B

(beige)

Suitable for kittens



## CUBE S

(grey)

Suitable for kittens



## GINGER B

(beige)

Suitable for kittens



## GINGER S

(grey)

Suitable for kittens



## GANDALF B

(beige)



325 x 325 x 310 mm

325 x 325 x 310 mm

310 x 310 x 330 mm

310 x 310 x 330 mm

520 x 520 x 350 mm


## ALEX B

(beige)



## ALEX S

(grey)



570 x 570 315 mm

570 x 570 315 mm

## GARFIELD B


(beige)



710 x 620 x 440 mm

## GARFIELD S

(grey)



710 x 620 x 440 mm

## ROSE

Material: flax



L x W x H [cm]

|                             |              |
|-----------------------------|--------------|
| <b>ROSE S</b> (Nr.: ROSE S) | 60 x 40 x 16 |
| <b>ROSE M</b> (Nr.: ROSE M) | 75 x 50 x 16 |

## SINDY

Material: suede



L x W x H [cm]

|                                 |               |
|---------------------------------|---------------|
| <b>SINDY L</b> (Nr.: SINDY L)   | 90 x 60 x 18  |
| <b>SINDY XL</b> (Nr.: SINDY XL) | 105 x 70 x 20 |

## SULTAN

Material: flax, corduroy



|                                   | L x W x H [cm] |
|-----------------------------------|----------------|
| <b>SULTAN M</b> (Nr.: SULTAN M)   | 75 x 50 x 16   |
| <b>SULTAN L</b> (Nr.: SULTAN L)   | 90 x 60 x 18   |
| <b>SULTAN XL</b> (Nr.: SULTAN XL) | 105 x 70 x 20  |

## LORD

Material: corduroy, cotton



|                               | L x W x H [cm] |
|-------------------------------|----------------|
| <b>LORD S</b> (Nr.: LORD S)   | 60 x 40 x 16   |
| <b>LORD M</b> (Nr.: LORD M)   | 75 x 50 x 16   |
| <b>LORD L</b> (Nr.: LORD L)   | 90 x 60 x 18   |
| <b>LORD XL</b> (Nr.: LORD XL) | 105 x 70 x 20  |

## AGATHA

Material: flax, long plush



|                                 | L x W x H [cm] |
|---------------------------------|----------------|
| <b>AGATHA S</b> (Nr.: AGATHA S) | 50 x 50 x 20   |
| <b>AGATHA M</b> (Nr.: AGATHA M) | 70 x 70 x 20   |
| <b>AGATHA L</b> (Nr.: AGATHA L) | 90 x 90 x 20   |

## MIKE SD / MIKE L

112 x 96 x 105 cm

88 x 78 x 81 cm



930 x 665 x 130 mm / 1120 x 810 x 170 mm

|            | doghouse | plastic door | insulation |
|------------|----------|--------------|------------|
| doghouse S | MIKE SD  | PLD-MIKES    | ISO-MIKES  |
| doghouse L | MIKE L   | PLD-MIKEL    | ISO-1201L  |

www.hecht.cz

## HOLIDAY

Made from durable wood



98 x 50 x 41 cm

1030 x 480 x 75 mm

## BUNNY

Made from durable wood



111,5 x 45 x 92 cm

1140 x 475 x 175 mm

**MICKEY**

Made from durable wood



91,5 x 45 x 70 cm


 935 x 460 x 137 mm

**000022**

Suitable for Oliver

Made from durable wood



 1455 x 525 x 171 mm

**TWEETY**

Made from durable wood




201 x 68 x 102 cm

 1730 x 780 x 110 mm

Made from durable wood



180 x 90 x 48 cm


 1820 x 490 x 117 mm

**OLIVER**

Made from durable wood



134 x 90 x 99 cm


 982 x 976 x 219 mm

**OREO**

Made from durable wood




195 x 73 x 98 cm

 2 BOXES: 650 x 635 x 131 mm, 955 x 635 x 107 mm

# BRAND **HECHT**<sup>®</sup> IN EUROPE

made for garden



HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: +420 323 661 347, fax: +420 323 661 348, WWW.HECHT.CZ

HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: +421 46 542 03 20, WWW.HECHT.SK

HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: +48 957 117 140 WWW.HECHTPOLSKA.PL

HECHT HUNGARY Kft., II. Rákoczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/951 4525, WWW.HECHT.HU

Descriptions, pictures and specifications may vary at time of shipping. Weights of chainsaws are stated without cutting accessories. Edition: January 2017

Product images are for illustrative purposes only. Real product and accessories may vary.

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

FAX: 800 100 247

2 000000 003740





## **ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:**

[storgom.ua](http://storgom.ua)

## **ГРАФИК РАБОТЫ:**

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

## **КОНТАКТЫ:**

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/izmelchitel-vetok-hecht-6285-xl.html>

Другие товары: <https://storgom.ua/izmelchiteli-vetok.html>